

PRODUCED BY:

DESTINATION

BY DESIGN

TOOLE

Acknowledgments

PROJECT MANAGEMENT TEAM

City of Durham Parks and

Recreation

Durham County

Transportation

East Coast Greenway

Alliance

North Carolina Department

of Transportation,

Integrated Mobility Division

Triangle West

Transportation Planning

Organization

PROJECT ADVISORY COMMITTEE

Bahama Ruritan Club

Bike Durham

Bragtown Community

Association

City of Durham

Durham County

Durham Open Space & Trails Commission (DOST)

Durham Public Schools

Oxford-Hamlin Community

Association

Person County

Rougemont Ruritan Club

Stagville Descendants

Council

The Conservation Fund

TRAIL IDENTITY COMMITTEE

Bahama Ruritan Club

Bragtown Community

Association

Discover Durham

Durham County

Transportation

Durham Open Space & Trails Commission (DOST)

Durham Public Schools

East Coast Greenway

Alliance

Person County

Person County Tourism
Development Authority

Stagville Descendants

Council

Triangle West

Transportation Planning

Organization

DURHAM COUNTY BOARD OF COMMISSIONERS

Nida Allam, Chair

Dr. Mike Lee, Vice Chair

Michelle Burton

Wendy Jacobs

Stephen Valentine

DURHAM CITY COUNCIL

Mayor Leonardo Williams

Mayor Pro-Tem Mark-

Anthony Middleton, Ward 2

Nate Baker, At-Large

Javiera Caballero, At-Large

Chelsea Cook, Ward 3

DeDreana Freeman, Ward 1

Carl Rist, At-Large

LAND ACKNOWLEDGEMENT STATEMENT

The project management team respectfully acknowledges that the land the Durham-to-Roxboro Rail Corridor, within Durham County, is on today is within the traditional and ancestral homelands of the Eno, Shakori, Sissipahaw, Occaneechi, other people of Siouan descent, and their descendants, the Occaneechi Band of the Saponi Nation. Source: Native Land Digital


TABLE OF CONTENTS

4.6 Focus Area: Rougemont228

EX: Executive Summary		Chapter 05: Implementation	
Chapter 01: Introduction	•	5.1 Trail Implementation and Project Cutsheets236	
1.1 Project Background		5.2 Trail Implementation Considerations262	
1.3 Trail Benefits	23	5.3 Implementation Strategy and Process264	
1.4 Planning Process 1.5 Plan Organization		5.4 Role of Durham County and City of Durham270	
Chapter 02: Study Consideration	ons	5.5 Trail Identity274	
2.1 Study Area	30	5.6 Operations and Maintenance Framework278	
2.2 Natural Environment2.3 Built Environment		5.7 Safety Considerations and Recommendations284	
2.4 Relevant Plans, Studies,		5.8 Potential Funding Sources286	
and Policies 2.5 Demographics		5.9 Conclusion and Next Steps298	
2.6 Benchmark Comparison		Appendices	
and Potential Trail Uses	100	A.1 Durham-to-Roxboro Rail Trail	
2.7 Opportunities & Constraints	108	Plan Public Involvement Plan	302
Chapter 03: Community		A.2 Anti-Displacement Overview and Best Practice Case Studies	31
Involvement		A.3 Design Guidance	315
3.1 Project Leadership and Committees		A.4 Invasive Plants Found in the North Carolina Piedmont	318
3.2 Tools of Engagement	126	A.5 Planning-Level Cost Estimates	
3.3 Community Stakeholders	130	for Trail Segments	320
3.4 Phase 1 – Community Engagement	132	A.6 Phase 1 Community Survey Summary	333
3.5 Phase 2 – Community Engagement		A.7 Phase 2 Community Survey – Questions, Analysis, and Quotes	33 4
3.6 Community Sentiment		A.8 Committee Guidelines for	
3.7 Design Considerations	161	Trail Identity	37
Chapter 04: Evaluation and Recommendations			
4.1 Corridor-Wide Recommendations	164		
4.2 Focus Area: Downtown Durham	182		
4.3 Focus Area: Bragtown	194		
4.4 Focus Area: Two Rivers	204		
4.5 Focus Area: Bahama	216		

MAPS

Map 01: Study Area		Map 20: Downtown Durham Opportunities	
Map 02: Planning Sections	13	and Constraints	
Map 03: Trail Implementation Overview	15	Map 21: Bragtown Opportunities and Constraints	
Map 04: Durham-to-Roxboro Rail Trail Corridor	19	Map 22: Two Rivers Opportunities and Constraints	
Map 05: Durham-to-Roxboro Rail Trail Study Area	31	Map 23: Bahama Opportunities and Constraints	
Map 06: Topography	33	Map 24: Rougemont Opportunities and Constraints	
Map 07: Soils	35	Map 25: Trail Crossings and Renderings	
Map 08: Hydrology	37	Map 26: Downtown Durham Focus Area Map	
Map 09: Stream Buffers		Map 27: Bragtown Focus Area Map	
Map 10: Species and Habitat		Map 28: Two Rivers Focus Area Map	
Map 11: Wildlife Crossing Recommendations		Map 29: Bahama Focus Area Map	
Map 12: Managed Lands		Map 30: Rougemont Focus Area Map	
Map 13: Place Type		Map 31: Trail Implementation Overview Map Map	235
Map 14: Historic Features		Map 32: Segment 1: Avondale Rd. underpass	
Map 15: Existing Parks & Trail Systems		to Hamlin Rd	
Map 16: Existing Bicycle and Pedestrian Infrastructure		Map 33: Segment 2: Hamlin Rd. to Penny's Bend	
Map 17: Bridge Locations		Map 34: Segment 3: Penny's Bend to Rhododendron Dr	
Map 18: Environmental Hazards		Map 35: Segment 4: Rhododendron Dr. to Ball Rd	
Map 19: Planning Sections Overview		Map 36: Segment 5: Ball Rd. to Red Mountain Rd	
Thup 15. I full filling Sections Overview	103	Map 37: Segment 6: Red Mountain Rd. to Person County Line	250
		Person County Line	255
EXHIBITS			
Exh 01: Durham Unified Development Ordinance, Impervious Surface Limits	40	Exh 25: Recommended Crossing Treatments	
Exh 02: Durham Unified Development Ordinance,		Exh 26: Toolkit of Add-On Crossing Treatments	. 1'/2
Stream Buffers	43	Exh 27: Crash Reduction Factors of Proposed Crossing Treatments	. 175
Exh 03: Triangle West Priority Wildlife Crossing Recommendations	/ ₁ Ω	Exh 28: Camden Ave. Trailhead – Conceptual Design 1	.184
Exh 04: Understanding the Place Type Map and Its	70	Exh 29: Camden Ave. Trailhead – Conceptual Design 2	.185
Implications for Rail Trail Development	59	Exh 30: Ellerbe Creek Connectivity Map	.187
Exh 05: Active Development Along the Corridor		Exh 31: I-85 Underpass – Existing Conditions	
Exh 06: Catawba Trail Farm		& Trail Underpass	
Exh 07: Catsburg Store		Exh 32: East Club Blvd. Trail Crossing	
Exh 08: Rougemont Train Depot		Exh 33: East Club Blvd. Trailhead – Conceptual Design.	
Exh 09: Stagville State Historic Site		Exh 34: Dearborn Dr. – Connectivity Map	.199
Exh 10: The Great Trading Path		Exh 35: Dearborn Dr. – Conceptual Trail Design & Trail Crossing	20
Exh 11: East Coast Greenway		Exh 36: Penny's Bend Trailhead – Conceptual Design 1.	
Exh 12: Mountains-to-Sea State Trail			20
Exh 13: Great Trails State Network, Division Five		Exh 37: Penny's Bend Trailhead – Conceptual Design 2	209
Exh 14: Existing Conditions at Trail Crossings		Exh 38: Snow Hill Rd. Schools Connectivity Map	
Exh 15: Field Notes on Accessibility at Crossings		Exh 39: Horton Grove Connectivity Map	
Exh 16: Phase 1 – Public Workshops		Exh 40: Lake Michie Connectivity Map	
Exh 17: Phase 1 – Focus Groups		Exh 41: Rhododendron Dr. Trail Crossing –	. 22
Exh 18: Phase 1 – Pop-Up Events		Conceptual Design	223
Exh 19: Phase 2 – Public Workshops		Exh 42: Bahama Rd. Crossing – Conceptual Design	
Exh 20: Phase 2 – Focus Groups		Exh 43: Rougemont Trailhead Conceptual Design	
Exh 21: Phase 2 – Project Coordination Meetings		Exh 44: Trail Segment Evaluation Matrix	
Exh 22: Phase 2 – Project Coordination Meetings Exh 22: Phase 2 – General Information Sessions		Exh 45: Trail Visual Identity – Concepts	
		Exh 46: Typical Useful Life of Rail Trail Elements	
Exh 23: Phase 2 – Pop-Up Events		Exh 47: Grant Funding Opportunities	
Exh 24: Trail Waysides	16/	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-







PROJECT BACKGROUND AND OVERVIEW

The Durham-to-Roxboro Rail Trail Plan outlines a vision for transforming an 18.2-mile inactive rail corridor in Durham County into a safe, accessible, and connected trail. The inactive rail corridor runs 26.2 miles from downtown Durham to the City of Roxboro, with 18.2 miles in Durham County and eight miles in Person County. Person County completed a study of its inactive rail corridor segment in 2024 and adopted the plan in March 2025. Building on decades of local planning, this plan focuses on the 18.2-mile portion within Durham County.

The corridor has the potential to link people to historic neighborhoods, rural communities, public schools, natural areas, and regional destinations, creating a unified network that strengthens north-central Durham County while extending access into Person County.

Over the course of 12 months, the planning process engaged residents, stakeholders, and partner organizations to shape a shared vision for a distinctive trail experience—one that honors the area's heritage, celebrates its natural environment, and provides safe, accessible opportunities for recreation and transportation.

The Durham-to-Roxboro Rail Trail Plan is a planning-level document that advances the project to approximately 10% design, providing a preliminary conceptual alignment, trailheads, and cost estimates while reserving detailed engineering and construction design for future phases.

Abbreviations and Acronyms

AASHTO - American Association of State Highway and Transportation Officials

ADA - Americans with Disabilities Act

ATT - American Tobacco Trail

CEI - Construction, Engineering and Inspection

CPTED - Crime Prevention Through Environmental Design

ECG - East Coast Greenway

IMD - Integrated Mobility Division

MOU - Memorandum of Understanding

MPO - Metropolitan Planning Organization

MST - Mountains-to-Sea Trail

NCDEQ - North Carolina Department of Environmental Quality

NCDOT - North Carolina Department of Transportation

PHB - Pedestrian Hybrid Beacon

ROW - Right-of-way

RRFB - Rectangular Rapid-Flashing Beacon

SUP_- Shared-use path


TPO - Transportation Planning Organization

UDO - Unified Development Ordinance

UGB - Urban Growth Boundary

UCAN - Urban Community AgriNomics

USACE - U.S. Army Corp of Engineers



PLAN PROCESS

The planning effort was led by the Project Management Team with representatives from Durham County Transportation, City of Durham Parks and Recreation, East Coast Greenway Alliance, Triangle West Transportation Planning Organization (Triangle West), and North Carolina Department of Transportation Integrated Mobility Division (NCDOT IMD).













A Project Advisory Committee, with representatives from 12 community organizations and government entities provided guidance on the corridor's historical, cultural, and environmental context.

Community engagement was central to this planning effort and took place in two distinct phases. Activities included two community surveys, six public workshops, seven focus group meetings, 24 pop-up events, twelve interviews and property visits, seven general information sessions, and three project coordination meetings. A detailed Public Involvement Plan (PIP) guided these efforts, ensuring meaningful participation from residents, stakeholders, and partners throughout the process.







1) Research and Preliminary Assessment (October 2024 - March 2025)

This portion of the project focused on identifying key opportunities and challenges, assessment and evaluation of existing conditions, compiling a comprehensive database of existing corridor assets, and field work to assess the current resources and infrastructure.

2) Trail Visioning and Public Engagement (January - April 2025)

Public engagement was integrated throughout the planning process to involve community members, stakeholders, and government partners. A dedicated project website was created to serve as a central information hub throughout the planning process. Three public workshops and an online survey featuring map-based feedback were conducted and promoted through printed materials and social media to maximize participation. In addition, focus group meetings were held with small groups of stakeholders and community pop-up events were held to engage residents and stakeholders in informal, accessible settings.

3) Concept Plan and Public Engagement (April – September 2025)

Guided by the Project Management Team, Advisory Committee, Trail Identity Committee, key stakeholders, research on design standards, and community input, the consultant team developed a framework of preliminary recommendations for the trail concept plan. The team then held focus groups, project-coordination meetings, general information sessions, community pop-ups, three public workshops, and an online survey to share the preliminary recommendations with key stakeholders and the community members to gather additional feedback.

4) Final Plan Development (August – October 2025)

Based on feedback on the draft concepts, the project team developed the final plan, which includes preliminary recommendations, a phasing schedule, planning-level cost estimates, and guidance on trail operations, management, and maintenance.

RECOMMENDATIONS

The Conservation Fund is facilitating NCDOT's acquisition of the 26.2-mile, 100-foot-wide rail corridor from downtown Durham to the City of Roxboro. The corridor is currently owned, fee simple by Norfolk Southern and purchase is anticipated by late 2025. Because the full 18.2-mile corridor within Durham County is suitable for rail trail conversion, recommendations in this plan focus exclusively on the existing rail corridor and do not evaluate alternative routes.

For planning purposes, the 18.2-mile rail corridor in Durham County was divided into five Focus Areas. Moving from south to north, the Focus Areas are: 1) Downtown Durham, 2) Bragtown, 3) Two Rivers, 4) Bahama, and 5) Rougemont.

Recommendations for each planning section include:


- · Trailhead Recommendations
- · Trail Connector Recommendations
- Trail Crossings
- Stream Crossings

In addition, corridor-wide recommendations are presented for recommended trail layout (or cross-sections), how the trail will interact with surrounding neighborhoods, and features along the trail (waysides).





Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.




IMPLEMENTATION


The City and County will need to identify the lead agency for future action steps and continue to meet regularly to guide the trail's design and implementation, identify and pursue funding opportunities, and plan for ongoing operations and maintenance. Quarterly collaboration meetings with key organizations such as East Coast Greenway Alliance, Triangle West, NCDOT, and Person County should also occur.

A series of key steps have been identified to guide the phased advancement of the rail trail. Although presented in a general sequence, these steps are not necessarily listed chronologically and should be approached with flexibility to accommodate funding availability, coordination among project partners, evolving conditions, and emerging opportunities that may enhance the project.

Trail Implementation Plan

The Durham-to-Roxboro Rail Trail Plan identifies six segments of implementation, providing a roadmap to move the 18.2-mile corridor from vision to reality through staged investments guided by community priorities, constructability, funding, and partnerships.









01

Introduction

The Durham-to-Roxboro Rail Trail Plan presents a long-range vision to convert 18.2 miles of inactive rail corridor within Durham County into a multi-use trail. This Plan presents both the feasibility of the trail given a comprehensive analysis of existing conditions, conceptual trailhead designs, potential trail amenities, and connections to key places for residents. Combined with the preferred route through Person County, the initiative would create a continuous 28.8-mile network connecting downtown Durham with the City of Roxboro. This chapter provides the project's background and goals while summarizing the planning process and overall organization of the plan.

IN THIS CHAPTER:

- 1.1 Project Background
- 1.2 Project Goals
- 1.3 Trail Benefits
- 1.4 Planning Process
- 1.5 Plan Organization

PROJECT BACKGROUND

Location and General History of the Rail Trail


The Durham-to-Roxboro Rail Trail Plan builds upon a corridor of significant historic, cultural, and environmental value with many overlapping histories and cultural narratives. The rail line between Durham and Roxboro was first established in 1890 as the Lynchburg & Durham Railroad, serving as a critical link for regional transportation, commerce, and industry. For nearly a century, the line carried agricultural goods, particularly tobacco and textiles, as well as passengers, before ceasing operations in 1983.

The inactive rail corridor runs 26.2 miles from downtown Durham to the City of Roxboro, with 18.2 miles in Durham County and eight miles in Person County. In 2024, Person County completed a study that identified a preferred route for the Rail Trail from the Durham County line to the southern side of Roxboro that uses the inactive rail corridor plus a few street-adjacent segments for a total of 10.6 miles. Person County also identified another 6.1 miles of trail off of the rail corridor, called the Uptown Roxboro Trail, that would provide greater access throughout downtown Roxboro. The Durham-to-Roxboro Rail Trail Plan focuses on the portion within Durham County.

Although no longer in service, the entire corridor in Durham County remains under Norfolk Southern's fee simple ownership, meaning the railroad holds full and unrestricted rights to the land. Unlike rail lines constructed on easements, this corridor is owned outright by the railroad, so there is no anticipated need to acquire land or easements from adjacent property owners.

It has long been identified in multiple planning documents since 1988 as a potential rail trail and is now the subject of a planned acquisition for public use by NCDOT, anticipated by late 2025. The purpose of this study is to explore the potential of activating the rail corridor as a multi-use trail. Accordingly, this study focuses exclusively on Durham County's 18.2-mile segment and does not consider alternative routes.

The southern terminus connects directly to the Downtown Durham Rail Trail, currently in construction document development, and will provide access to downtown Durham and regional transit hubs, including Amtrak and bus stations. The northern terminus of the Durham County portion extends toward Person County and the City of Roxboro, positioning the trail corridor as a key future regional connector. Along its route, the trail corridor passes through the historic Bragtown neighborhood, the unincorporated communities of Bahama and Rougemont, and traverses diverse settings, including neighborhoods, schools, public parks, state game lands, and nature preserves. While much of the adjacent land is privately owned, the trail corridor also links to significant city, state, and federally protected lands, creating additional opportunities for connectivity outside the primary rail corridor.



Planning Efforts for the Rail Trail To-Date

Community interest in converting the corridor into a trail began shortly after rail service ended in 1983, with community support for a rail to trail conversion documented as early as 1988. Efforts to acquire the corridor for public trail use by the City of Durham and NCDOT are documented to have started no later than the early 2000's.

Over the past decades, multiple planning initiatives have identified the corridor as a high-priority opportunity for active transportation and recreation. In 1988, the Durham Urban Trails and Greenways Master Plan was the first plan to identify the rail corridor as an ideal opportunity for a multi-use trail for pedestrians and bicyclists. Later, the 2011 Durham Trails & Greenways Master Plan outlined a vision for an interconnected trail and greenway system, identifying this corridor as a potential alignment. The 2023 Durham Comprehensive Plan reinforced the importance of trails for expanding transportation options, connecting key destinations, and supporting sustainability.

Additional efforts have continued to highlight the corridor's potential as a community asset that promotes health, safety, transportation equity, recreation, access to nature, and economic vitality. These include the following plans:

- Person County Trail Feasibility Study, 2024
- Durham Trails Implementation Plan, 2021
- Durham-Chapel Hill-Carrboro MPO Comprehensive

Transportation Plan, 2017 (now known as Triangle West Transportation Planning Organization)

 Litter River Corridor Open Space Plan, 2001

Atthetime of this planning study, the Durham Bike+Walk Plan update is also being developed by the City of Durham and Durham County. The Durham-to-Roxboro Rail Trail will be identified as a priority project for Durham County in that plan.

The Durham-to-Roxboro Rail Trail Plan was funded through the Triangle West Transportation Planning Organization's (Triangle West) FY2025 work plan (also referred to as the Unified Planning Work Program). The total cost of the planning study is \$500,000. The Triangle West Policy Board approved \$400,000 for this plan using Surface Transportation Block Grant - Direct Allocation (STBG-DA) federal funds that are available to Triangle West for planning studies. A local match of \$100,000 was required for use of these federal funds, which was split evenly between Durham County, City of Durham, and the East Coast Greenway Alliance.

The planning effort was led by the Project Management Team comprised of representatives from Durham County Transportation, City of Durham Parks and Recreation, East Coast Greenway Alliance, Triangle West, and North Carolina Department of Transportation Integrated Mobility Division (NCDOT IMD). Additionally, a Project Advisory Committee, with representatives from 12 community organizations and government entities provided guidance on the corridor's historical, cultural, and environmental context. Community members have played an essential role throughout the process, ensuring the plan reflects local needs, priorities, and aspirations.

The Durham-to-Roxboro Rail Trail Plan is a planning-level document that advances the project to approximately 10% design, providing a preliminary conceptual alignment, trailheads, and cost estimates while reserving detailed engineering and construction design for future phases.







Assets

Conduct an assessment of the 18.2-mile inactive rail corridor and adjacent parcels to identify trail linkages, leverage right-of-way and publicly-owned properties for trailheads and amenities, and minimize impacts to environmentally sensitive areas.



Partnerships

Collaborate with government agencies, community leaders, the public, and adjacent property owners to showcase the corridor's historical, cultural, environmental, and community assets while advancing long-range planning goals and fostering trail-oriented development.



Connectivity

Develop a welcoming rail trail that supports users of all ages and abilities, links parks, schools, neighborhoods, historic resources, regional destinations, and provides a new transportation choice that fosters stronger connections between communities.



Unity

Seek extensive community input to create a trail that honors local history, ensures accessibility, thoughtfully integrates into surrounding communities, and incorporates designs that minimize conflicts between users while enhancing quality of life for residents and visitors.



Distinctive

Produce a trail concept plan based on community input that conveys recommendations through compelling visuals, highlights local culture and history through design elements, and explores a distinctive trail identity for Durham and Person Counties.



Strategy

Provide the project team and partners with management and maintenance recommendations, a phased implementation schedule, planning-level cost estimates, and funding opportunities to guide successful plan execution.



The Durham-to-Roxboro Rail Trail has the potential to offer many community benefits, including improved physical and mental health through safe, accessible paths, increased access to nature, and sustainable transportation options. It may also support local businesses, highlight the area's history, and foster community connection.

Alternative Transportation and Safety

Well-connected pedestrian and cycling routes, such as rail trails, promote fair access to transportation by reducing travel burdens for residents who may rely on walking or biking, such as zero vehicle households, low income households, transit dependent households, and others. Rail trails provide a safe, environmentally friendly alternative to driving which helps reduce car dependency and lowers carbon emissions.

Attractive and Connected Communities

Open green spaces and conserved corridors provide recreational and transportation options while also serving as community gathering places that foster pride, connection, and a shared sense of identity for residents and visitors.

Celebrate History and Culture

By highlighting local stories and landmarks, trails help preserve history, educate and engage trail users, and share the unique identity of the region.

Health, Wellness, and Quality of Life

Rail trails enhance community wellness and quality of life by offering free, safe opportunities for people of all ages and abilities to incorporate exercise into daily routines—supporting physical, mental, and social health while helping to reduce rates of obesity, diabetes, and premature death.

A 2018 study of 4 greenway trails in NC found that every \$1 spent on greenway construction generated \$1.72 in local business revenue, sales tax, and health and transportation benefits.¹

Economic Development

Rail trails contribute significantly to local economies and tourism, particularly in rural areas, by creating desirable places for people to visit, live, and work. Trails bolster local economies through enhanced marketability, foster small business opportunities, and increase tax revenues.

Environmental Stewardship

Rail trails help conserve important habitat, protect and improve air and water quality, and provide corridors for wildlife. Reducing automobile reliance leads to improved air quality. They also serve as outdoor classrooms for people of all ages.



Every \$1 invested in building trails there is a direct correlation to \$3 of saved medical costs.²

ITRE, Alta, and NCDOT. (2018). Evaluating the Economic Impact of Shared Use Paths in North Carolina.

^{2.} American Heart Association. (2019). Active Transportation Fact Sheet.

PLANNING PROCESS

The Durham-to-Roxboro Rail Trail Plan represents the culmination of 12 months of planning, public engagement, design, numerous stakeholder meetings, and site visits. The planning process involved four major phases, including:

- 1. Research & Preliminary Assessment
- 2. Trail Visioning & Public Engagement
- 3. Concept Plan & Public Engagement
- 4. Final Plan Development



Research & Preliminary Assessment | October 2024 March 2025

This portion of the project focused on identifying key opportunities and challenges, assessment and evaluation of existing conditions, compiling a comprehensive database of existing corridor assets, and field work to assess the current resources and infrastructure.






Public engagement was integrated throughout the planning process to involve community members, stakeholders, and government partners. A dedicated project website was created to serve as a central information hub throughout the planning process. Three public workshops and an online survey featuring mapbased feedback were conducted and promoted through printed materials and social media to maximize participation. In addition, focus group meetings were held with small groups of stakeholders and community pop-up events were held to engage residents and stakeholders in informal, accessible settings.



Concept Plan & Public Engagement | April - September 2025

Guided bν the Project Management Advisory Team. Committee. Trail Identity Committee. key stakeholders. research on design standards, and community input, the consultant team developed a framework of preliminary recommendations for the trail concept plan. The team then held focus groups, projectcoordination meetings, general information sessions, community pop-ups, three public workshops, and an online survey to share the recommendations preliminary with key stakeholders and the community members to gather additional feedback.



Final Plan Development | August - October 2025

Based on feedback the draft concepts, the project team developed the final plan, includes which preliminary recommendations. detailed а phasing schedule, planning-level cost estimates, and guidance on trail operations, management, and maintenance.

PLAN ORGANIZATION

The Durham-to-Roxboro Rail Trail Plan is organized into five major chapters as outlined below.



Chapter 1: Introduction

The current chapter, which outlines the project background and goals, trail benefits, the planning process, and plan organization.



Chapter 2: Study Considerations

A comprehensive overview of the project study area that examines the natural and built environments, relevant plans, studies, and policies, and assesses demand and potential uses for the trail. It also identifies key opportunities and constraints that inform trail design and implementation.



Chapter 3: Community Involvement

This chapter describes the tools used during the two phases of public engagement and highlights the stakeholders and organizations involved in the planning process. It also presents the results of the two community surveys and identifies design considerations that inform subsequent recommendations.







Chapter 4: Evaluation and Recommendations

This chapter is organized around six Focus Areas identified during the planning process: 1) Corridor-Recommendations, Wide Downtown Durham, 3) Bragtown, 4) Two Rivers, 5) Bahama, and 6) Rougemont. Aside from the Corridor-Wide Recommendations, Focus Areas include the specific recommendations for individual geographic areas that are supported by extensive custom illustrations and design schematics.

Chapter 5: Implementation

This section outlines the suggested steps for implementing the plan, including trail segments, estimated costs, project cutsheets, trail identity, and an implementation matrix. It also identifies potential funding sources, and management and maintenance considerations.

Appendices

Provides essential supporting context for the plan, including the Public Involvement Plan, an anti-displacement overview and best practices case studies, design guidance, invasive plant list, survey results, trail identity guidelines, and planning-level cost estimates.





02

Study Considerations

This chapter examines the project study area, including the natural and built environments, as well as relevant plans, studies, and policies. It also presents a benchmark comparison, potential trail uses, and the opportunities and constraints of the trail corridor. The planning-level analysis of existing conditions finds the Durham to Roxboro rail corridor suitable for rail-to-trail conversion. No prohibitive constraints were identified, and anticipated issues can be mitigated in later engineering and construction phases.

IN THIS CHAPTER:

- 2.1 Study Area
- 2.2 Natural Environment
- 2.3 Built Environment
- 2.4 Relevant Plans, Studies, and Policies
- 2.5 Demographics
- 2.6 Benchmark Comparison and Potential Trail Uses
- 2.7 Opportunities & Constraints

STUDY


The Durham-to-Roxboro Rail Trail Plan study area is an 18.2-mile long, 1-mile wide area in north-central Durham County, North Carolina, centered on an inactive, approximately 100-feet wide Norfolk Southern rail line. Once a vital connection for transporting people and goods, such as tobacco and textiles, this historic rail corridor would link the City of Durham, including the historic Bragtown community, with the unincorporated communities of Bahama and Rougemont in Durham County before reaching the Person County line.

The corridor passes through a diverse landscape of neighborhoods, parks, nature preserves, and protected lands. Its location offers abundant opportunities for connectivity linking historic communities, schools, greenways, state game recreation areas, regional destinations and employment opportunities. At its southern end, the corridor connects directly into the Downtown Durham Rail Trail and regional transit hubs, while its northern end provides a gateway into Person County and the City of Roxboro.

Past planning efforts have long recognized the 18.2-mile inactive Norfolk Southern rail corridor in Durham County, and the 8-mile inactive rail corridor section in Person County, as a potential rail trail. Therefore, the focus of this planning effort was to study the inactive rail corridor only, and not alternative routes.

As part of the acquisition of the rail corridor, the Conservation Fund on behalf of NCDOT, has conducted a Phase I Environmental Site Assessment (ESA), a Phase II Environmental Site Assessment (ESA), and a National Environmental Policy Act (NEPA) assessment.

The GIS data for the maps in Chapter 2 are from the following sources: Durham County/City, NC Natural Heritage Program, NC Onemap, NC Orthoimagery Program, NCDEQ, NCOneMap & USGS 3DEP, NCDOT, National Wetlands Inventory & NCDEQ, Natural Heritage Program & USGS, North Carolina Flood Risk Information System, North Carolina State Historic Preservation Office, Pedestrian & Bicycle Infrastructure Network & Durham County, USDA-NRCS, USGS & National Hydrology Dataset.



2 2 NATURAL ENVIRONMENT

The study area's natural environment is defined by the rolling topography of the North Carolina Piedmont, diverse soils, and sensitive features such as wetlands, rivers, and lakes. The trail corridor travels over Ellerbe Creek, the Eno River, and the Little River - three significant waterways in the area that support recreation and diverse local ecologies. The study area also contains a variety of plant communities and provides important habitat for wildlife, including species listed as rare, threatened, or endangered.

Careful planning, design and collaboration will be necessary to balance trail development with the protection of these resources, ensuring the trail both enhances ecological value and provides a safe, enjoyable experience for users. This ecological richness creates opportunities to collaborate with conservation and environmental education partners on interpretive signage, exhibits, public art, and educational materials that showcase the habitats, wetlands, rivers, lakes, wildlife, and plant communities that are within the corridor.

The natural environment of the study area was assessed using desktop analysis of GIS data and imagery (aerials and Google Street View), review of previous studies, consultation with land managers, and field observations.


TOPOGRAPHY

Durham County lies centrally within the Piedmont Region, and therefore its topography generally slopes from west to east towards the eastern coastal regions, varying to include rolling agricultural fields interspersed with wetlands and river systems. Elevations in the study area range from approximately 700 feet near Rougemont and the northern terminus of the rail corridor down to approximately 250 feet in wetland areas near the Eno River adjacent to Penny's Bend Nature Preserve. Topography is an important factor to consider in the planning process for a multi-use trail due to accessibility concerns, determining and managing drainage patterns, and erosion control. (See Map 06: Topography, page 33.)

Durham's Unified Development Ordinance (as of 2025) defines steep slopes for natural grades as areas that have a grade of 25% or more, have an area of 5,000 square feet or greater, and are located within 200 feet of any floodway fringe or perennial stream, or are within 100 feet of an intermittent stream. Along this rail corridor, natural steep slopes most often occur when the route crosses waterways (including perennial or intermittent streams), and constructed steep slopes are often present when the corridor travels along industrial areas.

Specifically, steeper slopes are present within the study area along Ellerbe Creek, in the industrial areas along Camden Ave., the Eno River, around the Merck property, along tributaries that feed the Little River Reservoir and Lake Michie, and along the Flat River.

Rail lines are generally constructed to maintain a gentle slope, and this corridor is frequently elevated in flood-prone areas, when approaching a river, and/or when traveling through wetlands. As this project moves into the design and construction process, a survey and inspection of the route will be required to determine whether the existing grades along the rail corridor will need to be altered for access, ADA requirements, drainage, and erosion control needs of the trail. Steep slopes or embankments along the corridor may require stabilization, and additional engineered features (such as bridges, ramps, and culverts) will depend heavily on the surrounding topography.



SOILS

According to the Natural Resources Conservation Services (NRCS), there are four different soil types found within the study area. The soils identified include: Alfisols, Entisols, Inceptisols, and Ultisols. (See Map 07: Soils, page 35.)

Of the soils present, Entisols and Inceptisols are classified as having potentially hydric characteristics, which tend to be poorly drained and frequently saturated. These types of soils are primarily located within the study area along waterways (especially the Eno River, Little River, and Ellerbe Creek) and can present challenges for construction due to their unstable nature and high shrinkswell potential, which means that the soil will change in volume due to fluctuations in moisture content. When exposed to high moisture conditions, they expand substantially, and shrink or even crack during times of drought. These soil types are often indicators of wetlands, which are generally only suitable for very low-impact development (such as a boardwalk).


Alfisols, present mainly in the southern half of the study area, are moderately fertile soils with more favorable structure for mutil-use trail construction. Ulitsols have high clay content that contributes to their susceptibility to shrink-swell and poor drainage.¹

In general, the soils within the project corridor share a tendency toward clayrich subsoils, which can be challenging for construction. Best practices for multi-use trail development in these conditions include thorough erosion control, proper subgrade compaction, use of crushed stone in subgrade preparation, adequate grading and cross-drainage, and regular trail maintenance. The Durham-to-Roxboro Rail Trail may utilize the existing constructed railroad bed, minimizing erosion potential and providing a stable foundation for trail development. Following the existing topography of the rail bed during the trail design and construction process will minimize cut and fill needs, and avoid some of the sensitive soils present in the surrounding areas.

Within the study area is Penny's Bend Nature Preserve, a protected natural area where the underlying geology contributes to the unique characteristics of the park. The foundational geology - diabase - is a type of very erosion-resistant, intrusive igneous rock, and its presence in this area has diverted the course of the Eno River, creating the prominent horseshoe-shaped bend that forms the preserve's boundaries.²

USDA - Natural Resources Conservation Service. (1999). Soil Taxonomy.

^{2.} Eno River Association. <u>Penny's Bend Nature Preserve</u>.



WETLANDS, RIVERS, AND LAKES

The study area is shaped by water - with three lakes and five rivers flowing through four major watersheds or areas of land where all the rain and streams drain into a common river or lake. The four watersheds within the study area are Ellerbe Creek, Eno River, Little River, and Flat River. Each of these watersheds are part of the Neuse River Basin which includes over 200 watersheds across the region, all of which drain into the Neuse River that carries water to the Atlantic Ocean at the Albemarle-Pamlico Sound. (See Map 08: Hydrology, page 37.)

Watersheds are fed by rain, groundwater, and small streams that collect and carry water into rivers and lakes. With an average annual rainfall of approximately 48 inches, Durham County experiences precipitation levels that are consistent with much of the eastern United States. Ellerbe Creek and the Eno River are the two primary watersheds in the southern study area, whereas the Little River and Flat River Watersheds make up the primary waterway systems to the north. Through the design and engineering process, impact to surrounding waterways can be minimized through use of the existing rail bed footprint and infrastructure as much as possible, protecting adjacent vegetation, implementing low-impact stormwater control measures, and installing erosion and sediment control devices.


Specific guidelines for this are detailed within the <u>NCDEQ Stormwater Design Manual</u>, as well as various sources describing low-impact development (LID) strategies (such as the <u>EPA's Low Impact Development Resources Library</u>). Any portion of the trail that travels through riparian buffer areas should be constructed and maintained in accordance with local and state buffer protection rules.

Ellerbe Creek

Ellerbe Creek Watershed runs along Main St. in downtown Durham, extends through the community of Bragtown, and connects to Falls Lake. Given its location within the City of Durham, the Ellerbe Creek Watershed has the highest population density of the watersheds represented within the study area. As of 2025, this stream is considered an impaired water body (per NC's 303(d) list*), due to multiple pollutants detected. Dense population areas surrounding the creek have contributed to its impairment through sanitary sewer discharges, petroleum spills, nutrient runoff, improper waste disposal, erosion, and sediment runoff. Ellerbe Creek flows east and empties into Falls Lake on its path towards the Neuse River, eventually reaching the Atlantic Ocean at the Albemarle-Pamlico Sound.1

Eno River

The Eno River Watershed cuts through the middle of the study area at the Penny's Bend Nature Preserve as it travels east from Eno River State Park, located within Orange and Durham counties. The Eno River is a popular attraction for paddlers and fishing enthusiasts, as it encompasses the Eno River Trail and the Mountains-to-Sea Trail within and along its banks. Much of the land surrounding the river in Durham County is protected in parks and preserves. Despite these protections, some pollutants have still been detected in the Eno (as of 2024), primarily due to sewer discharges, petroleum spills, and improper waste disposal. The water quality of the Eno River was rated 86 out of 100. Similar to Ellerbe Creek, the Eno River also flows east into Falls Lake on its way to the Albemarle-Pamlico Sound.²





Little River

The Little River Reservoir, a drinking water supply source for Durham, is fed by the Little River, and is the central component of the Little River Watershed. This watershed is a popular recreation destination for the communities of Treyburn and Snow Hill, where residents enjoy paddling and fishing in and along its banks. In 2024, the water quality of the Little River in Durham County was rated a 90 out of 100. After passing through a dam at the southern terminus of Little River Reservoir, this watershed also flows southeast towards Falls Lake before continuing on to the Albemarle-Pamlico Sound.¹

The Flat River and Lake Michie

Lake Michie, formed in 1926 upon completion of the Lake Michie Dam, impounds the south-flowing Flat River to supply the City of Durham's drinking water and sits within the Flat River Watershed in northern Durham County. Recreational activities such as paddling and fishing are popular on Lake Michie. A comprehensive testing of the water quality in the Flat River has not occurred since 2010, when it received a score of 92 of 100. The Flat River also flows into Falls Lake before continuing on to the Albemarle-Pamlico Sound.²

City of Durham. Little River.

[.] City of Durham. Flat River.



Wetlands

Several wetlands, or areas where water naturally collects and supports water-loving plants and wildlife, occur within each of these watersheds. The wetlands located within the Beaver Marsh Nature Preserve, Little River Waterfowl Impoundment, and the Flat River Waterfowl Impoundment are the primary wetland features represented within the study area. These wetland areas provide important habitat for birds, amphibians, fish, and other wildlife, while also playing a key role in keeping the region's water clean, healthy, and protected against flooding.

Flood Zones

Several sections of the rail corridor travel through flood zones, primarily in the areas surrounding rivers and streams. The longest span of corridor encompassed by a flood zone occurs around the Little River, which is an area of bottomland managed for waterfowl impoundment and prone to flooding during seasonal or extreme weather events. The rail corridor is elevated in this area to FEMA flood zone x (1% future conditions), which has a 1% chance of flooding each year, based on future land use projections. This is a lower risk for flooding than the surrounding area, and utilizing the existing elevated rail bed in this area will minimize flooding risk.


Watershed Protection Overlay and Impervious Surface Limits

The Unified Development Ordinance (UDO) is the guiding framework for development in the City of Durham and Durham County, establishing impervious surface limits within watershed overlay districts. At the time this plan was prepared, Section 8.7 of the current UDO specified these limits. (See Exhibit 01: Durham Unified Development Ordinance, Impervious Surface Limits.)

Exhibit 01: Durham Unified Development Ordinance, Impervious Surface Limits

Overlay	Low Density Option Lir		High Density Option Impervious Surface Limit				
M/LR-A	6	%	Not permitted				
M/LR-B	Rural Tier 6%		Not permitted				
W/ LR-B	Rural Village	12%	24%				
F/J-A	Within one-half mile of six percent; Between one-half and normal pool: nine per	d one mile from the	Not permitted in the Rural Tier. 40%, for all areas not in the Rural Tier and for those uses allowed in Sec. 4.11.4, Nonresidential Land Use Restrictions; Nonresidential Land Use Restrictions, intensities greater than 25% shall require a Major Special Use Permit pursuant to Sec. 3.9, Special Use Permit.				
F/J-B, E-B	24	1%	70%				
E-A; E-A(2)	24	1%	Not permitted				

Source: Durham Unified Development Ordinance



The rail corridor passes through four Watershed Protection Overlay Districts. Corridor mileage within each district is as follows:

- Falls of the Neuse Protected Area (F/J-B) 8.11 miles
- Falls of the Neuse / Jordan Lake Critical Area (F/J-A) 2.12 miles
- Lake Michie / Little River Critical Area (M/LR-A) 5.03 miles
- Lake Michie / Little River Protected Area (M/LR-B) 3.28 miles

Trail development will comply with watershed overlay district requirements and environmental standards outlined in Durham's UDO, ensuring the project aligns with local environmental protections. The current UDO permits exceeding the maximum impervious surface allowance through the following means:

- An impervious surface credit transfer. Credit for the impervious surface allowed on one or more parcels can be transferred to non-contiguous parcels, such that the amount of impervious surface available for a development project would be the total of what is normally allowed on the receiving parcel plus what is transferred from the donor parcel(s).
- Engineered stormwater control measures shall be used to control stormwater runoff from the first inch of rainfall in order to meet water quality concerns.

Trail and trailhead development will also need to comply with riparian buffer protection standards. Protection standards for riparian areas are managed by NCDEQ and the UDO, with the UDO requiring more stringent protection standards. Multi-use trails and greenways are currently an allowed use within riparian buffers. The trail passes through numerous riparian buffer areas but stream determinations were not completed as part of this plan.

Stream determinations will need to be conducted during the design and engineering phase to determine if surface waters present throughout the corridor qualify as a stream and whether that classification is a perennial, intermittent, or ephemeral stream. Stream classification and watershed protection overlay will determine the prescribed riparian buffer width. (See Map 09: Stream Buffers, page 41.)

Exhibit 02: Durham Unified Development Ordinance, Stream Buffers

The plan recommendations meet current protection standards. The design and permitting of the trail will be required to meet all regulatory protection standards as governed by the reviewing agencies. Further analysis will be completed during the design and permitting phase to ensure compliance.

Tier	Watershed Protection Overlay													
	No	ne	M/LR-A M/LR-		LR-B	E-A, E-A(2)		E-B		F/J-A		F/J-B		
Downtown and Compact Neighborhood														
Stream Type	Р	ı	Р	ı	Р	ı	Р	ı	Р	I	Р	ı	Р	I
Width	50	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100	50¹
Urban														
Stream Type	Р	ı	Р	ı	Р	ı	Р	ı	Р	I	Р	ı	Р	I
Width	50	50	NA	NA	NA	NA	NA	NA	100	50¹	NA	NA	100	50¹
Suburban	Suburban													
Stream Type	Р	ı	Р	ı	Р	ı	Р	ı	Р	I	Р	ı	Р	I
Width	50	50	150	50	150	50	150	50	100	50¹	150	100	100	50 ¹
Rural														
Stream Type	Р	I	Р	I	Р	ı	Р	ı	Р	I	Р	ı	Р	I
Width	50	50	150	50	150	50	NA	NA	100	50¹	150	100	100	50 ¹
1 Stream buffer minimum of 100 feet if a high density option is utilized per paragraph 8.7.2B.1														

Source: Durham Unified Development Ordinance

PLANT COMMUNITIES

The study area travels through a variety of forest types, as well as developed areas that are predominant in the southern part of the corridor, and agricultural lands that are most common in the northern part of the corridor.

Piedmont forest types present within the study area include:

- Dryconiferous woodlands along ridgelines and steep slopes (where a variety of pine and oak species are prevalent)
- Floodplain forests (containing many bottomland and moisture tolerant species like maple, sycamore, river birch, box elder, tulip poplar, green ash, hornbeam, and sweet gum)
- Mesic mixed hardwood forests (including oak species, American beech, and tulip poplar)

Many areas along the trail include early succession plants, mainly found in recently disturbed areas that align the trail, and typically due to agriculture, development, or forestry activities. Perennial grasses, wildflowers, shrubs (like sumac and blackberry), vines (like poison ivy and virginia creeper), eastern red cedars, sweet gums, and pines are prevalent in these types of plant communities.¹

Several Piedmont Prairie sites exist within the study area. These unique landscapes occur in patches throughout central North Carolina, and are some of the most biologically significant natural areas in the state, characterized by open or absent tree canopies, fire-tolerant or fire-dependent species, and prevalence of warm-season grasses and aster species.

The Penny's Bend area—a nature preserve along the Eno River and near to the trail corridor-is one of these sites where many rare and endangered plant communities have been recorded. These plant communities include many unique prairie species like the Prairie Blue Wild Indigo (Baptisia aberrans), Smooth Purple Coneflower (Echinacea laevigata), Puccoon and the Hoary (Lithospermum canescens). Many of these species are only found in a handful of locations around the state, so federal, state, and local organizations work together to monitor and maintain a hospitable environment for these plants.2

Other Piedmont Prairie sites within the study corridor include the Catsburg Natural Area (located across Old Oxford Road from Penny's Bend, along the Eno River), the Eno River Diabase Sill (north of Penny's Bend between Snow Hill Road and Old Oxford Road), and the Hebron Road Remnant Glade (between Hebron Road and Carver St.). The Hebron Road Remnant Glade is a small but ecologically rich prairie remnant within developed surroundings.³

North Carolina Wildlife Resources Commission. <u>Piedmont Habitats</u>.

North Carolina Botanical Garden. (2022). <u>Restoring the Rare Flora of Penny's Bend</u>.

^{3.} North Carolina Natural Heritage Program. (2023). Survey of Piedmont Prairies and Savannas of Durham County North Carolina.

Invasive Species

A wide variety of non-native, invasive plants also occur throughout the corridor, presenting a threat to local ecology by suppressing native vegetation. See Appendix A4: Invasive Plants Found in North Carolina Piedmont, page 318 for a list of many of the most prevalent non-native, invasive plant species found in the North Carolina Piedmont. The construction of a multi-use trail within the rail corridor provides an opportunity to control and limit invasive species spread through physical removal and long-term stewardship of the trail. Continued trail maintenance could include attracting volunteer groups to assist with invasive species control, planting competitive native plants, and creating demonstration sites for native habitat restoration along the trail. Management strategies for invasive species are outlined in the USDA publication *A Management Guide for Invasive Plants in Southern Forests.*⁴







Source: USDA Forest Service

^{4.} USDA. (2015). A Management Guide for Invasive Plants in Southern Forests.

WILDLIFE AND HABITAT

The planning study area encompasses several ecotones—zones where one ecosystem gradually shifts into another—and therefore contains habitats for a wide range of plant and animal species. (See Map 10: Species and Habitat, page 47.)

The Butner-Falls of Neuse Game Lands supports a wide variety of wildlife species, including deer, turkey, waterfowl (ducks, diving birds, and geese), coyotes, muskrats, and beavers. The Beaver Marsh Nature Preserve, located just off of the trail corridor and north of downtown Durham, supports over 75 species of migratory and resident birds, 10 species of dragon and damsel flies, and five species of frogs.


In addition, the Eno River and Ellerbe Creek are both home to several fish species, such as migratory White Perch and White Bass. In Little River Reservoir and Lake Michie, warm water fish like large mouth bass, white bass, and white crappie make up the dominant aquatic species.



The Carolina Madtom (*Noturus furiosus*) is a small freshwater fish endemic to the Tar and Neuse river basins. In accordance with the U.S. Endangered Species Act of 1973 (USESA), the Carolina Madtom has

In North Carolina, the Natural Heritage Program keeps records of occurrences of rare, threatened, and endangered species. Within the study corridor, two species are classified as endangered or threatened: the Carolina Madtom and the Neuse River Waterdog. The scope of this planning study does not include detailed research regarding these endangered species but as design and construction of the trail proceeds, the protection of these species should be evaluated and considered.

a federal status of 'Endangered', which signifies the species of being in danger of extinction throughout all or a significant portion of its range.



Also endemic to the Tar and Neuse river basins, the Neuse River Waterdog (*Necturus lewisi*) holds a federal status of 'Threatened', identifying the species as likely to become endangered within the foreseeable future throughout all or a significant portion of its range (USESA). According to the U.S.

Fish and Wildlife Service, the Neuse River Waterdog is one of the rarest salamanders in the Southeastern United States, and primary threats to this species include habitat degradation and freshwater pollution.

The Neuse River Waterdog is the inspiration for one of the proposed names of the trail. (See Section 5.5 Trail Identity, page 274.) In 2024, Triangle West Transportation Planning Organization (formerly Durham-Chapel Hill-Carrboro Metropolitan Planning Organization) developed and adopted a Wildlife Crossing Planning Study that aims to improve roadway safety for both humans and wildlife within its planning area.



The plan identified two critical wildlife crossings in or near the Durham-to-Roxboro Rail Trail Plan study area that have high rates of reported wildlife-vehicle crashes (WVCs) and are within or near wildlife cores and corridors identified by the Wildlands Network.


- 1. Old Oxford Road over the Eno River is within the 1-mile study area for the rail corridor
- 2. US 501 (Roxboro Road) over the Eno River is adjacent to the study area

Both wildlife crossing sites are part of Triangle West's Eno River Corridor of wildlife crossing project recommendations, which aligns and groups WVC hotspots with documented wildlife movement. (See Exhibit 03: Triangle West Priority Wildlife Crossing Recommendations, below and Map 11: Wildlife Crossing Recommendations, page 49.)

Exhibit 03: Triangle West Priority Wildlife Crossing Recommendations

Project Recom- mendation Name	Lat/Long	County	Proximity to trail	Reported WVCs within 1-mile buffer (2018- 2022)
Old Oxford Road over Eno River	36.07258, -78.86277	Durham	Within corridor	5
US 501 (Roxboro Road) over Eno River	36.07204, -78.90863	Durham	Adjacent to corridor	19

Source: Triangle West Wildlife Crossing Planning Study



PUBLIC LANDS AND NATURE PRESERVES

The study area includes seven designated nature preserves including the Butner-Falls of Neuse Game Land, Lake Michie Recreation Area, Penny's Bend Nature Preserve, Horton Grove Nature Preserve, Eno River Diabase Sill Plant Preserve, Hebron Road Plant Conservation Preserve, and the Beaver Marsh Nature Preserve. Approximately 2,782 acres of the study area falls within these seven designated nature preserves. (See Map 12: Managed Lands, page 51.)

The Lake Michie Recreation Area, which makes up 480 acres of paddling and fishing opportunities, is directly adjacent to hiking trails and camping located near the lake at Spruce Pine Lodge.

Penny's Bend, located centrally within the project area, provides a number of public recreation opportunities, including access to fishing, hiking, and paddling along the Eno River Trail and Mountains-to-Sea Trail.

NC Wildlife Resources Commission manages land near Penny's Bend for hunting with some existing restrictions such as archery-only near schools.


Horton Grove Nature Preserve, managed by Triangle Land Conservancy, currently offers eight miles of hiking trails named in honor of families whose ancestors were enslaved on the former plantation. Future plans will add mileage and create a trail link to Stagville Historic Site.

The Beaver Marsh, Pearl Mill, and Rocks Nature Preserve, currently supported and conserved by the Ellerbe Creek Watershed Association, represent important public land opportunities adjacent to the proposed trail corridor. Creating trail connections and adding interpretative signage about these nearby preserves will further the proposed trail's mission to highlight local ecologies, provide educational opportunities, and connect recreation areas.

Hebron Road Plant Conservation Preserve is a protected area along Hebron Road managed by the NC Plant Conservation Program. It is considered a Piedmont Prairie/Savanna site and hosts a variety of rare and endangered plant species. Many of these species are also present within other nearby protected areas, including the Eno River Diabase Sill Plant Preserve, Penny's Bend, and Catsburg Natural Areas.¹

G.W. Hill Forest is owned and operated by N.C. State University as a recreational forest, learning laboratory, and demonstration forest. Public use is allowed by permit only and includes hiking, biking, horseback riding, fishing, and certain types of hunting.

[.] North Carolina Natural Heritage Program. (2023). <u>Survey of Piedmont Prairies and Savannas of Durham County North Carolina</u>.



2.3 BUILT ENVIRONMENT

The assessment of the built environment examines communities, land use and development, schools, historic and cultural resources, parks and greenways, existing bridge structures, environmental hazards, and trail crossings within the study area. These elements were assessed to define the corridor's context and inform factors to be considered in future trail planning and design efforts.

The built environment of the study area was assessed through desktop analysis of GIS data and imagery (aerials and Google Street View), review of previous studies, consultation with land managers, and field observations.

Community Profiles

The rail corridor links a diverse set of communities—from the City of Durham to smaller places such as Bragtown, Treyburn, Bahama, and Rougemont—each with its own history, identity, and cultural legacy. The snapshots below provide context on their past and present.

Continued collaboration with local leaders and organizations including Preservation Durham, the Bragtown Community Association, Stagville Descendants Council, Bahama Ruritan Club, Rougemont Ruritan Club, Ellerbe Creek Watershed Association, Eno River Association, and Triangle Land Conservancy will help shape interpretive exhibits, signage, public art, and educational materials that represent each community's history and identity.



City of Durham

2020 Population: 303,4671

The City of Durham, originally home to the Eno and Occaneechi tribes, boasts a rich history of tobacco, textiles, technology, and medicine. With the establishment of the Durham railway station in the 1840s, the city saw rapid growth fueled by the tobacco industry, earning it the nickname "Bull City". In the early 20th century, the establishment of Duke University and North Carolina Central University solidified Durham's reputation as an academic center, and the 1950s saw the creation of the Research Triangle Park. The city played a significant role in the Civil Rights Movement, and Durham's Hayti district, once known as Black Wall St., was a thriving Black business and cultural center that later faced significant disruption from Urban Renewal's redlining and freeway development practices. Today, Durham is known as a vibrant city with a diverse economy and a commitment to its residents, community, history and future.

^{1.} U.S. Census Bureau. (2024). 2019–2023 American Community Survey (ACS) 5-Year Estimates.




Community of Bragtown

2020 Population: 12,5941

Settled by formerly enslaved people from the nearby Stagville Plantation, the community of Bragtown was an unincorporated community until 1957, when it became part of the City of Durham. Bragtown is known for its strong community bonds and historical significance. Bragtown is separated from central Durham by Ellerbe Creek, a natural barrier, and I-85, a man-made barrier. Previously, these barriers created a distinct urban-greenbelt-urban transition, however increased development continues to blur this line. Primarily developed along Roxboro Road, many structures from the 1920's remain today.

^{1.} Durham County. <u>Durham Neighborhood Compass</u>



Community of Treyburn

2020 Population: 1,4422

Previously part of the Stagville-Fairntosh Plantation, the mid-19th century area near Little River included a successful cotton-cloth factory, called Orange Factory, along with employee housing, a school, churches, a general store, and a post office. In 1938, with the factory's closure, the village began to decline, and with the construction of the Little River Reservoir in the 1980s, the former factory site submerged underwater. Treyburn was developed as a community in the late 1980s, which incorporated the existing Treyburn Country Club, the adjacent corporate park, and over 1,600 acres of natural preserves including Horton Grove Nature Preserve and portions of the Stagville Historic Site.



Community of Bahama

2020 Population: 6,1171

The Lynchburg & Durham Railroad established small depots along several communities in Durham County in the early 1900's. At Balltown, the new station became a focal point for additional growth, and the community eventually became known as Bahama, a portmanteau from the surnames of three prominent families in the area: Ball, Harris, and Mangum.

Community development soon led to the establishment of businesses, schools, and a post office. Present day Bahama has maintained its small-town character while benefiting from close proximity to the City of Durham and outdoor recreation assets, such as Lake Michie.

^{1.} U.S. Census Bureau. (2024). 2019–2023 American Community Survey (ACS) 5-Year Estimates.



Community of Rougemont

2020 Population: 7301

Rougemont, in northern Durham and southern Person counties, is a small rural community with roots dating back to Native American settlement and 19th-century farming. The arrival of the railroad in the late 1800s established Rougemont as a local hub, supporting mills, stores, and agriculture. Today it remains largely agricultural and low-density. While past efforts at incorporation were unsuccessful, the community continues to value its rural heritage, close-knit identity, and balance between farmland, woodlands, and residential life.

Land Use and Development

The creation of the Durham-to-Roxboro Rail Trail will represent a meaningful investment in recreation and transportation infrastructure that complements and aligns with existing and proposed land use patterns, reinforcing the vision already established in local plans and policies. By leveraging this corridor, Durham can strengthen mobility, recreation access, and community connectivity without introducing disruptive or incompatible changes to the urban fabric.

This infrastructure provides a catalytic opportunity to build on Durham's ongoing efforts to improve quality of life and equitable access. The trail will link neighborhoods to parks, schools, and job centers, addressing longstanding gaps in recreation and active transportation infrastructure. In doing so, it reinforces compact, sustainable development patterns by reducing car dependency, expanding mobility choices, and creating safer, healthier routes for residents of all ages.

When integrated with Durham's Comprehensive Plan, Place Type Map, and other guiding frameworks, the trail will amplify existing community strengths. It can support thoughtful infill development and reinvestment in underutilized properties while creating new opportunities for housing diversity and equitable access to recreation. By aligning with established land use policies, the Durham-to-Roxboro Rail Trail Plan ensures that growth is managed, inclusive, and place-based—enhancing both daily life and long-term resilience for the corridor's communities (See Appendix A2: Anti-Displacement Overview and Best Practice Case Studies, page 311).

Collaboration among area residents, Durham County, the City of Durham, NCDOT, private landowners, land conservation organizations, and other local, state, and regional partners will be essential to ensure that the trail not only connects seamlessly with adjacent neighborhoods and community centers, but is also designed and integrated in ways that respect surrounding land uses and community context. Achieving this will require an inclusive, transparent process that elevates community voices, aligns with existing plans and policies, and produces a trail that enhances connectivity while reinforcing the character and needs of the immediate neighborhoods it serves.

One tool to ensure community voices are included in the trail design process is the 2023 Durham Comprehensive Plan which includes a long-term, resident-centered vision of how Durham should look and feel in the future. The 2023 Durham Comprehensive Plan's Place Type Map will serve as a valuable starting place, helping to guide where and how development should occur along the corridor so that it aligns with the community's long-term vision and supports equitable, connected, and sustainable outcomes (See Exhibit 04: Understanding the Place Type Map and Its Implications for Rail Trail Development, page 59).

Exhibit 04: Understanding the Place Type Map and Its Implications for Rail Trail Development

The Place Type Map (page 61), as outlined in Durham's Comprehensive Plan (2023), is a forward-looking planning tool that expresses the community's long-term vision for how different areas of the city and county should evolve over time. Unlike the legally binding Zoning Map, which regulates what can be built on a property today, the Place Type Map is not regulatory. Instead, it serves as a policy guide for evaluating development proposals, infrastructure investments, and public facility planning.

Each Place Type represents a distinct category of place—such as urban neighborhoods, commercial corridors, or employment centers—characterized by its intended mix of uses, building scale, transportation options, and public realm features. The map and its associated Place Type descriptions are used by planning staff, elected officials, and community members to assess whether new zoning map changes or annexation proposals align with the broader community vision.

In the context of future rail trail development, the Place Type Map and associated Place Type descriptions have several important implications:

- It helps identify where trail-adjacent development should occur, and what types of uses—such as Trail-Oriented Development, mixed-use hubs, or residential infill—are encouraged in different segments of the corridor.
- It guides infrastructure planning decisions such as extending utilities, enhancing transit access, and building pedestrian and bike facilities that connect neighborhoods to the trail.
- It provides a framework for equitable development, ensuring that growth along the corridor supports both economic opportunity and community livability without displacing long-term residents.

The rail corridor passes through a range of Place Types. Near downtown Durham, the corridor is primarily General Industrial and Recreation & Open Space, creating opportunities for future connections to nearby parks and greenways.

In and around Bragtown, Place Types include Mixed Employment, Established Residential, Mixed Residential Neighborhood, and General Industrial. This mix supports potential trail connections to surrounding neighborhoods and community assets.

Around Penny's Bend, the predominant Place Types are Rural & Agriculture Reserve and Recreation & Open Space, creating opportunities to link the trail to existing trails and natural areas.

North of Penny's Bend, a large Employment Center introduces an opportunity to connect the trail directly to jobs as both an alternative transportation option and a wellness resource for workers.

Farther north, the corridor alternates between Rural & Agriculture, Planned Suburban Neighborhood, and Established Residential. These areas offer opportunities to create community hubs and connect to neighborhoods.

As development interest increases along the future Durham-to-Roxboro Rail Trail, the Place Type Map will serve as a critical reference for shaping the character and function of adjacent areas—supporting thoughtful, connected, and community-aligned growth.


Exhibit 05: Active Development Along the Corridor

As of August 2025, there are seven active development cases located adjacent to the rail corridor, according to the Durham Development Infrastructure, Planning & Development Department (see table below). An analysis of these pending cases reveals several opportunities to align future growth with the trail's development, helping to ensure the corridor evolves in a way that supports access, safety, and community vitality. Key opportunities include:

- Strategically extending utilities—such as water for hydration stations or electricity for emergency call towers (e.g., blue light towers)—to key locations along the trail corridor.
- Encouraging Trail-Oriented Development (for more information, see Section 4.1) by orienting new housing and building frontages to actively engage with and overlook the trail.
- Integrating housing into compatible commercial sites, such as co-locating residential units within properties that include self-storage or light commercial uses, where setbacks or buffers allow.
- Proactively coordinating with adjacent property owners, particularly those with active or upcoming development proposals, to address design and access considerations early and reduce potential conflicts or opposition.

Z2400030	2428 E. Kiss Dr. (under review)
D2200418	1300 Old Oxford Road
D2200284	Welcome Venture Park, Phase 1
D2400053	Welcome Venture Park, Phase 2 Building C
D2400102	Welcome Venture Park, Phase 2 Building H
D2500079	Welcome Venture Park, Buildings I & J (under review)
D2500043	Welcome Venture Park West

Development Cases Adjacent to the Rail Corridor (as of August 2025)



Schools

There are twelve K-12 schools within the study area including: Eastway Elementary, Merrick-Moore Elementary, Club Boulevard Elementary, Sandy Ridge Elementary, Little River Montessori, Mangum Elementary, Brogden Middle, Lakeview Secondary, Lucas Middle, Northern High School, Durham School of the Arts, and the School for Creative Studies.

While not all schools are directly adjacent to the proposed trail corridor, several nearby campuses offer strong opportunities for connectivity and programming.

Within one-half mile are the following schools:

- · Lakeview Secondary School (0.17 miles)
- Sandy Ridge Elementary (0.23 miles)
- · Little River Montessori (0.22 miles)
- Magnum Elementary (0.22 miles)

Their proximity could enable safer, active travel options for students and staff, and support curriculum which utilizes educational features along the trail. (See Chapter 4: Recommendations, page 163 for connectivity recommendations and maps.)


The Project Management Team has been in discussions with Durham Public Schools about creating connections between the Durham-to-Roxboro Rail Trail and nearby schools. School administrators have expressed both interest and concerns, including:

- School-trail connections provide a safe alternative to cars or buses which may encourage walking and biking and reduce congestion near campuses.
- Having the trail near a school can serve as an outdoor classroom for environmental education, history, and health programs.
- Connecting the trail to schools can increase access for students who may not have reliable transportation.
- Parents and school administrators may

- have concerns about unsupervised access or strangers near school grounds.
- Trail crossings at busy roads near schools require careful design to avoid creating new hazards.
- Ongoing upkeep of trail segments adjacent to schools can raise cost and responsibility questions.
- Increased foot and bike traffic may be viewed as disruptive by school staff or nearby residents.

A Durham Public Schools (DPS) representative served on the Project Advisory Committee. As trail design and development progress, continued coordination with DPS will be needed to pursue school-connection opportunities and address related concerns.

In addition to the K-12 schools, the Northern Durham Center of Durham Technical Community College is located 2.25 miles from the rail corridor on Snow Hill Road.



Historic and Cultural Resources

The study area contains historic and cultural resources that present opportunities to collaborate with local communities and organizations in developing interpretive exhibits, signage, public art, and educational materials that highlight the region's heritage.

Key sites include Stagville State Historic Site, Catawba Trail Farm, the location of the former Catsburg Country Store, and the Rougemont Train Depot, while portions of the trail also align with the historic Great Trading Path. (See exhibits below for the historical and cultural importance of these sites.)

According to the Stagville Memorial Project¹, the railroad itself is a significant historical feature, constructed in part by formerly enslaved individuals from Stagville Plantation,

whose descendants later walked the rail line to establish Bragtown. The Stagville Memorial Project is a 501(c)(3) that honors people formerly enslaved at Stagville through public art and community engagement to build a more inclusive understanding of Durham's past. Understanding and integrating these resources is critical to guiding trail planning, preservation, and interpretation. (See Map 14, Historic Features, page 67 and the Exhibits on the following pages.)

Exhibit 06: Catawba Trail Farm

Catawba Trail Farm showcases the region's agricultural heritage. Operated in partnership with UCAN (Urban Community Agriculture Network), the farm supports local food production, community engagement, and educational programs. A gravel path at the Catawba Trail Farm is a remnant of the historic Great Trading Path.



^{1.} Stagville Memorial Project. Making a Way out of No Way (digital exhibit)




Exhibit 07: Catsburg Store

The Historic Catsburg Store was built in the 1920s and named for Sheriff Eugene "Cat" Belvin. Once a community gathering spot and general store, it served as a hub for rural residents in northern Durham. Although the original building no longer stands, the site serves as a reminder of the area's cultural heritage.

Exhibit 08: Rougemont Train Depot

The Rougemont Train Depot once served as a vital hub for transporting goods and passengers through northern Durham County. Although relocated from its original site, the preserved structure now sits on private property adjacent to the rail corridor, where it remains a local point of interest.




Exhibit 09: Stagville State Historic Site

Stagville State Historic Site preserves one of North Carolina's largest plantations, once spanning over 30,000 acres and home to hundreds of enslaved people. Today, visitors can experience preserved 18th- and 19th-century structures, including the Bennehan House and Horton Grove slave dwellings, which stand as powerful reminders of the region's complex history. The site offers guided tours, educational programs, and opportunities for reflection on the legacy of slavery and resilience of the African American community.





Exhibit 10: The Great Trading Path

The Great Trading Path was a historic network of trails used for trade and travel by Indigenous peoples and early European settlers across the Piedmont region. Portions of the trail corridor cross this historic route, with sites such as the Catawba Trail Farm specifically honoring and highlighting this feature on their property.



Parks, Greenways, and Trails

The study area includes 26 existing city and county parks, offering traditional recreation such as tennis courts, soccer fields, basketball courts, and playgrounds, in addition to walking trails and opportunities for educational and exploratory activities. (See Map 15: Existing Parks & Trail Systems, page 69.)

City of Durham Parks and Recreation also maintains outdoor recreation areas near the proposed trail corridor, including the Lake Michie Recreation Area and Little River Park and Marina, which offer boat rentals and public spaces for fishing and other activities. Supported campground facilities adjacent to Lake Michie include Spruce Pine Lodge and Holly Grove. Two neighborhood parks in Bragtown—Red Maple Park and Lakeview Park—are located near the trail corridor and could be connected via sidewalks or future spur trail to improve access for local residents.

The study area includes 26 existing city and county parks, offering traditional recreation such as tennis courts, soccer fields, basketball courts, and playgrounds, in addition to walking trails and opportunities for educational and exploratory activities.

Existing greenway systems in and near downtown Durham, such as the North/South Greenway (Ellerbe Creek Trail, Stadium Dr. Trail, and West Ellerbe Creek Trail) and the American Tobacco Trail, provide connections through city parks (like Northgate Park) to major population centers in downtown Durham.

Natural surface trails at Horton Grove, Penny's Bend, and Beaver Marsh Nature Preserve are also located near the rail corridor and could be linked to the proposed rail trail. In addition, regional trails, including the East Coast Greenway and the Mountains-to-Sea Trail, intersect the corridor, expanding connectivity to destinations beyond the city. (See Exhibit 11: East Coast Greenway, page 70; and Exhibit 12: Mountain-to-Sea Trail, page 71.)

The Durham-to-Roxboro corridor is alignment 5A in NCDOT's Great Trails State Plan and would serve as a segment of the larger, developing statewide network.

Beyond existing greenways and trails, proposed trails, including the Downtown Durham Rail Trail, R. Kelly Bryant Bridge Trail, and North Ellerbe Creek Trail, will further enhance connectivity within downtown Durham.

Currently, north Durham County, including the communities of Bahama and Rougemont, lacks a greenway or paved trail system that is accessible to people of all ages and abilities.




Exhibit 11: East Coast Greenway

The East Coast Greenway (ECG) is a nearly 3,000-mile proposed trail network that will ultimately connect communities from Maine to Florida, providing a continuous route on protected paths for walking, biking, and other non-motorized transportation. In North Carolina, the proposed spine route passes through the Research Triangle cities of Durham and Raleigh on extensive greenway trails, then continues through the Sandhills to Fayetteville, and runs across the coastal plain along the Cape Fear River to Wilmington.

In addition to this main route, the proposed Historic Coastal Route follows the North Carolina coast more closely, linking Greenville and Jacksonville before joining the proposed spine route in Wilmington.

The East Coast Greenway Alliance stewards the trail, supporting its development, maintenance, and promotion. In Durham, the ECG will follow the proposed Durham-to-Roxboro Rail Trail for approximately nine miles from downtown Durham to the area in or near Stagville State Historic Site.

In 2021, the East Coast Greenway was designated as an official North Carolina State Trail, making it a unit of the North Carolina State Parks system.



Exhibit 12: Mountains-to-Sea State Trail

The Mountains-to-Sea State Trail (MST) is North Carolina's longest state trail, stretching over 1,175 miles from the Great Smoky Mountains to the Outer Banks. In Durham County, the MST follows the Eno River and Penny's Bend Nature Preserve, providing scenic access to natural areas and recreational opportunities. Within the Durham-to-Roxboro Rail Trail corridor, the MST intersects the trail at Penny's Bend, offering connections to regional destinations and enhancing access to the state's premier long-distance trail network.



Existing Bicycle and Pedestrian Infrastructure

In the study area, the existing bicycle and pedestrian infrastructure is varied. Within downtown Durham, near the southern terminus of the rail corridor, there is a mix of on-street bike lanes and buffered shoulders on key corridors, sidewalks along most arterials, and greenway segments that parallel creeks, and connect parks, and neighborhoods.


In Bragtown and most of unincorporated Durham County, conditions shift to a more rural roadway network including two-lane roads with open ditches, higher operating speeds, limited lighting, and spotty or absent sidewalks and bike lanes. Shoulders are often narrow or unpaved, marked crossings are rare, and destinations are more spread out.

The Durham-to-Roxboro Rail Trail is the first greenway project proposed in rural Durham County and it presents a significant opportunity to expand bicycle and pedestrian infrastructure into areas of Durham County with little existing infrastructure for people who walk and bike. There are two existing sidewalk connections to the trail corridor - one on Dearborn Dr. in Bragtown and the other on Rhododendron Dr. in the Treyburn neighborhood. (See Map 16: Existing Bicycle and Pedestrian Infrastructure, page 73)


While there are no existing bike lanes that connect to the trail alignment, there are striped bike lanes on both sides of Hamlin Rd. that end at the Old Oxford Rd. intersection just west of the trail. The Mountains-to-Sea Trail intersects the trail alignment at Penny's Bend for unpaved hiking. Further from the alignment, but still nearby, is the paved trail system along Old Oxford Rd. in the Treyburn Corporate Park.

As outlined in the Great Trails State NC Final Report, the Durham-to-Roxboro Rail Trail would link to the Durham Rail Trail, which connects to the American Tobacco Trail, creating a continuous 48-plus-mile network from Roxboro to Apex, with Durham at its center. (See Exhibit 13: Great Trails State Network, Division Five)

Exhibit 13: Great Trails State Network, Division Five




Source: <u>Great Trails State NC Final Report 2022</u>




Bridges

The rail corridor is defined in part by three historic steel bridges and trestles that cross the Eno River, Little River, and Ellerbe Creek. (See Map 17: Bridge Locations, page 75).

As part of this planning study, the consultant team conducted visual assessments to provide preliminary evaluations of each bridge. An expert structural analysis will be required during the preliminary design and engineering phase to assess existing conditions and evaluate use. Beyond their functional role, the bridges will be evaluated in future efforts to consider scenic and historic character.





Ellerbe Creek Bridge


Overview: The visual assessment was conducted in May 2025. The abandoned rail line crosses Ellerbe Creek as a steel beam bridge, approximately 2,020' (0.40 mi.) north of Camden Ave. The bridge is approximately 60' in length and 15' in width.

General Observations: Overall, this steel beam structure appears to be mostly intact, with a few components that appear to need attention and with the exception of the northern approach to the bridge, which is severely washed out.

The wood decking along the structure's surface appears to be past its useful life due to significant decay and vegetation growing in and around the wooden members.

Concrete abutments support the bridge structure on each side of the river, and appear to be mostly intact. However, the area behind the northern abutment exhibits significant erosion from stream waters and the structure may be unstable in this location.

Altogether, the primary structural components of the Ellerbe Creek bridge appear to be in working condition, but replacement/repair of some of the wooden components, and stabilization of the creek bank on the northern side may be necessary for restoration.



The Ellerbe Creek bridge, looking north across the creek. The bridge is covered by dense vegetation, and the wooden decking is significantly deteriorated.

The northern abutment of the Ellerbe Creek bridge. The approach to this end of the bridge is severely washed out. The bridge may be structurally compromised in this area.



The Ellerbe Creek bridge profile, facing west.

Eno River Bridge


Overview: Visual assessments were conducted in October 2024 and May 2025. The abandoned rail line crosses the Eno River as an elevated steel truss bridge, approximately 830' (0.16 mi.) east of Old Oxford Rd. near Penny's Bend nature preserve. The bridge is approximately 140' in length.


General Observations: Unofficial foot paths exist in this location, indicating that the general public utilizes the area around the bridge for fishing and river access. Overall, this steel truss structure appears to be mostly intact, with a few components that appear to need attention.


The wood decking along the structure's surface appears to be past its useful life due to significant decay and vegetation growing in and around the wooden members.

Concrete abutments support the bridge structure on each side of the river, and appear to be in working order. Minor deterioration is present, including weathering of the concrete surface and erosion of the ground surface at the base of each abutment.

An elevated approach leads to and from the abutments. The approaches range in elevation to accommodate the surrounding grade, and are constructed of a wooden beam/girder atop a wooden trestle-style support structure. Visual inspection indicates that this wooden structure may be reaching the end of its useful life cycle due to decay and may require repair or replacement.









Little River Bridge

Overview: The visual assessment was conducted in May 2025. The abandoned rail line crosses the Little River as an elevated steel truss bridge, approximately 2,130' (0.40 mi.) north of Old Oxford Rd. The bridge is approximately 130' in length.


General Observations: Overall, this steel truss structure appears to be mostly intact, with a few components that appear to need attention.

The wood decking along the structure's surface appears to be past its useful life due to significant decay and vegetation growing in and around the wooden members. These components were observed to be in worse condition than the Eno River bridge. The steel truss structure above the bridge is also encircled by trees and vining plants.


Concrete abutments support the bridge structure on each side of the river, and appear to be in working order. Both abutments are nearly enveloped in vegetation, making them difficult to inspect. It is likely that the concrete surface is damaged from the presence of this dense vegetation. A concrete culvert intersects the approach to the steel bridge and is still functioning as designed, allowing a tributary to drain into the Little River.


An elevated approach leads to and from the abutments. The approaches range in elevation to accommodate the surrounding grade, and are constructed of a wooden beam/girder atop a wooden trestle-style support structure. Visual inspection indicates that this wooden structure may be reaching the end of its useful life cycle due to decay and may require repair or replacement.

According to GIS analysis, much of the rail corridor in this area is elevated to FEMA flood zone x (1% future conditions), which has a 1% chance of flooding each year, based on future land use projections. This is a lower risk for flooding than the surrounding area. Trail design and construction should prioritize maintaining the current elevated approached to the Little River crossing in this area, wherever possible, to minimize flood risk.









Environmental Hazards

Through GIS analysis and guidance from the Project Management Team, environmental hazards within the study area including brownfields, hazardous waste sites, pre-regulatory landfill sites, and industrial areas of concern were identified. The environmental hazards listed below will need to be considered as design and development of the rail trail moves forward. (See Map 18: Environmental Hazards, page 83.)

Within the study area, there is one brownfield site (a property whose reuse or redevelopment is hindered by the presence or potential presence of hazardous substances, pollutants, or contaminants) located at Welcome Venture Park.

There are ten hazardous waste sites (listed below) with the distance from the rail corridor included in parentheses:


- 1. Merck Sharpe & Dohme Corp (1700 ft)
- 2. Southern Research Institute (800 ft)
- 3. Corning Life Sciences (1600 ft)
- 4. KBI Biopharma Inc (600 ft)
- 5. Mitsubishi Electric & Electronics USA (400 ft)
- 6. DUHS Clinical Lab (5100 ft)
- 7. John's Inc (900 ft)
- 8. Model Laundry & Cleaners (5000 ft)
- 9. Scott & Roberts Dry Cleaners (4800 ft)
- 10. Model Laundry (4900 ft)

There are two pre-regulatory landfill sites (listed below) with the distance from the rail corridor included in parentheses:

- 1. Durham Land Disposal Area (2500 ft)
- 2. East End Park Landfill (3600 ft)

Additionally, there is one industrial area on Camden Ave. and two industrial areas located near Old Oxford Rd. that were identified as potential hazards.

As part of the acquisition of the rail corridor for public ownership and use, the Conservation Fund on behalf of NCDOT, has conducted a Phase I Environmental Site Assessment (ESA), a Phase II Environmental Site Assessment (ESA), and a National Environmental Policy Act (NEPA) assessment.



Trail Crossings

The rail corridor has 19 roadway crossings and two private driveway crossings. Crossings were inventoried documenting existing conditions observed through a desktop review of GIS data and imagery (aerials as well as Google StreetView), as well as fieldwork to observe and photograph each crossing. Fieldwork took place in November 2024 and May 2025. This data was supplemented with information about the high injury network from the Triangle West regional Vision Zero Action Plan. This assessment informed the recommendations for crossing treatments. (See Chapter 4.1, Evaluation and Recommendations, page 164.) Evaluation factors included:

- · Lanes: Number of travel lanes
- Speed Limit: Posted speed
- Curb: Presence of a curb or not
- AADT (Annual Average Daily Traffic): Measure of traffic volume at location on a given road. It is often not measured for local roads. Data was sourced from NCDOT's 2023 web map.
- Crossing Angle: The angle at which the trail meets road. Similar to vehicle
 intersections, a 90-degree crossing is ideal for visibility; between 70 and 90
 degrees is preferred. A sharper angle will require realignment prior to the
 crossing or additional safety measures.
- Pedestrian Activity: A qualitative measure of the context surrounding the
 crossing in terms of land use, nearby active transportation facilities, and how
 likely drivers are to expect bicycle or pedestrian activity in the vicinity of the
 crossing.
- **Slope:** Generalization of steepness of slope of the trail at the crossing based on topographic GIS information and visual assessment.
- Sight Distance: Measure of how far ahead of a crossing drivers can see it.
 Detailed design of crossings involves quantitative calculations, but for this stage of design general description is sufficient for informing potential countermeasures.
- Lighting: Qualitative measure of degree of roadway lighting at crossing.
- **High Injury Network:** Streets that are overrepresented with severe injury and fatal crashes (of any mode). Data was sourced from the Triangle West regional Vision Zero Action Plan.

Exhibit 14: Existing Conditions at Trail Crossings

ID	Crossing Name	Owner	Context	Lanes	Speed Limit	Curb	2023 AADT	Crossing Angle	Pedestrian Activity	Trail Slope	Sight Distance	Lighting	High Injury Network (all)
1	I-85	DOT	Urban	n/a	n/a	n/a	n/a	n/a	n/a	Flat	n/a	None	n/a
2	Camden Ave	DOT	Urban	n/a	n/a	n/a	n/a	n/a	n/a	Flat	n/a	None	n/a
3	E Club Blvd	DOT	Urban	2	35	No	7100	75	Medium	Flat	Poor	Poor	Yes
4	Roanoke St	City	Urban	2	25	Yes		90	High	Flat	Good	Poor	No
5	Dearborn Dr	DOT	Urban	2	35	No	8950	90	High	Moderate	Good	Good	Yes
6	Thompson Rd	DOT	Suburban	2	35	No		90	Low	Flat	Poor	Poor	No
7	Hamlin Rd	DOT	Suburban	2	45	No	5900	45	Low	Flat	Poor	Poor	No
8	Commercial Driveway	Private	Rural	1	n/a	No	n/a	90	Low	Flat	Good	Poor	No
9	Residential Driveway	Private	Rural	1	n/a	No	n/a	90	Low	Flat	Good	Poor	No
10	Old Oxford Rd	DOT	Rural	2	55	No	5400	35	Low	Flat	Good	Poor	Yes
11	Rhododendron Dr	City	Suburban	2	25	Yes		90	High	Moderate	Good	Poor	No
12	Orange Factory Rd	DOT	Rural	2	45	No	1400	90	Low	Moderate	Good	Poor	No
13	Stagville Rd South	DOT	Rural	2	55	No	4100	25	Low	Moderate	Good	Poor	No
14	Joe Ellis Rd	DOT	Rural	2	45	No		75	Low	Flat	Poor	Poor	No
15	Stagville Rd North	DOT	Rural	2	45/55	No	3800	25	Low	Moderate	Poor	Poor	No
16	Bahama Rd	DOT	Suburban	2	35	No	2200	55	Medium	Steep	Good	Poor	No
17	Ball Rd	DOT	Rural	2	35	No		75	Low	Flat	Good	Poor	No
18	Quail Roost Rd	DOT	Rural	2	45	No	3200	45	Low	Flat	Good	Poor	Yes
19	Moores Mill Rd	DOT	Rural	2	55	No		70	Low	Flat	Good	Poor	Yes
20	Red Mountain Rd	DOT	Suburban	2	35	No	2300	90	Medium	Flat	Good	Poor	No
21	Harris Mill Rd	DOT	Rural *No Outlet	2	45	No		45	Low	Flat	Poor	Poor	No

Accessibility at Crossings

A planning-level investigation on accessibility of existing conditions at all proposed crossings was also conducted to understand potential challenges related to creating crossings that are ADA compliant. This analysis considered grades, crossing angle, presence of curbs, nearby pedestrian and transit infrastructure, and nearby destinations. Lighting is noted for underpasses. Findings are shown in the table below. It is important to note construction of the trail can help mitigate some issues (e.g., being able to "square up" skewed crossing angles so users can cross at a 90 degree angle, or as close to a 90 degree angle as possible) to improve visibility and shorten the length of the crossing.


Further assessment by a licensed engineer is required to determine existing deficiencies related to accessibility.

Exhibit 15: Field Notes on Accessibility at Crossings

ID	Crossing	Accessibility Considerations of Existing Conditions
1	I-85	 Underpass – no access point is needed. Additional lighting is required due length of crossing and lack of natural daylighting. Generally flat grades under underpass.
2	Camden Ave.	 Generally flat grades under underpass, but steep grades to access Camden Ave. and a long ramp is required. Lighting recommended although natural daylighting is more prevalent. No existing sidewalks along Camden Ave.
3	E. Club Blvd.	 Slightly sloping grades, but generally flat. Limited sight distance due to curve and crest at existing crossing location. No sidewalks existing, planned sidewalk on north side of E. Club Blvd. will leave gap between sidewalk and trail. Striped median could be converted into median island for crossing.
4	Roanoke St.	 Generally flat grades. Crossing will require curb ramps. No sidewalks in this immediate area. GoDurham Route 9 stops 800' west, but no sidewalks at any point.
5	Dearborn Dr.	 Slightly sloping grades. Bus stops within 400' in both directions, but stop to the west has no sidewalk connection and stop to the east requires traversing a ditch to board the bus. Existing sidewalk connections to Lakeview Park and Braggtown Library but missing protected pedestrian crossings.
6	Thompson Rd.	 Generally flat grades. Curve and limited sight distance. No existing sidewalks in the immediate area.

7	Hamlin Rd.	 Generally flat grades overall, but grading required to accommodate ditch crossings. Skewed crossing and limited sight distance, will likely be shifted to perpendicular. Direct connection to First Assembly of God. Sidewalk several hundred feet east along Hamlin Rd. Connects to NC Technical Park, but little else. 		
8	Commercial Driveway	n/a		
9	Residential Driveway	n/a		
10	Old Oxford Rd.	 Generally flat grades. Wide curve but generally good sight distance. Crossing occurs at an existing driveway access. No sidewalks on Old Oxford Rd. 		
11	Rhododendron Dr.	 Slightly sloping grades. Crossing will require curb ramps. Sidewalk connections to Treyburn and Stagville communities. 		
12	Orange Factory Rd.	 Slightly sloping grades. No existing sidewalks along Orange Factory Rd. Narrow space along the side of the roadway. 		
13	Stagville Rd. (south)	 Slightly sloping grades. Skewed crossing will require realignment. Realignment will require grading work to resolve conflict with ditch. No sidewalks along Stagville Rd. 		
14	Joe Ellis Rd.	 Generally flat grades, minor grading required to cross ditch. Limited sight distance primarily for vehicles turning right from Stagville Rd. onto Joe Ellis Rd. No sidewalks along Joe Ellis Rd. 		
15	Stagville Rd. (north)	 Slightly sloping grades. Skewed crossing with limited sight distance will require realignment. No sidewalks along Stagville Rd. Direct connection to Mount Calvary Baptist Church. 		
16	Bahama Rd.	 Fairly steep grades, will require careful grading on the north side to remain accessible. No existing sidewalks to connect to downtown Bahama. 		
17	Ball Rd.	 Generally flat grades. No sidewalks on Ball Rd. ½ mile connection to Mangum Elementary (no sidewalk). Steep slope along that potential connection. 		
18	Quail Roost Rd.	 Generally flat grades. Slightly skewed crossing, but good sight distance. No sidewalks along Quail Roost Rd. 		
19	Moores Mill Rd.	 Slightly sloping grades. No sidewalks on Moores Mill Rd. Roadway connection to Quail Roost Trail (no sidewalk, no pedestrian signal at crossing of 501). 		
20	Red Mountain Rd.	 Generally flat grades. Grading likely necessary for direct access to the historic depot and small shopping center. No sidewalks to get to Rougemont crossroads. 		
21	Harris Mill Rd.	 Generally flat grades. Limited sight distance. No sidewalks on Harris Mill Rd. 		















































RELEVANT PLANS, STUDIES, AND POLICIES

Many related efforts have been made in the region prior to the Durham-to-Roxboro Rail Trail Plan. The 1988 Durham Urban Trails and Greenways Master Plan was the first plan to identify the rail corridor as an ideal opportunity for a multi-use trail for hikers, bikers, and equestrians. Many other plans since then have called out the rail corridor as an asset for recreation and active transportation. This section provides a brief summary of more recent planning efforts, studies, and policies that have implications on this plan.


Durham Parks and Recreation Comprehensive System Plan (2025)



The 2025 City of
Durham Parks
and Recreation
Comprehensive
System Plan is a
10-year roadmap
to guide DPR in
enhancing existing
parks, trails,
and recreation
facilities, expanding

greenway connections such as the Durham Rail Trail, and supporting active transportation. It prioritizes equitable access, environmental stewardship, and community-driven improvements to ensure all users, neighbors, and communities benefit from safe, inclusive, and well-maintained public spaces. The plan positions parks and recreation as vital infrastructure for health, resilience, and quality of life in a rapidly growing Durham.


Person County Trail Feasibility Study (2024)



Person County, with funding from North Carolina Department of Transportation's Integrated Mobility Division (NCDOT IMD), conducted a feasibility study to explore opportunities for approximately 15-miles of

continuous paved trails and/or sidewalks from Uptown Roxboro to the Person-Durham County line. The study included assessing the feasibility of developing a trail on the 8.7-mile inactive Norfolk Southern rail corridor or the parallel US 501 roadway corridor which could connect to the Durham-to-Roxboro Rail Trail.

DCHC MPO Wildlife Crossing Planning Study (2024)



Triangle West
Transportation
Planning Organization
(formerly DurhamChapel Hill-Carrboro
Metropolitan Planning
Organization)
developed a Wildlife
Crossing Plan in 2024,
aiming to improve
roadway safety for

both humans and wildlife. Key wildlife crossings in the area were identified, and recommendations for projects include retrofits at existing bridge and culvert infrastructure, bridge and culvert replacement projects, and construction of new infrastructure. The plan identified two critical wildlife crossings in or near the study area: Old Oxford Rd. over the Eno River and US 501 (Roxboro Rd.) over the Eno River.

Durham Comprehensive Plan (2023)



The Durham
Comprehensive Plan
serves as a broad policy
guide for the future
of Durham city and
county. Recreation
goals include providing
opportunities that are
affordable, physically
accessible, and equitably
distributed, with specific

recommendations for parks and green spaces (relevant policies include 104, 105, and 106). Transportation goals include creating a system that is safe, affordable, dignified, sustainable, connected, and physically accessible, with specific recommendations for equitable investment in bike lanes, crosswalks, and regional transportation connections (relevant policies include 67 and 72). Environmental goals include protecting natural areas, watersheds, and the tree canopy, while ensuring equitable access to green space (relevant policies include 108 and 112). The Place Types of the Comprehensive Plan are categories that help organize similar types of places found throughout Durham County and show where different types of land use should be in the future.

The Great Trails State Plan (2022)



The Great State Trails Plan aims to connect communities to the outdoors while creating opportunities for active transportation, conservation, recreation, health, tourism, and economic prosperity through proposed a statewide trail network. Fostering connections between urban and rural areas in all 100 North Carolina counties is a primary goal of the plan. Plan recommendations include a proposed shared use path segment from Roxboro to Durham.

Durham Trails Implementation Plan (2021)



This planning effort, an update to the 2011 Master Plan, was developed in partnership between the City/County Planning Department and the Durham Open Space and Trails Commission (DOST)

and recommends building 186 miles of paved and natural surface greenways and trails. An opportunities and constraints analysis identified 123 miles of trail implementation sectioned into four major categories: priority trails, key connector trails, network expansion trails, and long-term vision trails. The study area extends from the Southwest Creek Trail to the Crooked Run Creek Trail with numerous trail connections, including Eno River Trail, Ellerbe Creek Trail, Cub Creek Trail, Roxboro Rail Trail, American Tobacco Trail, and Bryant Bridge Trail.

Complete Streets Policy (2019)



NCDOT Complete
Streets safely
accommodate
access and travel
for all users through
interdependent,
multi-modal
transportation
networks. Under
current policy,
planners and

designers are required to consider and incorporate multimodal facilities in the design and improvement of appropriate North Carolina transportation projects, beginning at the inception of the planning process. Benefits of this approach include easier transportation for travelers, encouraging alternative forms of transportation, fostering sustainable communities, increasing connectivity, and improving safety.

Durham Parks and Recreation Strategic Plan (2017-2018)



The overarching purpose of the Durham Parks and Recreation Strategic Plan is to connect the whole community to wellness, the outdoors, and lifelong learning. The plan identified parks, trails, and facilities as a core product/ service to the community. Plan recreation neighborhood goals include increasing opportunities through quality, diverse program offerings, physical spaces, natural areas, and lifelong learning.

Durham-Chapel Hill-Carrboro Metropolitan Planning Organization Comprehensive Transportation Plan (2017)



This plan developed by the Triangle West Transportation Planning Organization (formerly known as the Durham-Chapel Hill-Carrboro Metropolitan Planning Organization) serves as a long-range multimodal transportation plan that covers transportation needs, including highway, public transportation and rail, bicycle, and pedestrian, through 2040 for the towns of Carrboro, Chapel Hill, Hillsborough, the City of Durham, and Chatham, Durham, and Orange Counties. Current conditions and needs were assessed, and recommendations are categorized by each mode of transportation. For Durham County, significant population growth is projected, and recommendations center around watershed and stream protection and

increased demand for multimodal transportation, including improvements for numerous bicycle-pedestrian multi-use paths across the county.

The Impact of Greenways in the Triangle (2017)



This report analyzes the estimated benefits of the East Coast Greenway (ECG) in the Research Triangle region through estimations of bicycle and pedestrian trips that take place near the trail alignment. The

study was framed through the health and environmental, economic, and transportation and access benefits of the trail for the community. Result estimates indicated increased physical activity, fewer points of CO2 annual emissions, increase in jobs spending, and property value, and a decrease in vehicle operation cost, mileage, and collisions.


Durham Trail Condition Assessment (2017)



The City of Durham
Trail Condition
Assessment aimed
to provide an
updated inventory
and assessment of
the existing trail
network within the
Durham Parks and
Recreation System,
which consisted

of approximately 30 miles of greenway trails, street trails, and rail trails at the time of study. The trails were assessed based on general conditions of various amenities as well as ADA compliance. Recommendations prioritize extensive ADA improvements as well as additions to lighting, better disbursement of benches, strategic placement of waste receptacles, increased wayfinding, and evaluation of access points.

Durham Bike+Walk Implementation Plan (2017)



The Durham
Bike+Walk
Implementation
Plan updates and
consolidates the
City's 2006 bicycle
and pedestrian plans,
focusing on nearterm, implementable
improvements
to make walking

and biking safer, more connected, and more accessible. Built on extensive public engagement and a data-driven prioritization (safety, connectivity, demand, equity), the plan identifies 75 priority projects and 11 action topics to accelerate delivery of facilities and programs citywide. An update to the Durham Bike+Walk Plan is currently underway and will be published in early 2026.


Mountains-to-Sea Master Plan (2015)



With the Mountainsto-Sea (MST) Master Plan initiative, the NC Division of Parks and Recreation (DPR) aims to

promote completion of the MST across the state. Goals of the master plan include engaging stakeholders, confirming the vision, defining segments, prioritizing future work, providing web-based content about planning efforts, and developing an initial set of tools to assist trail planning partners. To promote ongoing development of the trail, this plan defines eight Designated Segments as well as 18 Planning Segments, which are prioritized based on readiness for further planning and implementation.

City of Durham Parks and Recreation Master Plan (2013)



This master plan serves as a guide to direct the operations of the Department of Parks and Recreation in facility development and recreation programming. In accordance with previous City planning efforts, this plan provides guidance in facilities, recreation programming, best practices in maintenance and operations, sustainability, and implementation. Trails and greenways scored highest in both importance and participation on the PARCS community survey. The master plan recommends continuing with trail corridor acquisition and supports project recommendations in the Durham Trails and Greenways Master Plan (2011).

Durham Trails and Greenways Master Plan (2011)



This plan serves as a guide to the development of a comprehensive trail system in Durham, including policies on trail development, connections to community destinations, implementation

priorities and management, and trail interaction around stream corridors. Goals and recommendations for this plan include connectivity, accessibility, right-of-way preservation, water quality protection, open space preservation, community education, and community involvement.

Unified Development Ordinance, UDO (2006)



Adopted in 2006, the City of Durham and Durham County Unified Development Ordinance (UDO) lays out the rules for the physical development of property. The UDO designates zoning

of properties in Durham, and is crafted to result in a built environment that meets the goals of the Comprehensive Plan.

Little River Corridor Open Space Plan (2001)



This plan aims to protect the Little River area by evaluating the area's most important ecological and cultural features, land ownership patterns and opportunities, and future challenges.

Implementation actions to promote open space and protection include recreation amenities, wildlife and habitat areas, and regulatory provisions and programs. In support of open space along the Little River Corridor, this plan recommends the Durhamto-Roxboro rail corridor as a future multi-use trail route for hiking, biking, and equestrian use.

2.5 DEMOGRAPHICS

This section presents population, income, and employment data, along with future projections for residents of Durham County and the City of Durham, as reported by the U.S. Census Bureau and the Bureau of Labor Statistics.

Durham County Population

According to 2018–2022 American Community Survey (ACS) data from the U.S. Census Bureau, Durham County is home to 346,568 residents, of whom 303,467 live in the City of Durham. The county has 144,546 households with an average household size of 2.28 people. Approximately 7.3% of households include one or more members with a disability. Within the county, 10% of households fall below the poverty line, slightly lower than the state average of 12.8%.

The median age in Durham County is 35.8, compared to 39.1 in North Carolina and 39.0 in the United States. In Durham County, 19.3% of the population is under 18, 66.0% is between 18 and 64, and 14.7% is over 65.

By race and ethnicity, 42.6% of Durham County residents are White, 34.0% are Black, 13.3% are Hispanic (White, multiracial, or other), 5.2% are Asian, and less than 1% are American Indian or another race (non-Hispanic).

Durham County Income and Employment

The per capita income in Durham County is \$48,220—21.7% higher than the state average of \$39,616 and 19.5% higher than the national average of \$40,363. The median annual household income is \$82,910—25.3% higher than the state average of \$66,186 and 20.1% higher than the national average of \$69,021.

In Durham County, 54.0% of households are owner-occupied, while 46.0% are renter-occupied. The median home value in the region is \$394,364.

Sixty-six percent of the county's population is considered working age (18–64). The county is home to 13,032 businesses employing 171,484 people. The unemployment rate is 3.6%, slightly below the state rate of 3.7%.

In terms of educational attainment, 55.5% of Durham County residents hold a bachelor's, graduate, or professional degree; 19.8% have some college or an associate's degree; 14.4% hold a high school diploma; and 7.4% do not have a high school diploma.

Population Projections

According to 2018-2022 American Community Survey (ACS) data from the U.S. Census Bureau, Durham County has seen a 1.54% growth rate from the last decennial census. Applying this rate forward, the county's population is projected to reach 351,911 by 2030, 357,327 by 2040, and 362,834 by 2050.

Total population:



346,568

Durham County (City + Unincorporated)

303,467

City of Durham 43,101

Durham County (unincorporated)

30,219

Durham-to-Roxboro Rail Trail Plan Study Area

Population 65+:



14.7%

Durham County (City + Unincorporated)

13.9%

City of Durham 14.3%

Durham County (unincorporated)

13.6%

Durham-to-Roxboro Rail Trail Plan Study Area

Total Number of Households:

144,546

Durham County (City + Unincorporated)



128,486

City of Durham 16,060

Durham County (unincorporated)

11,642

Durham-to-Roxboro Rail Trail Plan Study Area

Working Age Population (18-64):



67%

Durham County (City + Unincorporated)

67%

City of Durham **67**%

Durham County (unincorporated)

63%

Durham-to-Roxboro Rail Trail Plan Study Area

Median Age:

35.8

Durham County (City + Unincorporated)

34.9

City of Durham 35.3

Durham County (unincorporated)

36.2

Durham-to-Roxboro Rail Trail Plan Study Area

Households Below the Poverty Level:



10%

Durham County (City + Unincorporated)

11%

City of Durham 10%

Durham County (unincorporated)

14%

Durham-to-Roxboro Rail Trail Plan Study Area

Median Household Income:

\$82,910

Durham County (City + Unincorporated)

\$80

\$80,879

City of Durham \$81,895

Durham County (unincorporated)

\$70,730

Durham-to-Roxboro Rail Trail Plan Study Area

Households without a Vehicle:



2.7%

Durham County (City + Unincorporated)

2.9%

City of Durham 2.7%

Durham County (unincorporated)

3.5%

Durham-to-Roxboro Rail Trail Plan Study Area

Households with Disability:



7.3%

Durham County (City + Unincorporated)

7.2%

City of Durham 7.3%

Durham County (unincorporated)

10.3%

Durham-to-Roxboro Rail Trail Plan Study Area

2.6 BENCHMARK TRAIL COMPARISONS AND POTENTIAL TRAIL USES

A clear understanding of who will use the Durham-to-Roxboro Rail Trail and how they are likely to use it is critical to creating a successful and sustainable rail trail. Evaluating potential demand not only helps project future usage but also ensures the needs of diverse user groups are met through thoughtful design, amenities, and programming.

This section draws on benchmark trail comparisons, existing and projected trail use patterns, community survey results, economic impact research, and potential trail users to provide a comprehensive picture of anticipated future needs.

Benchmark Trail Comparisons

This section considers two comparable rail-trails, the 22.6-mile American Tobacco Trail (Research Triangle, NC) and the 22-mile Prisma Health Swamp Rabbit Trail (Greenville, SC). These trails were selected for their comparable length to the proposed Durham-to-Roxboro Rail Trail and their similar setting in the southeastern United States. While comprehensive data on usage and activities is limited for both trails, several studies and project summaries provide relevant benchmarks.



American Tobacco Trail (ATT)

The 22.6-mile American Tobacco Trail travels through Durham, Wake and Chatham counties. Similar to the Durham-to-Roxboro rail corridor, the trail begins in downtown Durham in an urban setting and gradually becomes more rural as it extends south. The ATT is a 10-foot wide, paved, offroad trail which follows the former CSX rail corridor.

- Estimated 500,000 600,000 users.¹
- Primary activities on the trail included walking, jogging, cycling, roller blading, and pushing strollers.²
- Data from bicycle and pedestrian counters on the ATT shows a roughly 50/50 split of pedestrian and bicycle trail users.³
 - · Pedestrian Volume
 - Highest volume: October and Saturdays
 - Lowest volume: December and Fridays
 - Bicyclists Volume
 - Highest volume: July and Sundays
 - Lowest volume: January and Tuesday/ Thursday

Swamp Rabbit Trail

The 22-mile Prisma Health Swamp Rabbit Trail in South Carolina is a paved, muti-use greenway that follows a former rail corridor and links Travelers Rest to Greenville. The trail is flat to gently rolling and passes through Furman University's campus and Falls Park in downtown Greenville.



- Estimated 750,000 annual users.⁴
- Primary activities on the trail included biking, walking, and running.⁴
- Seasonal Analysis.⁵
 - · Most popular season
 - Year 1: Summer (June August) as most popular season (2,238 users)
 - Year 2: Spring (March May) as most popular season (2,217 users)
 - Day/Month Analysis
 - Busiest day Memorial Day (5,550 users)
 - Slowest day December 26 (150 users)
 - Busiest month September (79,500 users)

Institute for Transportation Research and Education at North Carolina State University. (2014). <u>Bridging the Gap: Impacts on Health, Transportation, and the Economy from completing a critical link in a 22-mile rail trail.</u>

^{2.} Durham Parks and Recreation. (2022). American Tobacco Trail.

^{3.} Institute for Transportation Research and Education (2017). North Carolina Non-Motorized Volume Data Program.

Furman University. (2012). Greenville Health System Swamp Rabbit Trail: Year 2 findings.

^{5.} City of Greenville. <u>Swamp Rabbit Trail, Trail Tracking</u>

Trail Usage - Current & Projected


Profile of Current Trail Users


The Durham-to-Roxboro Rail Trail Plan Community Survey (2025) was conducted to gather input from the public on the general usage, improvements and priorities, and community support of the proposed trail. (See Section 3.4, Page 132, Phase 1 – Community Engagement for full survey results.)

Of the 2,994 survey respondents:

- Nearly one-half reported daily to weekly current trail use
- People who reported daily to weekly current trail use were primarily White, ages 25-44, hold a Bachelor's or Master's degree, and earn a household income of more than \$100,000
- Both male and females reported using existing trails equally
- Most popular trail-use activities were walking, running/jogging, bicycling, E-biking, and rollerblading/scootering
- Respondents currently use trails predominantly for exercise or recreation and mental health and well-being


Current Trail Use Activities





(2,583 responses)

Reasons for Current Trail Use




(2,583 responses)

Profile of Projected Trail Users

The Durham-to-Roxboro Rail Trail Plan Community Survey (2025) also included questions to gauge the projected use of the Durham-to-Roxboro Rail Trail if it is constructed.

Of the 2,994 survey respondents:

- Nearly 40% of survey respondents anticipated they would use the trail daily to weekly if it were to be constructed
- People who reported daily to weekly projected trail use were primarily White, ages 25-44, hold a Bachelor's or Master's degree, earn a household income of more than \$100,000
- Projected trail use was equally distributed between males and females
- Roughly 20% of respondents plan to use the trail for transportation
- Of the survey respondents, 82% are in support of the Durham-to-Roxboro Rail Trail




18% Never 32% A few times a month or less

Future Trail Use Frequency


(2,878 responses)

Desired Trail Use Activities



(2,583 responses)

Reasons for Future Trail Use



(2,630 responses)

Economic and Community Benefits

The East Coast Greenway Alliance study prepared by Alta Planning + Design, The Impact of Greenways in the Triangle (2017), found that the East Coast Greenway generates \$90 million in annual benefits for the Triangle region, including improvements to health, the environment, transportation, access, the economy, and property values.¹ Because the southern portion of the Durhamto-Roxboro Rail Trail will share a route with the East Coast Greenway, and given the corridor's similar geography and community context, comparable benefits can reasonably be anticipated if the trail is constructed.

Additionally, in its 2018 study, "Evaluating the Economic Contribution of Shared-Use Paths in North Carolina," the Institute for Transportation Research and Education (ITRE) found that every \$1 invested in greenways yields \$1.72 in annual economic benefits.²

Potential Trail Users

The Durham-to-Roxboro Rail Trail should welcome everyone who wants open space access, recreation, and active transportation opportunities. Understanding the needs of trail user types will create a comfortable, safe, and high-quality experience for all. Below are different user types potentially expected at the Durham-to-Roxboro Rail Trail. People with disabilities (e.g. physical, visual, auditory, and cognitive) may fall within any of the user types listed below and their needs must be considered in all situations.


Pedestrians

- Shared use paths that support pedestrians must be accessible for people with disabilities.
- Runners and joggers prefer softer surfaces. Grass or soft-surface shoulders on either side of a hard-surface trail can be provided to meet this need.
- Pedestrians typically travel at 3.4 mph and signal timing of crossings should be based on pedestrian use as they are slower than bicycles.
- Ideally, pedestrians should be separated from bicyclists where there is sufficient space to do so. When separated from bicycles, the pedestrianonly path should be 5' wide at minimum.³

^{1.} Alta Planning and Design. (2017). The Impact of Greenways in the Triangle.

^{2.} ITRE, Alta, and NCDOT. (2018). Evaluating the Economic Impact of Shared Use Paths in North Carolina.

^{3.} American Association of State Highway and Transportation Officials (AASHTO), 2024. Guide for the Development of Bicycle Facilities (5th ed.)



People on Bikes

- Bicycles come in all shapes and sizes, and e-cargo bikes are growing in popularity.
- A minimum width of 11' is recommended for shared use paths to minimize conflicts between users while also supporting the social use of shared use paths (two people traveling side-by-side). A width of 11' provides a 3-lane facility.
- · Bicyclists, other than mountain bikers, benefit from paved surfaces.
- Typical speed of adult bicyclists is 12.8 mph and child bicyclists is 7.9 mph.¹

E-Bikes

- While e-bike use on trails within the City of Durham is not currently allowed, this may change in the future and the current rule is not typically enforced.²
- E-bikes have a higher design speed than standard bicycles ranging from 12-18 mph with nearly all e-bikes being capable of providing electric assistance up to 20 mph.
- For shared use paths, a minimum width of 12' is recommended to support e-bike use.¹

Mountain Bikes

- Mountain bikers typically seek out a trail experience that centers on their interaction with the trail itself. This is typically achieved by adding features like rock gardens, jumps, berms, and rollers. The nature of the rail trail as a long linear corridor can limit what types of features can be incorporated into a mountain bike trail. Mountain bike features could be explored where there is naturally rolling topography within the railroad right-of-way such as the area just north of Hamlin Rd. The greatest utility of a single track alongside the primary trail might be to connect mountain bike trail networks.
- Trail width, surface, and slope all contribute to difficulty and interest level of a single-track trail. If a single-track mountain bike trail is provided as part of a parallel path trail, International Mountain Bike Association (IMBA) rating of "Easy" is recommended. This requires the trail to be a minimum of 3' wide.³

Other Modes

- People using skateboards, rollerblades, scooters, wheelchairs, strollers, and other devices with small wheels benefit from paved surfaces.
- Electric-assist devices such as ebikes, e-scooters, and e-skateboards typically increase the difference in speed among trail users. Providing wider trail widths where these users are expected can help ensure safer passing.¹

American Association of State Highway and Transportation Officials (AASHTO). 2024. Guide for the Development of Bicycle Facilities (5th ed.)

^{2.} City of Durham Bicycle and Pedestrian Advisory Commission. (2024). <u>F-Bike Recommendations for Greenways and Trails.</u>

^{3.} International Mountain Bicyclist Association, IMBA. (2018). Guidelines for a Quality Trail Experience: mountain bike trail guidelines.

Equestrians

Equestrian use along bicycle and pedestrian trails with either all users sharing an unpaved path or with an unpaved equestrian path running parallel to a paved bicycle and pedestrian path is common across the country, often in more rural areas. The southern portion of the American Tobacco Trail (ATT) is a local precedent of this condition.⁴

- A 6' wide vegetated buffer or barrier is recommended to separate shared use paths from bridle paths.
- Equestrians require a minimum of 10' vertical clearance; 12' preferred.
- A 6' minimum of tread width is recommended for a single-track horse trail, which increases to 8' minimum for a double-track horse trail.
- Equestrians must also be considered in the design of trailheads as horse trailers require larger stalls.




^{4.} USDA Forest Service. (2007). Equestrian Design Guidebook for Trails, Trailheads, and Campgrounds.

2 7 OPPORTUNITIES AND CONSTRAINTS

This section identifies opportunities and constraints as identified through GIS analysis, field observations, policy and plan review, demographic analysis, and stakeholder input. The opportunities and constraints presented here were preliminary observations, primarily focused on potential trailheads, trail connections, and other trail amenities, that helped inform the recommendations outlined in Chapter 4. Final designs of the preliminary conceptual designs that relate to these opportunities and constraints are subject to change in future phases based on engineering, survey data, and regulatory review.

For planning purposes, the 18.2-mile rail corridor in Durham County has been divided into five Focus Areas. Moving from south to north, the Focus Areas are: 1) Downtown Durham, 2) Bragtown, 3) Two Rivers, 4) Bahama, and 5) Rougemont. (See Map 19: Planning Sections Overview, page 109.)



Focus Area 1: Downtown Durham


The Downtown Durham Focus Area spans 1.7 miles from the Avondale Rd. underpass to East Club Blvd., serving as the southern terminus of the Durham-to-Roxboro Rail Trail. This segment connects key destinations including downtown Durham, multiple parks, the East Coast Greenway, the American Tobacco Trail (via the planned Downtown Durham Rail Trail), and GoDurham Route 9, providing important recreational and transportation linkages. (See Map 20: Downtown Durham Opportunities and Constraints, page 111.)

Opportunities

- A city-owned parcel near the nexus of multiple proposed trails could be developed as a trail access point.
- The NCDOT-owned parcel could be developed as a trailhead.
- 3 Future North Ellerbe Creek Trail provides connections to nearby residential areas and surrounding services.
- A boardwalk provided at a city-owned wetland parcel would offer opportunities for nature education.

Constraints

- 5 Access to the rail trail from the east is limited due to existing land use and environmental conditions.
- The I-85 underpass creates a potentially unsafe space under the bridge due to limited visibility.
- The existing Ellerbe Creek bridge requires repair or replacement.
- 8 Flood hazard areas may complicate permitting and construction.



Focus Area 2: Bragtown


The Bragtown Focus Area extends 2.5 miles from East Club Blvd. to Sandy Ridge Elementary School along Hebron Rd. This segment serves the Bragtown community and provides access to parks, schools, the Bragtown Branch Library, the Welcome Venture Industrial Park, conservation areas, and connections to the GoDurham bus route. (See Map 21: Bragtown Opportunities and Constraints, page 113.)

Opportunities

- Connect to bus stops along E. Club Blvd. to provide access via public transit.
- Develop a city-owned lot as a trailhead.
- Create a linear park along Roanoke St.
- 4 Leverage proximity to Red Maple Park, including a connection point via a city-owned lot directly south of the park along Pecan Place.
- 5 Connect to bus stops and Bragtown community amenities such as Lakeview Park, Bragtown Library, and Lakeview Secondary School along Dearborn Dr.
- 6 Provide access to the North Durham Farmer's Market, which is directly adjacent to the rail corridor.
- Support Trail-Oriented Development opportunities at Welcome Venture Park.
- 8 Connect to Sandy Ridge Elementary School (future N. Durham Parkway) and the planned Cub Creek Trail.

Constraints

9 Trail alignment passes adjacent to a known brownfield site (Welcome Venture Park).



Focus Area 3: Two Rivers


The Two Rivers Focus Area spans 4 miles from Sandy Ridge Elementary School along Hebron Rd. to just south of the Treyburn community. This segment connects important recreational, educational, and historical sites, including the Mountains-to-Sea Trail, Penny's Bend, the Eno and Little Rivers, local schools, the southern portion of Treyburn Corporate Park, the historical Great Trading Path, and Durham Technical College North Campus. (See Map 22: Two Rivers Opportunities and Constraints, page 115.)

Opportunities

- The Mountains-to-Sea Trail crosses the rail trail corridor, offering potential mutual benefits for both trail systems.
- 2 Support shared trailhead and parking opportunities at Penny's Bend Nature Preserve.
- 3 Connect to existing trails.
- Provide access to schools and Durham Technical College for nature education opportunities.
- 5 Connect to Catawba Trail Farm.

Constraints

- 6 Flood hazard areas along the Eno River may complicate permitting and construction.
- The existing Little River bridge may require repair or replacement and currently lacks pedestrian and bicycle infrastructure.
- 8 While the railroad alignment is elevated above the flood level, flood hazard areas along the Little River are unsuitable for adjacent trail development.
- 9 Trail alignment is adjacent to hazardous sites.
- Portions of the trail traverse game lands.
- Additional hazardous sites are located along the corridor.



Focus Area 4: Bahama


The Bahama Focus Area covers 4.5 miles from the just south of the Treyburn community to Ball Rd. This segment travels through the community of Bahama and provides access to key destinations, including Stagville State Historic Site, Horton Grove Nature Preserve, Lake Michie, and Mangum Elementary School. (See Map 23: Bahama Opportunities and Constraints, page 117.)

Opportunities

- Utilize the planned East Coast Greenway route to connect to Stagville State Historic Site.
- 2 Connect to the Little River Fishing Facility.
- 3 Connect to Horton Grove Nature Preserve, which offers parking and trails.
- Link to businesses at the center of the Bahama community.
- 5 Connect to Mangum Elementary School and extend access to the Lake Michie trail system.

Constraints

6 No publicly-owned parcel is available for a trailhead.



Focus Area 5. Rougemont


The Rougemont Focus Area extends 5.5 miles from Ball Rd. to the Durham/ Person County line. This segment travels through the Rougemont community and provides access to key features such as NCSU Hill Forest, the County Convenience Center property, Rougemont Depot, and local community areas. (See Map 24: Rougemont Opportunities and Constraints, page 119.)

Opportunities


- Connect to neighborhood streets to increase trail use and access in this area.
- 2 A widened area of the right-of-way could be developed as a major trailhead within the core of the Rougemont community.
- 3 Connect to a community hub along Red Mountain Rd. and the historic Rougemont Depot.
- A widened area of the right-of-way could be developed as a minor trailhead.

Constraints

- 5 Nearby Hill Forest is a hazardous area due to active forest management, including insecticide use and prescribed burns.
- 6 The required stream buffer along Mountain Creek overlays a Countyowned parcel, limiting development potential.







03

Community Involvement

This chapter showcases the collaborative and community-driven foundation of the planning process. The chapter begins with the leadership and committees that guided the project, followed by the community partners who brought valuable perspectives and expertise. Next, the tools of engagement used to reach residents and stakeholders are highlighted, along with a detailed summary of the two phases of community engagement. The chapter concludes with key design considerations shaped by the input gathered, which informed the plan's recommendations.

IN THIS CHAPTER:

- 3.1 Project Leadership & Committees
- 3.2 Tools of Engagement
- 3.3 Community Stakeholders
- 3.4 Phase 1 Community Engagement
- 3.5 Phase 2 Community Engagement
- 3.6 Community Sentiment
- 3.7 Design Considerations

PROJECT LEADERSHIP AND COMMITTEES

This project was guided by three committees that brought leadership, expertise, and community perspectives to the planning process.

- Project Management Team: Served as the steering committee, representing
 the five lead organizations overseeing the effort; Durham County Transportation,
 City of Durham Parks and Recreation, East Coast Greenway Alliance, Triangle
 West Transportation Planning Organization, and North Carolina Department of
 Transportation.
- 2. Project Advisory Committee: Made up of 12 organizations with diverse interests and expertise. Provided guidance on community priorities and technical considerations.
- **3. Trail Identity Committee:** Brought together members from Durham and Person Counties to shape a unique identity for the 28.8-mile trail from Downtown Durham-to-Roxboro. Each member of the committee also served on either the Project Management Team or the Project Advisory Committee.



Project Management Team

Engagement:

- Bi-weekly Project Management Team meetings from October 2024 - October 2025 (24 meetings total)
- Provided direct oversight and guidance on all decisions related to the planning process and plan recommendations.
- Identified other committees and stakeholders, managed project-related scheduling, and coordinated project marketing.
- Scheduled and facilitated community pop-ups, project coordination meetings, and general information sessions.

Members of the Project Management Team included:

- Ellen Beckman Transportation Director, Durham County Transportation
- Thomas Dawson former
 Principal Planner, City of Durham
 Parks and Recreation
- Hart Evans Statewide Planning and Programming Manager, NCDOT Integrated Mobility Division
- Andrew Meeker North Carolina Manager, East Coast Greenway Alliance

- David Miller Transportation Planner, Triangle West Transportation Planning Organization
- Brooke Roper Transportation Planner, Durham County Transportation





Project Advisory Committee

Engagement:

Attended four Project Advisory Committee meetings to review findings and provide guidance.

- December 11, 2024: Project Kick-Off
- March 26, 2025: Preliminary
 Findings and Plan Framework
- July 7, 2025: Conceptual Design Concepts and Recommendations
- October 2, 2025: Final Recommendations and Plan

Members of the Project Advisory Committee included:

- Michelle Burton Commissioner, Durham County
- Dave Connelly Former Chair, DOST (Durham Open Space & Trails Commission)
- Helena Cragg Oxford-Hamlin Community Association
- Donna Fredrick Bragtown Community Association
- Heidi Grable Bahama Ruritan
 Club
- Ricky Hart Stagville Descendants Council
- Angela Hollowell Bike Durham

- Deborah Luecken DOST (Durham Open Space & Trails Commission)
- Vannessa Mason-Evans
 Bragtown Community
 Association
- Michelle Pendergrass Durham Public Schools
- David Proper The Conservation Fund
- Carl Rist Councilmember. City of Durham
- Steve Smith Rougemont Ruritan Club
- Sallie Vaughn Person County Planning





Trail Identity Committee

Engagement:

Attended Trail Identity Committee meetings to review findings and provide guidance.

- January 28, 2025: Kick-off Meeting to establish naming guidelines
- March 18, 2025: Reviewed naming guidelines and selected top name choices
- May 23, 2025: Trail Identity naming workshop
- June 6, 2025: Review draft brand concepts
- June 30, 2025: Trail Identity
 Committee update

Members of the Trail Identity Committee included:

- Dave Connelly DOST (Durham Open Space & Trails Commission)
- Heidi Grable Bahama Ruritan
 Club
- Ricky Hart Stagville Descendants Council
- Vannessa Mason-Evans
 - Bragtown CommunityAssociation
- Andrew Meeker East Coast Greenway Alliance
- David Miller Triangle West Transportation Planning Organization
- Michelle Pendergrass Durham Public Schools
- Brooke Roper Durham County Transportation
- Sallie Vaughn Person County Planning





3 2 TOOLS OF ENGAGEMENT

In addition to the community partners engaged in the planning process, Durham County residents played a central role in shaping the Durham-to-Roxboro Rail Trail Plan. Their input was collected through two rounds of public engagement, with all surveys and materials available in both English and Spanish to ensure inclusive participation and a truly community-driven plan.

At the start of the project, a Public Involvement Plan (PIP) was developed to guide the community and stakeholder involvement processes for the Durhamto-Roxboro Rail Trail Plan. The PIP was developed in partnership with the project management team and acted as a "living document" undergoing several updates throughout the planning process.

The PIP's primary contents included the six goals of public engagement, an explanation of the phases of engagement, and an overview of the engagement strategies. These items are summarized briefly below and a full copy of the PIP is available in Appendix A1. (See A1: Durham-to-Roxboro Rail Trail Plan Public Involvement Plan, page 302.)

Goals of Engagement

- 1. Implement a process that is equitable and accessible, with emphasis on uplifting the voices of priority audiences in the City and County of Durham.
- 2. Create awareness of the Durham-to-Roxboro Rail Trail Plan, the public input needed, and the overall process.
- 3. Provide a variety of methods for public participation that are accessible in terms of language, technology, literacy, location, and time so that priority groups may easily participate in the process.
- 4. Gain substantive insights from the public to inform the goals, branding, planning, design, and implementation of the Durham-to-Roxboro Rail Trail.
- 5. Present information in a manner that respects native languages and is culturally appropriate.
- 6. Communicate how the Durham-to-Roxboro Rail Trail is an equity-centered effort to reconnect communities harmed by previous transportation decisions and is in line with the larger transportation, public health, and sustainability goals of the City and County of Durham.

Phases of Engagement

Public outreach took place in two major phases, described below. Each phase included a similar combination of engagement strategies centered around a series of public workshops.

Phase 1, Existing Conditions & Discovery: focused on collecting information that is relevant to identifying and prioritizing trail planning and development recommendations through:

- Collecting existing conditions information including but not limited to environmentally-sensitive areas, multimodal transportation barriers, intersecting trails and open spaces, and anticipated future development
- Gathering qualitative input about local, cultural, and historical aspects of the study area
- Building awareness about the Durhamto-Roxboro Rail Trail Plan and future trail implementation

Phase 2, Recommendations Review: provided the public and stakeholders with opportunities to review and provide feedback on the draft recommendations (informed by engagement conducted in Phase 1). Community members were invited to discuss:

- · The primary findings of Phase 1
- Draft recommendations and priorities for major elements of trail development such as crossing treatments, major and minor trailhead locations, and types of trail amenities
- Draft recommendations for connections from the trail to nearby community destinations
- Additional details of design that will contribute to the character of the trail
- How well the Project Team listened and responded to their input and how satisfied they were with the recommendations





Strategies of Engagement

The PIP identified the following engagement strategies to achieve the goals of public engagement.

- Project Website: The primary source of information for the planning process, hosting a variety of information and engagement activities including project background information, blog posts with project updates and public event announcements, the online surveys, and the draft and final plan.
- Project Advisory Committee (PAC): Group representing a broad spectrum
 of stakeholders, identified by the Project Management Team, to engage
 over the course of the project to discuss analysis findings, draft and final
 recommendations.
- Project Coordination Meetings: Meetings to facilitate strategic
 coordination with stakeholders, focused on raising awareness of the
 Durham-to-Roxboro Rail Trail, identifying opportunities for synergy and/or
 potential conflicts with current or future projects, and discussing specific
 topics related to the stakeholder(s) area of expertise.
- Newsletters, Press Releases, and Social Media: Online communications
 to relay major project milestones and public engagement opportunities
 across a variety of platforms.
- Public Workshops: Highly interactive events to provide members of
 the public with opportunities to give insight and/or provide feedback on
 multiple aspects of the planning study process. A variety of mediums, such
 as illustrative graphics, interactive mapping, and question-based poster
 boards) were used to educate the public, convey information, and solicit
 input.
- Survey / Map: Online and print surveys that reflect the focus of each engagement phase and include multiple choice questions, free response questions, and an interactive map to display location-specific information and collect location-specific comments.
- **Pop-Ups:** Informal tabling sessions to meet people where they naturally gather and provide opportunities to quickly engage with and shape the planning study process.
- Focus Groups: Small group meetings with specific community members to facilitate more nuanced conversation and inform the content of the plan.
- **General Information Sessions:** Additional public meetings with the general public or a subset of the public, used to provide general information about the project and answer questions.



3.3 COMMUNITY STAKEHOLDERS

The Durham-to-Roxboro Rail Trail planning process brought together a wide range of stakeholders—including local and state government, quasi-governmental agencies, nonprofits, private businesses, and property owners. Engagement efforts included public workshops, focus groups, interviews, and site visits led by the consultant team, alongside pop-up events, project coordination meetings, and general information sessions facilitated by the Project Management Team.

The process was intentionally designed to engage a wide range of stakeholders, prioritizing equitable and diverse participation. Insights from these conversations directly shaped the plan's recommendations. The organizations below participated through committee meetings, focus groups, coordination meetings, interviews, and site visits.

Government & Quasi-Government Agencies

- Bicycle Pedestrian Advisory Commission
- · City of Durham City Council
- City of Durham Parks and Recreation
- · City of Durham Transportation
- · Discover Durham
- Durham County Board of Commissioners
- · Durham County Sheriff
- Durham County Transportation
- Durham Open Space and Trails Commission

- Durham Public Schools
- NC Botanical Garden
- North Carolina Department of Transportation
- NCSU Hill Forest
- North Carolina Wildlife Resources Commission (NCWRC)
- Person County
- Person County Tourism
 Development Authority
- Triangle West Transportation
 Planning Organization
- US Army Corps of Engineers

Nonprofit Organizations & Businesses

- · Bahama Ruritan Club
- · Bike Durham
- Bragtown Community Association
- Corning
- · East Coast Greenway Alliance
- Ellerbe Creek Watershed Association
- · Eno River Association
- Friends of the Mountains-to-Sea Trail
- Oxford/Hamlin Community Association
- · Red Leaf Bar and Games
- · Rougemont Ruritan Club
- · Soul Sanctuary
- · Stagville Descendants Council
- · The Conservation Fund
- Triangle Land Conservancy
- · Catawba Trail Farm
- · Welcome Venture Park







3.4 PHASE 1 - COMMUNITY ENGAGEMENT

This phase focused on raising awareness of the project and collecting insight on existing conditions including cultural heritage, multimodal transportation, community destinations, anticipated development, and environmentally-sensitive areas to inform draft recommendations. To publicly launch the project, a bilingual (English and Spanish) website was created to share the planning process, outline project goals, and invite residents to take part in the online community survey. The survey and all print materials—including a fact sheet, project flyer, and rave card—were also bilingual, ensuring broad accessibility and participation.

- 1. Project Fact Sheet
- 2. Project Flyer
- 3. Project Website

- 4. Online Community Survey
- 5. Rave Card
- 6. Public Workshop Flyer

Phase I community engagement, conducted from January 15 to March 25, 2025, used a wide range of methods to gather input. Outreach was promoted through social media, press releases, and the project website, while activities included an online community survey with map-based feedback, paper surveys, three public workshops, three focus groups, and 14 pop-up events led by the Project Management Team. One-on-one interviews and property visits were also conducted.

Results of the community engagement findings were presented to four leadership groups:

- Project Management Team on March 24, 2025
- Project Advisory Committee on March 26, 2025
- Durham County Board of County Commissioners on April 7, 2025
- Durham Open Space and Trails Commission (DOST) on April 16, 2025







HOJA DE INFORMACIÓN

PROPÓSITO DEL PLAN

este sendero rerrovano propuesto estabecerá en utilina instancia una red de senderos de 26 milles que unirá el centro de Durham con Roxboro. El proyecto es un esfuerzo de colaboración liderado por cinco organizaciones clave: el

METAS DEL PLAN *

ubicado dentro del condado de Durham.

SOCIOS. Coloborar con agencia aguammentales,

SOCIOS. Coloborar con agencia aguammentales,

las candestidacios destinados de publico para identificar y m

las candestidacios deletimas del comporto de sendero
incluyendo los destinos comunitarios y los aspectos.

Facilitarios deletimos comunitarios y los aspectos.

Facilitarios y antiente de mode debedacios.

CONECTIVIDAD: berefillar coportunidades para
conector practicas escubeis, evocietory recursos
infolicios con el comordo de sendero y formestar
infolicios con el comunitadios a tendre de sendero
formadario.

condado de Durham, le Organización de Planificación del Transporte Triangle West (TWTPO), Parques y Recresción de la Ciudad de Durham, el Departamento de Transporte Carolina del Norte (NCDOT) y East Coast Greenway Allian

Durham2RoxboroTrailPlan.com

Carolina del ivorte (INCLDI) y lasti Casti cheeningi Allande. A trivide de participación comunitaria solidita y aportación pública, el estudio de planificación busca hornar la rica historia del área y diseñar una experiencia distintiva del sendero ferrovisirio que celebre y proteja el entorno único, la herencia y el carácter del corredor.

The Durham-to-Rouboro Rail Trail Planning Study is a community-driven initiative to assess the transformation of the existing IB-mile inactive rail control within Durham County into a multi-use trail. This proposed rail trail would ultimately establish a 26-mile trail network linking downtown Durham to Rouboro.

PLAN GOALS

FACT SHEET

PLAN PURPOSE

ASSETS: Conduct an inventory and assessment of the 18-mile inactive rail corridor, adjacent parcels, and potential trail linkages located within Durham County.

PARTNERS: Collaborate with government agencies, community leaders, and the public to identify and showcase the distinctive features of the trail corridor, including community destinations and the historical, cultural, and environmental highlights.

CONNECTIVITY: Identify opportunities to link parks, schools, neighborhoods, and historic resource to the trail corridor and foster connections between communities via the rail trail.

UNITY: Seek extensive community input to create a trail experience that honors the area's history, ensures accessibility for people of all ages and abilities, and enhances the quality of life of residents and visitors

VISUAL: Develop a trail concept plan that captures community interest and inspires a shared vision by incorporating compelling renderings, site master plans, 30 illustrations, and other visual elements to clearly convey recommendations and ideas.

STRATEGY: Provide the project management team and their partners with clear strategies and a prioritization schedule for implementing the plan recommendations.



David Miller, Transportation Planner
Triangle West Transportation
Planning Organization (TWIPO)
(919) S03-4118 | david.miller.achc.mp

THE PLANNING PROCESS. Research and Preliminary Analysis: This portion of the project is focused on identifying key opportunities and challenges, compiling a comprehensive database of existing corridor assets, and assessing current resources an infrastructure.

Transportation Planning Organization (TWTPO), City of Durham Parks and Recreation, North Carolina Department of Transportation (NCDOT), and East Coast Greenway Alliance.

Through robust public engagement and input, the planning study seeks to honor the area's rich history while designing a distinctive rail trail experience that celebrates and protects the unique environment, heritage, and character of the corridor.

infrastructure.

2) Trail Visioning and Public Engagement: Activities to engage the public, stakeholders, and government partners will be woren throughout the planning process. All public workshops will be advertised. Create promotional materials and use social media to encourage public participation in an online map-based survey. Develop a dedicated project website to serve as an information hub throughout the planning process.

planning process.

3. Concept Plan and Public Engagement: Guided by the project management team, advisory committee, stakeholders, and community input, the consultant team will develop a framework outlining preliminary recommendations for the trail concept plan. Following this, the team will suit a second round of focus group meetings and four public workshops to gather further feedbare.

A) Final Plan Development: The final plan will include comprehensive recommendations, a detailed phasing schedule, planning-level cost estimates, and guidance on trail operations, maintenance, and security. It will be made publicly available on the project website.

Eric Woolridge, Planning Director
Destination by Design Planning
(929) 719-1109 | Large #PhDesign page

ferroviario. **NIDADE Baucar amplia porticipación de la comunidad para crear una esperiencia de amdero que honre la historio del Reso, guarnitaria la casolibidad para pencinad de todas las reducis y vivia de las presidentes y viviantes por igual. **NIDADE Deserrollar un join conceptual de servicio de la Vivia de las presidentes y viviantes por igual est. **NIDADE Deserrollar un join conceptual de servicio compartida honoparando imperanteciones atendros, honore un join moestro del sitio, flustraciones en 20 y octos deferentes vivuales para terminità claramente concentración con se delcas. **ESTATECIÓN:**Desportionar el equipo de gestión del proyecto y a sia socios estretegias claras y un calendario del plan.

EL PROCESO DEL PLAN

1) Investigación y Análisis Preliminar: Esto parte del proyecto se centra en identificar las oportunidades y los desafíos claves, compilar una base de datos integral de los activos de los corredores existentes y evaluer los recursos y la infraestructura

acuas.

2) Visualización del Sendero y Participación Pública: Las atrividades para involver el público. Is pode interesada y lor socio que permanente se incorporarie in a largo del proceso os planificación. Se anunciarin todos los talleres públicos. Se crearir materiales promociaries y se utilizaria in redes socioles pose materiales promociaries y se utilizaria in redes socioles pare alentar la participación pública en una encuesta en lines basada en mapas. Se desentada un situa vede discional a impetico que insua con centro de información durante todo el proceso de pientificación.

39 Plan Conceptual y Participación Pública: Guiado por el equipo de gestión del proyecto, el comité eseso; la gente interesado y los partes de la comunidad, el equipo de comutilores desarrollará un marco que describa las recomendaciones prefinimares para el plan conceptual dels endero. Luego de esto, el equipo iniciará una segunda nonda de reuniones de quipos focales y custos falleres públicos para recopelm ses comentarios.








DED Eric Woolridge, Director de Planificación Destination by Design Planning
















Phase 1 – Community Survey

The Durham-to-Roxboro Rail Trail Plan Community Survey (Phase 1) was conducted to gather input from the public on the general usage, improvements and priorities, and community support of the proposed trail. In addition, a map-based section of the survey allowed respondents to express opportunities and concerns about specific geographic locations along the trail corridor.

The survey was available in English and Spanish, online and on paper, and was promoted by local stakeholders via the project website, press releases, email, and social media platforms.

The Phase 1 community survey received 2,994 responses between January 15 and March 25. Of these, 2,932 were submitted online and 62 were submitted on paper. This section summarizes the key findings.

Additional analysis was completed for the question measuring overall support for the proposed rail trail. In particular, results were evaluated for respondents who reported a Durham County zip code (see pie chart on page 136) as well as for the five zip codes the rail corridor passes directly through. (See Appendix A6. Phase I Community Survey Summary, page 333.) The full survey results are available at the project website.

Survey Interactive Map

2,994 Survey Respondents


578 Map Respondents

1,917 Map Comments



OPPORTUNITIES (1,220) CONCERNS (697) **Connections** Safety Pedestrian crossings with Neighborhoods proper signals Trails in the area Speeding cars + high traffic Schools Crime Recreation + cultural assets Proximity to hunting area **Outdoor Recreation Development** Adequate lighting Residential disturbance/ Hiker/biker campsites + other trail-oriented trespassing Patrolling/emergency development phones along route Kayak put-in Fishing accesses **Long-Term Sustainability** Plenty of parking Drainage in flood-prone Safe pedestrian/bicycle route + bike commuting Wetland + wildlife **Education** Wildlife viewing areas protection Litter + stream pollution Nature museum along trail Gentrification Highlight history **Amenities** Sufficient parking + bathrooms


PHASE 1 - COMMUNITY SURVEY RESPONDENT DEMOGRAPHICS




To Answer

Other


PHASE 1 - COMMUNITY SURVEY RESULTS









Overall Level of Support (Durham County Zip Codes Only)




(2,019 responses)





(2,583 responses)

Most Important Trial Amenities




(2,605 responses)

Reasons for Current Trail Use




(2,583 responses)

Future Trail Use Frequency



Most Important Connections




(2,563 responses)

Current Trail Use Activities



(2,583 responses)

Reasons for Future Trail Use



(2,630 responses)

IN THEIR WORDS

CONNECTIVITY TO WALKING AND HIKING TRAILS, ALONG WITH PROTECTED BIKE LANE NETWORKS, WOULD MAKE THE TRAIL ORDERS OF MAGNITUDE MORE USEFUL. EITHER WAY, I'M VERY EXCITED FOR THIS PROJECT AND TO EXPLORE MORE OF THE AREA NOT IN A CAR.

MY PRIMARY
CONCERN IS SAFETY
ON THE TRAILS. IT'S
NOT A COMMUNITY
RESOURCE IF HALF
THE COMMUNITY
DOES NOT FEEL
SAFE.

THIS COULD BE A REALLY COOL CHANCE TO BUILD A BIGGER COMMUNITY.

IT SEEMS LIKE THERE ARE A LOT OF PROJECTS OF THIS TYPE THAT ARE PLANNED, STUDIED, AND FOCUS GROUPED FOREVER AND ARE NEVER ACTUALLY BUILT. HOW LONG WILL THIS TAKE?

WE NEED A SAFE WAY FOR FOLKS TO BIKE TO THIS GREENWAY. WE DON'T WANT TO ENCOURAGE FOLKS TO DRIVE THERE JUST TO BIKE THERE.

MY KIDS ARE JUST LOOKING FOR A SAFE PLACE TO RIDE THEIR BIKES. I TRULY HOPE THIS IDEA
BECOMES A REALITY.
NORTH DURHAM IS
GREATLY DEPRIVED OF
PARKS, SIDEWALKS, AND
GREENWAYS.

PLEASE RECONSIDER THIS
PLAN. STRONGLY BELIEVE
THIS IS A WASTE OF
MONEY.

THE TRAIL SOUNDS NICE, BUT ANY FUNDS USED FOR THIS
TRAIL COULD BE BETTER SPENT FIGHTING CRIME AND
IMPROVING EDUCATION IN DURHAM.

THIS IS A FANTASTIC
PROJECT. I HOPE EVERYONE
CAN PULL IT OFF. I WOULD
GET IT GOING ASAP, EVEN
IF EVERYTHING ISN'T DONE.
THE SOONER PEOPLE CAN
GET ON THE TRAIL, THE
MORE MOMENTUM.

THE REGION NEEDS A MORE CONNECTED NETWORK OF BICYCLE INFRASTRUCTURE. THIS TRAIL WOULD DO A GREAT JOB OF CONNECTING DURHAM TO POINTS NORTH, AND GO THROUGH CORE NEIGHBORHOODS.

Public Workshops

Public workshops provided interactive opportunities for community members to engage in hands-on activities and discussions, learn about the plan, and share feedback with the Project Management. The first round of workshops, held in February and March 2025, engaged 174 participants through a variety of interactive exercises.

Attendees participated in a map-based activity, offered input on the trail's identity, surface, and amenities, evaluated potential trail crossings, and shared their trail experiences in a photo booth. The final workshop included all materials in Spanish and provided Spanish translators to ensure accessibility for Spanish-speaking participants. (See Exhibit 16: Phase 1 – Public Workshops, page 141.)



Exhibit 16: Phase 1 – Public Workshops

Location	Date	Attendees	Key Take Aways
Durham County Main Library	February 4, 2025	69	 Overall excitement for the trail Eager for design and construction to begin Large presence of cyclists and people who use trails for alt. transportation Desire for the trail to connect to parks and other greenways/trails Request for restrooms, benches, and other trail amenities
Northern Regional Library	February 5, 2025	65	 Apprehension from residents with property along the corridor Fears about loss of privacy and crime/safety Concerns that eminent domain will be used to gain property for the trail or trailheads Questions about impervious surface and environmental regulations Questions about cost and spending taxpayers dollars for this versus other priorities Support from some residents who want a trail in north Durham County
Edison Johnson Recreation Center (Spanish translation provided)	March 19, 2025	41	 Overall support for the trail Concerns about gentrification and increased property values Desire accessibility for all ages and abilities. Requests for restrooms, benches, and interpretive exhibits along the trail Prioritize safe road crossings, especially in Bragtown

Focus Groups

Focus group meetings allowed the project team to gather in-depth insights and opinions from small, diverse groups of community representatives. Community organizations to engage with through focus groups were identified by the Project Management Team. The first round of focus group meetings, held in February and March 2025, engaged over 35 participants and represented community members from the Stagville Descendants Council, Bragtown Community Association, Bahama Ruritan Club, and Rougemont Ruritan Club. (See Exhibit 17: Phase 1 – Focus Groups, page 143.)

Interviews & Property Visits

One-on-one interviews and property visits with property owners, businesses, and key stakeholders along the rail corridor were conducted to gather insights on site conditions, current uses, and community priorities. Recommendations for interviewees and visit locations were provided by the Project Management Team and Project Advisory Committee, as well as through incoming inquiries via the project website. These discussions and observations informed trail alignment, access points, and design recommendations, helping ensure the plan reflects local perspectives and addresses potential challenges.

Six meetings were held between March 1 and April 21, 2025. Some were virtual, while others were in person and included site visits to specific properties. Members of the Project Management Team attended select sessions.



The meetings included:

- Site visits to privately-owned properties in the Bragtown and Rougemont areas to discuss trail-oriented development and public-private partnerships.
- 2. Discussions with organizations that manage land with recreational resources near the rail corridor.
- 3. Met with Durham County Sheriff Clarence Birkhead to discuss community safety concerns and the Sheriff's Office's role in maintaining a safe environment along the future trail.

Exhibit 17: Phase 1 – Focus Groups

Focus Group	Date/Location	Attendees	Key Take Aways
Stagville Descendants Council	February 25, 2025 (virtual)	3	 Excitement about interpretive elements recognizing enslaved people and their descendants, their culture and traditions, and all the communities who had a hand in the development of Durham and the railroad. Desire for the trail to be accessible to everyone, with the expectation that some people would visit for the cultural experience rather than the recreational experience. Desire for history to be truthfully told through interpretive elements throughout the trail.
Bragtown Community Association	March 8, 2025 (in-person at Braggtown Baptist Church)	15+	 Concern about ongoing gentrification and displacement. Long-standing issues affecting the community, such as sidewalk connectivity and roadway safety, especially in separating vehicle traffic from the pedestrian realm using curbs, should be addressed first.
North Durham Residents (Bahama and Rougemont Ruritan Clubs)	March 13, 2025 (in-person at the Bahama Ruritan Club)	20+	 Confusion about the planning process and general desire to avoid the trail being constructed. Concern about privacy and private property. Concern about public safety around game lands. Concern about cost and maintenance in the long term, and stress on local law enforcement. Concern about adding impervious pavement and stream crossings.

Pop-Up Events

Community pop-up events were held to engage residents and stakeholders in informal, accessible settings, allowing them to learn about the project, ask questions, and share feedback through a printed survey. The Project Management Team scheduled and facilitated these events, which were held throughout Durham County to capture input from a broad range of community members.

The pop-up events took place throughout February and March, engaging approximately 465 participants. All materials were bilingual (English and Spanish) to ensure accessibility and inclusive participation. (See Exhibit 18: Phase 1 – Pop-Up Events, page 145.)

General Information Sessions

General Information Sessions were developed in response to community demand and the need to correct misinformation. These meetings with the general public or a subset of the public were used to provide general information about the project and answer questions. General information sessions were held with the Stagville Descendants Council and at the Bahama Ruritan Club. In the future as this project moves forward, general information sessions will be a good way to continue to raise awareness of the project and spread accurate information.

Exhibit 18: Phase 1 – Pop-Up Events

Location	Date	Attendees
North Regional Library	February 1, 2025	15
GoDurham Bus Station	February 4, 2025	30
Bragtown Branch Durham Public Library	February 7, 2025	10
Bahama Ruritan Club	February 11, 2025	40
LEAP Program Preschool St. Luke's Episcopal Church	February 12, 2025	10
GoDurham Bus Station	February 12, 2025	15
Durham Farmers Winter Market - 501 Foster St.	February 15, 2025	25
GoDurham Bus Station	February 18, 2025	15
BPAC Monthly Meeting (virtual)	February 18, 2025	20
DOST Monthly Meeting	February 19, 2025	20
Bahama Ruritan Club & Rugemont Ruritan Club	February 23, 2025	210
Stanford L Warren Library	March 8, 2025	10
Sembrando Raices	March 14, 2025	30
Bragtown Baptist Church	March 22, 2025	15

3.5 PHASE 2 - COMMUNITY ENGAGEMENT

This phase provided the public and stakeholders with opportunities to review and provide feedback on the draft recommendations. The second phase of community engagement ran from May 1 to September 24, 2025, and included a community survey open from August 18 to September 24, 2025. As with the first phase of engagement, outreach was promoted through social media, press releases, and the project website, while activities included three public workshops, three project coordination meetings, five general information sessions, an online community survey, four focus groups, and ten pop-up events led by the Project Management Team. One-on-one interviews and property visits were also conducted and postcards about the project were mailed to all nearby property owners.

To promote inclusive participation, underrepresented groups from the first phase—such as young adults aged 18–24—were intentionally engaged, and all surveys, promotional materials, and the project website were made available in both English and Spanish.

Updates to the preliminary conceptual designs and plan recommendations were made throughout the Phase 2 Community Engagement time period based on feedback received and at the direction of the Project Management Team.

Results of the community engagement findings were presented to six leadership groups:

- Project Management Team on September 22, 2025
- Project Advisory Committee on October 2, 2025
- Durham County Board of County Commissioners on October 6, 2025
- Durham City Council on October 9, 2025
- Triangle West Technical Committee on October 14, 2025
- · Triangle West Board on October 28, 2025

Postcard Mailer to Property Owners

Postcards were mailed on July 31, 2025 to property owners within 1,000 feet of the rail corridor to expand engagement and ensure nearby residents were informed about the planning process. The postcards included the project website, a link to the online survey, and the dates and times of the public workshops. A total of 1,261 postcards were distributed.

LINKING DOWNTOWN DURHAM-TO-ROXBORO

Durham-To-Roxboro =RAIL TRAIL PLAN





A community-led initiative to transform 18-miles of unused rail line in Durham into an iconic trail that celebrates history, preserves the environment, and enhances community well-being.

Can't make it? Take the survey online Available July 28 -September 5



Join us for one of the Drop-In Workshops

Workshop #1
August 18th: 5:00 PM - 7:00 PM
Durham County Main Library
(300 N. Roxboro Rd)

Workshop #2
August 27th: 6:00 PM - 8:00 PM
Edison Johnson Recreation Center
(500 W. Murray Ave.)

Workshop #3

August 28th: 6:00 PM - 8:00 PM Spruce Pine Lodge (2235 Bahama Rd)









Durham2RoxboroTrailPlan.com

Community Survey

The Durham-to-Roxboro Rail Trail Plan – Draft Recommendation Public Survey (Phase 2) was conducted to gather community input on the conceptual designs for the rail trail, including proposed trailheads, connections, and overall trail layout. The online survey was structured to provide an interactive experience comparable to attending an in-person public workshop.

The survey was available in English and Spanish, and was promoted by local stakeholders via the project website, press releases, email, and social media platforms.

The Phase 2 community survey received a total of 453 responses between August 18 and September 24. The survey included eight open-ended questions seeking feedback on plan recommendations and conceptual designs, along with demographic questions. This section presents respondent demographics. The full survey results are available at the <u>project website</u> and in Appendix A6. (See Appendix A7: Phase 2 Community Survey – Questions, Analysis, and Quotes, page 334.)

Phase 2 Survey

Open August 18 - September 24

453 Total Responses

451 English | 2 Spanish

39 Zip Codes Represented


Of the 451 Survey Responses:


71% Positive/In Support of Trail


11% Negative/Not in Support of Trail

7% Neutral

10% Did not provide comments







IN THEIR WORDS

STRONGLY SUPPORT THE
CONNECTORS. IT ALLOWS FOLKS
TO USE THEIR FEET AND BIKES
INSTEAD OF CARS TO TAKE CARE
OF DAILY TASKS.

MAXIMIZE PARKING AT TRAIL HEADS.

"RRFBS ARE NOT SUFFICIENT AT HIGH-SPEED ROADS LIKE DEARBORN AND E CLUB. THESE NEED TO BE SIGNALIZED." WE MOVED FROM
DURHAM CITY
TO BAHAMA FOR
PRIVACY, WE DO
NOT WANT ANY
OF THIS RUNNING
BEHIND OUR
PROPERTY.

I FEEL THIS TRAIL IS A
BRILLIANT AND NEEDED
ADDITION TO OUR
COMMUNITY.

AS A BAHAMA RESIDENT... I
VERY STRONGLY WELCOME
THIS RAIL TO TRAIL
PROJECT!

I AM CONCERNED ABOUT CRIME ALONG THE TRAIL, PARTICULARLY AS YOU GET CLOSER TO DOWNTOWN.

I LOVE THE IDEA OF THE CONNECTORS AT THE SCHOOLS. WE HAVE NO BIKE LANES OUT HERE AT ALL. AS A RESIDENT OF ROUGEMONT, THIS IS AWESOME. HIGHLY SUPPORT, PERFECT LOCATION!

I'M VERY EXCITED ABOUT THIS FUTURE TRAIL. I STRONGLY
SUPPORT THIS PLAN!

THIS IS A WASTE OF MONEY,
SPACE, AND OF VALUABLE
RESOURCES THAT ARE
NEEDED ON PROJECTS
THAT THE COMMUNITY WILL
ACTUALLY BENEFIT FROM.

TRAIL USERS SHOULD
HAVE PRIORITY AT EVERY
CROSSING. IF THAT
REQUIRES SIGNALS AT
EACH INTERSECTION,
THEN THAT SHOULD BE
PROVIDED.

WATER FOUNTAINS AND BATHROOMS PLEASE!

DEARBORN NEEDS THIS.

DEARBORN HAS LITTLE TO

NO SIDEWALKS ALONG THIS

LONG ROAD AND IS NOT

SAFE FOR PEDESTRIANS,

ESPECIALLY STUDENTS.

RIGHT IN THE MIDDLE OF A LOW INCOME NEIGHBORHOOD. NOT A GOOD IDEA. NO SAFETY ISSUES ARE ADDRESSED.

Public Workshops

The second round of public workshops, held in August 2025, provided community members the opportunity to review findings from the first phase of engagement and offer input on conceptual designs for the rail trail, including proposed trailheads, connections, and overall alignment. Project management and consultant team members were available to answer questions and gather feedback from participants. Over 90 community members attended the three workshops held at locations across Durham County. (See Exhibit 19: Phase 2 – Pop-Up Events, page 153.)



Exhibit 19: Phase 2 – Public Workshops

Location	Date	Attendees	Key Take Aways
Durham County Main Library	August 18, 2025	36	 Concerns about safe crossings, traffic calming and lighting Desire for links to schools, businesses, and nearby trails. Preference for building some trail segments sooner and prioritizing high-use or downtown areas. Interest in trail amenities like shade, restrooms, water, and gathering spaces. Confusion about this trail versus the Downtown Durham Rail Trail
Edison Johnson Recreation Center	August 27, 2025	31	 Concerns about law enforcement capacity, safe underpasses and crossings, speeding, fencing, and lighting. Requests for wheelchair-friendly paving, frequent benches and rest areas. Strong desire to link the trail to parks, neighborhoods, other greenways, and schools. Want restrooms, water fountains, seating, greenery, historical markers, and creative or cultural features
Spruce Pine Lodge	August 28, 2025	25	 Concerns about dangerous crossings, user conflict, trailhead safety. Requests for restrooms, water, parking, sidewalks, safe walking space, and potential bike lanes Interest in linking the trail to downtown Durham, neighborhoods, natural areas, and regional trails like the MST Some are opposed due to cost, underutilization of existing trails, environmental disturbance, and rural lifestyle impacts.

Focus Groups

The second round of focus group meetings, held from June to August 2025, engaged 30 participants and represented community members from the Changed by Youth Ambassador Program, Land and Water Conservation Groups (including Eno River Association, Friends of the Mountains-to-Sea Trail, NC Botanical Garden (Penny's Bend), NCSU Hill Forest, UCAN - Urban Community Agrinomics (Catawba Trail Farm), and the Conservation Fund), North Durham County Residents (including the Bahama and Rougemont Ruritan Clubs), and Stagville Descendants Council.



Exhibit 20: Phase 2 – Focus Groups

Focus Group	Date/Location	Attendees	Key Take Aways
Changed by Youth Ambassador Program	June 4, 2025 (in person at WG Pearson Center)	10	 Desire for gathering spaces, programming, and public art at trailheads, to be creative and welcoming spaces Excitement about connections to other parks and green spaces, farmers markets, local businesses, neighborhoods and colleges
Land and Water Conservation Groups	July 11, 2025 (virtual)	11	 Excitement about providing greater access to the outdoors Excitement about educational opportunities Support for making the trail accessible Excitement about connections to other parks and green spaces as well as neighborhoods, and potential for the trail to be used for transportation
North Durham (Bahama and Rougemont Ruritan Clubs)	August 4, 2025 (in-person at Red Mountain Rd. Clubhouse)	9	 Desire to avoid the trail being constructed Concern about public safety, privacy and private property Concern about safety at crossings, vehicles speeding and reckless driving Concern about maintenance in the long term If the trail was guaranteed to happen, interest in equestrian use on the trail in North Durham County
Stagville Descendants Council	September 19, 2025 (virtual)	6	 Concern about lack of clarity throughout the engagement process Excitement around using the trail as a walking path and waysides as gathering spaces, especially in rural areas Interest in a trail-wide cultural interpretation plan. Interest in waysides as opportunities for education and honoring histories Concern about public spending on the trail when there are more urgent basic infrastructure gaps, including sidewalks Desire for measures that impede vehicle access on the trail

Project Coordination Meetings & General Information Sessions

Project Coordination Meetings were held with small groups of stakeholders in response to the need for strategic coordination with groups that are not representative of the general public. The main focus was on making the stakeholder(s) aware of the Durham-to-Roxboro Rail Trail, identifying opportunities for synergy and/or potential conflicts with current or future projects managed by the stakeholders, and specific topics related to the stakeholder's area of expertise.

Three project coordination meetings were held including:

- Staff from North Carolina Wildlife Resources Commission and U.S. Army Corp of Engineers
- Transportation stakeholders within City of Durham Transportation, Triangle West Transportation Planning Organization, NCDOT Division 5, and NCDOT IMD.
- 3. Housing stakeholders including Durham City and County staff within the Planning Development Department and Transportation Review Team.

(See Exhibit 21: Phase 2 - Project Coordination Meetings, page 157.)



Exhibit 21: Phase 2 – Project Coordination Meetings

Location	Date	Attendees	Key Take Aways
NCWRC/USACE	July 2, 2025	8	 Questions about rail corridor ownership in this area Concerns about sensitive areas such as floodplains and critical habitat areas Potential conflicts with hunting on NCWRC land in this area
Transportation	July 25, 2025	8	 Preference for a toolkit of treatments for crossings. Depending on the context, a combination of treatments may be needed Support for formalizing parking at Penny's Bend As this project advances, it will be important to coordinate with other projects in the area, such as the future Northern Durham Parkway
Housing	July 28, 2025	3	 The City of Durham is poised to implement policies and actions related to stabilizing neighborhoods undergoing infrastructure investments through actions and policies in the Comprehensive Plan, but they have yet to be enacted at this time Existing policies focus on incentivizing affordable housing Density bonus for affordable housing A lot of development pressure in Bragtown Need to work closely with the community as the project progresses UDO rewriting in progress Durham County has a low-income housing tax relief mechanism facilitated by Social Services, which could be a tool used in neighborhood stabilization

General Information Sessions

In response to community demand, five General Information Sessions were conducted. These meetings with the general public or a subset of the public were used to provide general information about the project, answer questions, and correct misinformation. During Phase 2 engagement, five general information sessions were held. (See Exhibit 22: Phase 2 - General Information Sessions).

Interviews & Property Visits

During the second phase of engagement, oneon-one interviews and site visits with property owners and key stakeholders along the rail corridor were conducted to continue to gather insights on site conditions and community priorities. These discussions and observations helped to refine the proposed conceptual designs for trail access points and trail connections.

Five meetings were held between May 2 and May 27, 2025. Some were virtual, while others were in person and included site visits to specific

Exhibit 22: Phase 2 – General Information Sessions

GROUP	LOCATION	DATE	ATTENDEES
Stagville Descendants Council	Braggtown Baptist Church	June 28, 2025	2
Farmland Protection Board	Durham Farm Bureau Building	July 17, 2025	15
Exchange Club of Greater Durham	University Club	August 14, 2025	20
Durham Bicycle & Pedestrian Advisory Commission	Durham City Hall	August 19, 2025	15
Durham Open Space & Trails Commission	Virtual	August 20, 2025	15

properties. Members of the Project Management Team attended select sessions.

The meetings included:

- Site visits to privately-owned properties to discuss trail-oriented development, publicprivate partnerships, and potential routes to support connections to other trails and community assets.
- Review of proposed conceptual designs to gather feedback from key stakeholders.

Pop-Up Events

Community pop-up events were held to engage residents and stakeholders in informal, accessible settings, allowing them to learn about the project, and ask questions. The Project Management Team scheduled and facilitated these events, which were held throughout Durham County to capture input from a broad range of community members.

The pop-up events took place from May to September, engaging approximately 160 participants. All materials were bilingual (English and Spanish) to ensure accessibility and inclusive participation. (See Exhibit 23 for details on Phase 2 – Pop-Up Events.)

Exhibit 23: Phase 2 – Pop-Up Events

LOCATION	DATE	ATTENDEES
Bragtown Community Association	May 10, 2025	5
DOST Trails and Open Space Tour	May 14, 2025	15
Bimbe	May 17, 2025	10
Bragtown Juneteenth Festival	June 21, 2025	10
Durham Farmers' Market	September 6, 2025	30
Black Farmers' Market	September 7, 2025	15
Afternoon in the Park	September 13, 2025	15
Free Market Thursday	September 18, 2025	20
North Durham Farmers' Market	September 20, 2025	20
We Got You, Durham Community Resource Fair	September 20, 2025	20

3.6 COMMUNITY SENTIMENT

The planning process detailed in this chapter engaged a diverse audience and generated a broad range of responses to the idea of the Rail Trail. Generally, there was strong support for the Rail Trail. While the Durhamto-Roxboro Rail Trail has been long identified in City of Durham and **Durham County planning documents** for almost 40 years, this planning process was the first time many community members heard about the plan. As long-range visionary projects such as the Durham-to-Roxboro Rail Trail take shape, they typically transition from a single potential project within a more comprehensive plan of many potential projects to the single topic of a specific plan like this Plan.

Nearby property owners were some of the most outspoken participants during community engagement and often expressed confusion and concern about the planning process. Among property owners directly abutting the rail corridor, many believed they may be able to buy the property from Norfolk-Southern or that the property would "revert" back to them if Norfolk-Southern ever abandoned the inactive rail line.

This confusion was further complicated by the fact several law firms seeking to potentially represent property owners in a claim against the federal government mailed letters to adjacent property owners notifying them of the project. Nearby property owners were also, generally, the most outspoken against the Rail Trail due to concerns related to lack of privacy and perceptions of crime.

Wide-ranging support for the Rail Trail was found throughout public engagement participants from areas in the City of Durham and Durham County. Overall, people were most supportive of the Rail Trail for its potential positive impact on recreation, active transportation, and its ability to weave together both physical destinations and cultural heritage narratives.

3 7 TRAIL DESIGN CONSIDERATIONS

The findings from both phases of community engagement shaped the design considerations, ensuring that the Durham-to-Roxboro Rail Trail Plan reflects local priorities, needs, and values while promoting equity, connectivity, and long-term community benefits. These trail design considerations form the foundation for the recommendations in Chapter 4 and inform the implementation strategies in Chapter 5.

Trailhead & Amenity Placement

Locate trailheads, rest areas, and key amenities (like water fountains, bike repair stations, and restrooms) on publicly-owned land and within the existing right-of-way to maximize accessibility and cost efficiency.

Environmental Sensitivity

Use low-impact design techniques and limit the footprint of the trail and trail amenities to avoid or minimize disturbance to wetlands, streams, and wildlife corridors—such as boardwalks, permeable materials, and native landscaping.

Policy & Plan Alignment

Align trail design with existing and future land use plans, greenway plans, and transportation frameworks from Durham County, City of Durham, Triangle West, East Coast Greenway, and NCDOT to ensure compatibility and strengthen funding eligibility.

Economic Activation

Incorporate access points or nodes near commercial areas to encourage trail-oriented development, promote adjacent business partnerships, and provide economic benefit to local communities.

Multi-Modal Connectivity

Connect the trail to transit routes, schools, job centers, parks, and existing greenways to make it a viable everyday transportation option—not just a recreational path.

Universal Design

Ensure the trail is welcoming and usable for people of all ages and abilities through features like gentle grades, ADA-compliant surfaces, lighting, and safe crossings.

Community Integration

Design transitions between the trail and adjacent neighborhoods carefully—using landscaping, signage, and buffers—to reinforce local character and community acceptance.

Safe Crossings & Conflict Reduction

Use design tools like traffic calming, clear signage, signalization, and separation by mode to reduce conflicts with roads and driveways.

Placemaking & Interpretation

Integrate public art, interpretive signage, and materials that reflect the local history, culture, and natural features to build a unique sense of place.

Scalable Implementation

Plan for phased development by identifying priority segments, potential funding sources, and cost-effective design strategies that allow the trail to grow with demand and available resources.





04

Evaluation and Recommendations

This chapter represents the core of the Durham-to-Roxboro Rail Trail Plan and is organized around six (6) primary Focus Areas identified through the planning process: 1) Corridor-Wide Recommendations, 2) Downtown Durham, 3) Bragtown, 4) Two Rivers, 5) Bahama, and 6) Rougemont. Each focus area outlines specific projects and action steps.

IN THIS CHAPTER:

4.1 Corridor-Wide Recommendations4.4 Focus Area 3: Two Rivers4.2 Focus Area 1: Downtown Durham4.5 Focus Area 4: Bahama

4.3 Focus Area 2: Bragtown 4.6 Focus Area 5: Rougemont

Level Of Design

As noted in Chapter 1, The Conservation Fund is acquiring the 26.2-mile*, 100-foot-wide rail corridor from downtown Durham to the City of Roxboro on behalf of NCDOT. The corridor is currently owned, fee simple by Norfolk Southern and purchase is anticipated by late 2025. Because the full 18.2-mile corridor within Durham County is suitable for rail trail conversion, recommendations in this chapter focus exclusively on the existing rail corridor and do not evaluate alternative routes.

The Durham-to-Roxboro Rail Trail Plan is a planning-level document that advances the project to approximately 10% design, providing a preliminary conceptual alignment, trailheads, and cost estimates.

All preliminary conceptual designs presented in this plan will require review and future design by licensed engineers and landscape architects. Final designs of the preliminary conceptual designs are subject to change in future phases based on engineering, survey data, and regulatory review.

*Note: The Rail Trail will be a total of 28.8 miles including some street-adjacent segments in Person County, but the rail corridor being acquired by the Conservation Fund is only 26.2 miles. See Chapter 1, Project Background for additional details.

CORRIDOR-WIDE RECOMMENDATIONS

Corridor-wide recommendations include the recommended trail layout (or cross-sections), how the trail will interact with surrounding neighborhoods, and features along the trail (waysides). As stated on the previous page, all preliminary conceptual designs presented for corridor-wide recommendations require review and future design by licensed engineers and landscape architects. Final designs of the preliminary conceptual designs are subject to change in future phases based on engineering, survey data, and regulatory review.

Typical Trail Design

The trail was designed to meet the needs of different users, based on how they use the trail, how they might interact with each other, and input from the community. This included:

- User abilities and needs: Trail users may include older adults, children, people with dogs, people using wheelchairs, people with physical, visual, auditory or cognitive disabilities, micromobility users, and bicyclists of different abilities and speeds. The trail should be easy to navigate, ADA-accessible, and adaptable to meet
- everyone's needs.
- Speed differences: Conflicts often happen when users move at different speeds, especially at intersections and access points.
- User volumes: Some parts of the trail will be busier than others and may attract groups of people walking or socializing together.


The recommended typical trail design is made up of separate elements that work together to support all users and fit naturally into the surrounding environment.

- Trail: This is the main area where people walk, bike, or use mobility devices. It is designed for two-way travel and supports both recreation and transportation.
- Trail Shoulders: These are narrow strips on the sides of the trail, typically made of crushed stone or gravel. They provide structural support on the edge of the paved trail and offer extra space for users to move aside, rest, or travel on a softer surface-something walkers, joggers, or runners may prefer.


Together, the trail and trail shoulders make up the typical trail cross section- or the composition that would typically exist along the trail. Adjustments to the typical section may occur to respond to site-specific conditions such as a bridge or a wetland. Another element that contributes to the overall experience of the trail is **Trail Waysides** or pull off areas. These are areas that occur occasionally along the trail and may include a range of amenities.

Typical Trail Cross Section

The recommended typical section of the trail is shown to the right as a 12 to 14 foot wide asphalt trail with 2 to 5 foot wide crushed stone shoulders on both sides. This design provides both a fully accessible path, wide enough for safe and comfortable passing and walking/riding side by side, as well as softer surfacing shoulders which can function as additional paths. Notably, this width allows two bicyclists riding side by side to be passed by another bicyclist.¹



width for asphalt shared use paths and with the current edition of the NCDOT Roadway Design Manual.^{2,3} Additionally, Durham County does not have standard details for greenways or shared use paths.




Potential Alternative Section

There is the potential that future phases of design could ensure portions of the trail in N. Durham County support equestrian use. The Phase 1 survey indicated some support for equestrian use (6% of respondents) and conversations with the public in Phase 2 continued to show interest in this option in N. Durham County where there is a strong equestrian culture. Partnership with local equestrian groups would be needed before moving this potential alternative section forward. The American Tobacco Trail in Chatham and Wake counties allows equestrian use and could

be used as a model for how to accommodate this. Some trailheads are designed for horse trailer parking, and equestrian groups organize manure cleanup days along the trail.

If pursued in the future, the recommended configuration includes a 10 to 12 foot wide asphalttrail and a 6 to 8 foot wide natural surface equestrian trail parallel to each other. A 5 to 8 foot wide vegetated buffer is recommended to separate equestrians from other uses. Constrained areas where the vegetated buffer is not possible should be limited to as short of distances as possible. Both the asphalt path and the equestrian trail are recommended to



Trail design that accommodates horses is still under consideration for N. Durham County, but partnership with equestrian groups would be needed

have 2 to 5 foot wide grass shoulders on the outside with fencing.^{1, 4}

Existing conditions may accommodate equestrian needs without extensive improvements. Areas where this can occur may be explored as part of a future phase.

^{1.} American Association of State Highway and Transportation Officials (AASHTO). (2024). Guide for the Development of Bicycle Facilities (5th ed.)

[.] City of Durham. (2022). Asphalt Surface Trail Detail

^{3.} North Carolina Department of Transportation (NCDOT). (2021). Roadway Design Manual

^{4.} USDA Forest Service. (2007). Equestrian Design Guidebook for Trails, Trailheads, and Campgrounds.

Other Design Elements

In addition to the typical cross sections, other design elements also influence the user experience. The following design elements would respond to site specific conditions and their use and design will be determined to a greater level of detail in a future phase.

Bridges and Boardwalks

On creek crossings, wetlands, and other environmentally-sensitive areas, bridges and boardwalks may be necessary to limit environmental impact and ensure the trail is resilient to flooding. The potential need for boardwalks are identified within individual focus areas later in this chapter and additional design guidance is provided in Appendix 3. (See A3: Design Guidance, page 315)









Fencing and Railings

In some situations, the trail may need to include fences to restrict access to specific locations, and railings around wetlands, steep drop-offs, and other areas where needed to prevent falls. Fencing will be considered for portions of the trail with permitted equestrian use, should this be pursued in the future. Fencing will also be considered when properties along the trail have active livestock uses, potential public health hazards, or game lands for hunting. Community input showed support for consideration of fencing in these locations. Fencing options, as shown to the left, include split rail, post and rail, chain link, and fencing with integrated public art. Community feedback showed strong preference for post and rail or split rail over chain link fencing.

Shade and Vegetation

Shade along the trail consistently came up as a desired feature during Phase 2 public engagement. In addition to the benefits to user comfort that shade provides, vegetation also offers habitat for wildlife, creates a natural privacy screen for adjacent properties, and helps stabilize soils. Vegetation can provide similar benefits as fencing in terms of privacy and perception of safety, but it is important to keep eye-level views unobstructed.^{1,2}

l. City of Raleigh. (2014). Capital Area Greenway Planning and Design Guide

North Carolina Rural-Trails. (2015). Social Justice as it Pertains to Safety on the American Tobacco Trail

Lighting

Trail lighting is recommended at trailheads, roadway crossings (not private, residential driveways), and underpasses. Lighting along the entirety of the trail will also need to be determined at a future date. City of Durham Parks and Recreation currently has a dawn to dusk lighting policy for trails. Providing lighting along trails helps support active transportation uses in addition to recreational uses. Bridges are other critical points, where lighting should be considered in future phases. Community input showed a strong concern for adequate lighting at roadway crossings for safety. (See A3: Design Guidance, page 315 for more information.)

Waysides

Trail waysides are pull off areas that can be located along the trail in between trailheads and access points. This Plan identifies three types of waysides that will help develop the user experience along the trail. Specific locations for waysides will be identified in the design phase following the plan. Trail waysides should be located in areas that are accessible for maintenance and regular trash removal. In addition, waysides should be away from residential properties to minimize any noise or privacy concerns. The graphics below show three types of waysides recommended for the Durham-to-Roxboro Rail Trail. (See Exhibit 24: Trail Waysides, below.)

- Rest includes seating and bike parking.
- **Rest + Interpret** includes the same features as Rest as well as hydration, trash receptacles, bike fixing stations, and interpretive elements.
- Rest + Interpret + Gather includes the same features as Rest + Interpret as well as a gathering space with picnic tables and natural play features.

Exhibit 24: Trail Waysides



REST

- Seating Area
- · Bike Parking



REST + INTERPRET

- Interpretive Walk
- · Extended Seating Area
- Drinking Fountain
- Trash Receptacles



REST • INTERPRET • GATHER

- Gathering Space
- Picnic Table
- Seating Area and Nature Play

Interpretation and Public Art

The railroad corridor passes through many areas of historical, cultural, and environmental significance within Durham County that lend well to interpretation. The Durham-to-Roxboro Rail Trail should lead with educational and storytelling features and use art to help tell those stories. While interpretative elements along the trail may be location specific, placement of public art is generally more flexible. Both elements should be designed and sited in a way that they can be properly maintained.

Based on focus group conversations with community groups, there is interest in designing these elements to replicate an art gallery so that a structure or frame can allow interpretive media and public art to change over time.

Interpretation and public art should be coordinated with trail identity and branding elements (e.g., directional wayfinding signs, mile markers, kiosk, trailhead street signs, etc.).

Potential Interpretation Themes

Historic

- · Railroad history
- Establishment and development of communities along the rail corridor over time (e.g., Bragtown, Rougemont, Bahama)
- History of Stagville Plantation
- Military history
- Native American history (e.g., Great Trading Path)

Cultural

- Familial stories (e.g., impact of Stagville descendants on the City of Durham's development)
- Agricultural heritage and local food
- · Arts and crafts of the area
- · Music of the area
- Plant species significance for medicine, crafts, and ceremony

Environmental

- Geological formations
- Watersheds, river basins, and wetlands
- Flora and fauna, especially species unique to the corridor (e.g., water dog salamander)
- Stewardship and human-impact (e.g., how trail users can limit their impact on the environment around the trail)
- Citizen science or monitoring stations (e.g., USGS water monitoring locations)


Interpretation Precedents:

Community Forum of the Stagville Descendants Council Library Series: "The Other Side of the Story". Held at Durham County libraries, these forums discussed contributions of Stagville descendants to Durham, highlighting their family stories and legacy. Telling the stories of the people who lived in this area should be an important part of interpretation along the Durham-to-Roxboro Rail Trail.

See Exhibit 24: Trail Waysides on page 167 for an example of how interpretive elements can be designed and placed to create an interpretive walk - a sequence of panels guiding visitors through the stories of this area.

Potential Public Art Opportunities

Public art is increasingly common along trails. Notably, the City of Durham recently completed the *Durham Rail Trail Public Art Vision Plan* for the Durham Rail Trail in downtown. For the Durham-to-Roxboro Rail Trail, public art opportunities are possible at trailheads, trail waysides, and trail crossings. Structures such as the I-85 and Camden Rd. underpasses or signal cabinet boxes for proposed Pedestrian Hybrid Beacons provide excellent opportunities for public art.



Flyer for Community Forum of the Stagville Descendants Council Library Series: "The Other Side of the Story"

Crossing Treatments

The rail corridor has a total of 21 crossings. Two are private driveway crossings and the remaining 19 are roadway crossings, including two underpasses and 17 at-grade crossings. The recommended treatments for the crossings aim to increase visibility of trail users, minimize trail users' exposure to traffic, and slow down vehicles as they approach the crossing. The **recommendations include two baseline recommendations for** the crossings- Type A (unsignalized crossing) or Type B (signalized crossing)- as well as a toolkit of add-on treatments that can be applied to the roadway approaches leading up to the crossings.

Final selection of crossing treatments should be based on complete engineering assessment during a future design phase and will require agreements with NCDOT to be determined based on proposed design and the NCDOT Trail Encroachment Guidelines. Notably, NCDOT requires a sponsoring agency (i.e., municipality, county, or advocacy group) to provide and maintain the signalized treatments identified in this Plan. Durham County does not currently sponsor any signals and does not have internal staff resources to maintain signals. The City of Durham does maintain traffic signals but may not maintain signals that are outside of the municipal boundaries and/or their signal network.

Method of Analysis

Development of recommendations for crossing treatments includes consideration of design guidance from multiple documents as well as input from City of Durham Transportation Department and NCDOT Division 5 Engineer.

- The **NCDOT Trail Crossing Guidance** provides insight based on posted speed, a qualitative determination of context (rural, suburban, local), and a qualitative estimate of vehicle volumes (e.g., low volume). Notably, this guidance lacks insight on local or suburban roads with posted speeds greater than or equal to 35 mph of which there are four along the Rail Trail (E. Club Blvd., Dearborn Dr., Thompson Rd., and Hamlin Rd.).¹
- The FHWA Guide for Pedestrian Safety at Uncontrolled Crossing Locations provides recommendations based on three categories of volumes of vehicles, three categories of posted speed limit, and five categories of travel lane configurations.²
- The **AASHTO Guide for the Development of Bicycle Facilities** provides guidance based on the same categories of speed limit and lanes as the FHWA Guide, but with one additional category for volumes of vehicles. For both the FHWA Guide and the AASHTO Guide, the lowest threshold for volumes of vehicles is <9,000 with no additional nuanced guidance for streets with very low volumes or no documented volume data. Along the Rail Trail, there are seven streets with no data for vehicle volumes (Roanoke St., Thompson Rd., Rhododendron Dr., Joe Ellis Rd., Ball Rd., Moores Mill Rd., and Harris Mill Rd.). Three more crossings have vehicle volumes under 2,500 per day (Orange Factory Rd., Bahama Rd., and Red Mountain Rd.).³
- Staff in the City of Durham Department of Transportation and the NCDOT Division 5 Engineer expressed concern for treating crossings with very low volumes of vehicles per day (under 2,500) with a signalized treatment.

Based on the guidance listed above, the analysis of trail crossings and draft recommendations of treatment types took into account several factors with the most important factors being context, posted speed limit, volume of vehicles, and crashes - specifically, whether or not the crossing occurred on a portion of the road designated within the Triangle West Vision Zero Action Plan as part of the High-Injury Network. Below is a table showing how existing conditions at each crossing corresponded with design guidance from the resource documents listed above and the recommended treatment types, which are explained in the following section.

NC Department of Transportation. (2024). <u>NCDOT Trail Crossing Guidance</u>.

^{2.} US Department of Transportation, Federal Highway Administration. (2018). <u>Guide for Improving Pedestrian Safety at Uncontrolled Crossing Locations.</u>

^{3.} American Association of State Highway and Transportation Officials (AASHTO), 2024. Guide for the Development of Bicycle Facilities (5th ed.)

Exhibit 25 - Recommended Crossing Treatments

					`			• • •						sing neatinents	
D	Crossing Name	Owner	Context	Lanes	Speed Limit	Curb	2023 AADT	Crossing Angle	Pedestrian Activity	Trail Slope	Sight Distance	Lighting	High Injury Network (all)	Potential Crossing Treatments based on Guidance Documents	Recommend- ed Treatment Type
1	I-85	DOT	Urban	n/a	n/a	n/a	n/a	n/a	n/a	Flat	n/a	None	n/a	FHWA Guide for Ped Safety at Uncontrolled Crossings (n/a) NCDOT Trail Crossing Guidance (n/a) AASHTO Bike Guide (n/a)	n/a (un- derpass)
2	Camden Ave	DOT	Urban	n/a	n/a	n/a	n/a	n/a	n/a	Flat	n/a	None	n/a	FHWA Guide for Ped Safety at Uncontrolled Crossings (n/a) NCDOT Trail Crossing Guidance (n/a) AASHTO Bike Guide (n/a)	n/a (un- derpass)
3	E Club Blvd	DOT	Urban	2	35	No	7100	75	Medium	Flat	Poor	Poor	Yes	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB can be considered) NCDOT Trail Crossing Guidance (unclear guidance) AASHTO Bike Guide (no signalization)	В
4	Roanoke St	City	Urban	2	25	Yes		90	High	Flat	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (RRFB) AASHTO Bike Guide (no signalization)	А
5	Dearborn Dr	DOT	Urban	2	35	No	8950	90	High	Moderate	Good	Good	Yes	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB can be considered) NCDOT Trail Crossing Guidance (unclear guidance) AASHTO Bike Guide (no signalization)	В
6	Thompson Rd	DOT	Suburban	2	35	No		90	Low	Flat	Poor	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB can be considered) NCDOT Trail Crossing Guidance (unclear guidance) AASHTO Bike Guide (no signalization)	A or B
7	Hamlin Rd	DOT	Suburban	2	45	No	5900	45	Low	Flat	Poor	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (unclear guidance) AASHTO Bike Guide (RRFB or PHB)	A or B
8	Commercial Driveway	Private	Rural	1	n/a	No	n/a	90	Low	Flat	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossing (n/a) NCDOT Trail Crossing Guidance (n/a) AASHTO Bike Guide (n/a)	А
9	Residential Driveway	Private	Rural	1	n/a	No	n/a	90	Low	Flat	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (n/a) NCDOT Trail Crossing Guidance (n/a) AASHTO Bike Guide (n/a)	А
10	Old Oxford Rd	DOT	Rural	2	55	No	5400	35	Low	Flat	Good	Poor	Yes	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB can be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	A or B
11	Rhododendron Dr	City	Suburban	2	25	Yes		90	High	Moderate	Good	Poor	No	 FHWA Guide for Ped Safety at Uncontrolled Crossings (no signalization) NCDOT Trail Crossing Guidance (RRFB) AASHTO Bike Guide (no signalization) 	А
12	Orange Factory Rd	DOT	Rural	2	45	No	1400	90	Low	Moderate	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	A or B
13	Stagville Rd South	DOT	Rural	2	55	No	4100	25	Low	Moderate	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	A or B
14	Joe Ellis Rd	DOT	Rural	2	45	No		75	Low	Flat	Poor	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	A or B
15	Stagville Rd North	DOT	Rural	2	45/ 55	No	3800	25	Low	Moderate	Poor	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	A or B
16	Bahama Rd	DOT	Suburban	2	35	No	2200	55	Medium	Steep	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB can be considered) NCDOT Trail Crossing Guidance (RRFB or traffic signal with walk phase) AASHTO Bike Guide (no signalization)	A or B
17	Ball Rd	DOT	Rural	2	35	No		75	Low	Flat	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB can be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (no signalization)	А
18	Quail Roost Rd	DOT	Rural	2	45	No	3200	45	Low	Flat	Good	Poor	Yes	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	A or B
19	Moores Mill Rd	DOT	Rural	2	55	No		70	Low	Flat	Good	Poor	Yes	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	A or B
20	Red Mountain Rd	DOT	Suburban	2	35	No	2300	90	Medium	Flat	Good	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB can be considered) NCDOT Trail Crossing Guidance (unclear guidance) AASHTO Bike Guide (no signalization)	A or B
21	Harris Mill Rd	DOT	Rural *No Outlet	2	45	No		45	Low	Flat	Poor	Poor	No	FHWA Guide for Ped Safety at Uncontrolled Crossings (RRFB/PHB should be considered) NCDOT Trail Crossing Guidance (traffic signal with walk phase) AASHTO Bike Guide (RRFB or PHB)	А

Trail Crossing Recommendations

All trail crossings have recommended baseline treatments whether unsignalized (Type A) or signalized (Type B). A large degree of flexibility is intentionally provided within the recommended treatments and will require additional analysis in future phases of design. In particular, strong coordination with NCDOT and City of Durham Transportation is needed to ensure crossings treatments are coordinated with future roadway changes.



Example of trail crossing with pavement markings and signs



Example of trail crossing with User-activated flashing sign (Rectangular Rapid Flashing Beacon)



Example of trail crossing with user-activated stop light (Pedestrian Hybrid Beacon)

Type A Crossing: Unsignalized

Pavement markings and signs including:

- · High-visibility crosswalk and trail crossing sign
- · Advance warning sign of trail crossing

Type B Crossing: Signalized

User-activated flashing sign, known as a Rectangular Rapid Flashing Beacon (RRFB) or user-activated stop light known as a Pedestrian Hybrid Beacon (PHB) including:

- · High-visibility crosswalk and trail crossing sign
- Illuminated, advance warning sign of trail crossing that is wired to the trail crossing signal (RRFB or PHB) so that it illuminates when the RRFB or PHB is activated

In future phases of design, consider increasing from Type A to Type B for urban or suburban locations where the crossing:

Is part of the High Injury Network (all crash types)

- · Has trail-oriented development
- Has adjacent transit stops
- · Has high observed speeds
- · Has a lack of compliance in yielding
- Undergoes roadway widening (3+ lanes)


All crossings should be designed in accordance with the following (see more information on design guidance in Appendix 3, page 315.)

- Sight triangles: calculated depending on the design speeds of the trail and the roadway. If sufficient stopping sight distance cannot be achieved, additional traffic control such as stop signs or signals should be provided.
- Crossing angles: The trail should cross roadways as close to 90 degrees as possible, to minimize crossing distance and potential conflicts and maximize sight distances.

Crossings Map & Renderings

The Trail Crossings and Renderings map on this page shows the recommended treatment type for each crossing. The blue dots represent grade separated crossings, the green dots represent Type A (unsignalized) crossings, the yellow dots represent Type B (signalized) crossings, and the pink dots represent crossings that could receive either Type A or Type B treatments and

final selection of crossing treatments should be based on a complete engineering assessment as part of a future phase. The renderings show what potential treatments could look like at four locations along the trail. Notably, the renderings for E. Club Blvd. and Bahama Rd. only depict one of the possible recommended treatment types.



B - User-activated Lights (Rectangular Rapid Flashing Beacon) with Advance Signage

A/B - User-activated Stoplight (Pedestrian Hybrid Beacon)

Toolkit of Add-on Crossing Treatments

A toolkit of additional interventions that should be considered for each individual crossing is shown below. These treatments help slow down vehicles in advance of the crossing and increase driver attention and visibility for people crossing on foot or on a bicycle. Specific treatments for each crossing will be determined on a case by case basis in later phases of the design. (See Exhibit 26: Toolkit of Add-On Crossing Treatments)

The following table shows the crash reduction factors of the proposed and potential crossing treatments.

Exhibit 26: Toolkit of Add-On Crossing Treatments



Transverse rumble strips Restrictions: none



Dynamic speed feedback sign

Restrictions: none



Curb extension or curb if roadway edge is ditch Restrictions: where space allows



Raised median island
Restrictions: where space
allows



Speed cushions
Restrictions: <35 mph
road in urban or suburban
contexts



Raised crossings
Restrictions: <35 mph
road in urban or suburban
contexts

Additional treatments that could be explored in the future include:

Upgrading RRFBs to include technology that detects the presence of a trail user approaching the crossing and automatically activates the RRFB.^{1,2}

Intersection conflict warning system technology that include flashing signs that are illuminated when cars are approaching an intersection or crossing. Intersection conflict warning systems could be beneficial at crossings with visibility challenges.³

These treatments are less common, but are being implemented in certain areas of the country.

City of Fayetteville, Arkansas Government. (2025). The City of Fayetteville is increasing its use of passive-detection lights at trail crossings.

^{2.} Contra Costa County, California. (2020). Delta De Anza Trail Crossing Improvements at Alves Lane Project No. W01025, CP#19-42.

^{3.} Wisconsin Department of Transportation. Intersection Conflict & Trail Warning Systems.

Exhibit 27: Crash Reduction Factors of Proposed **Crossing Treatments**

Common Crossing Treatments	% Reduction in Crashes After Implementing Safety Measure
High-visibility Crosswalk and Signage	40%
Rectangular Rapid Flashing Beacon (RRFB)	47%
Pedestrian Hybrid Beacon (PHB)	55%
Transverse Rumble Strips	24%
Dynamic Speed Feedback Sign	46%
Curb Extension	30%
Curb (if roadway edge is a ditch)	11%
Raised Median Island	31%
Speed Cushions/Speed Humps	40%
Raised Crossing	46%

NC Department of Transportation. (2025). <u>Safety Countermeasure Glossary</u>. US Department of Transportation. <u>Crash Modification Factors Clearinghouse</u>.

Restricting Motor Vehicles at Crossings

Bollards are common types of infrastructure used to restrict access to trails. Concern for motor vehicle use along the trail was primarily voiced by North Durham County residents in regard to motorbikes or ATV four-wheelers. According to the American Association of State Highway and Transportation Officials (AASHTO), gates and bollards are not recommended to restrict access by motor vehicles at trail entrances unless there is a documented history of issues as gates and bollards create permanent obstacles for trail users. Bollards, in particular, can pose serious injury to bicyclists. Recommended approaches to prevent unauthorized vehicle entry to the trail include¹:

- · Wayfinding identifying the entry as the Durham-to-Roxboro Rail Trail.
- · Regulatory signs that prohibit motor vehicle entry.
- Designing the entry to clearly indicate that it is not intended for vehicle access, with a center island that splits the path into two sections, while allowing access for emergency and maintenance vehicles. This center island should include plantings, approximately 18-24" tall, that help visually reinforce that the trail is not for motor vehicles.
- If bollards are used, they should be spaced 5- to 6-feet apart. Additional
 design considerations regarding bollard design, placement, and pavement
 markings surrounding bollards are provided in the Appendix. (See A3:
 Design Guidance, page 315.)
- Any future designs involving bollards at crossings will also require additional coordination with the NCDOT Rail Division.



American Association of State Highway and Transportation Officials (AASHTO). 2024. Guide for the Development of Bicycle Facilities (5th ed.)

Connections, Trailheads, and Access Points

Connections

In public engagement, the community expressed a desire for the trail to provide access to nearby destinations and other trail networks. Community connections proposed throughout, include connections to parks and other green spaces, schools, libraries, and nearby commercial nodes. The five focus areas in this plan include specific recommended connections.

Constructing the proposed connections would will require coordination with existing property owners and voluntary agreements. Eminent domain is not being pursued with the study, but key places and potential connections have been identified for future collaboration.

Trailheads

Trailheads are trail access points that may include parking and amenities such as seating, water fountains, trash and recycling receptacles, restrooms, kiosks, and more. They can also include programmatic elements such as gathering spaces, play features, and interactive interpretive elements. Conceptual trailhead ideas can be found later in this chapter. Specific trailhead designs will need to be developed in future phases of the project, particularly in terms of space dedicated to parking versus other amenities. This will be important especially at locations closer to downtown with direct access to transit.





Development along the Rail Trail

Anti-Displacement

As the development of the Durham-to-Roxboro Rail Trail progresses, it will be essential to evaluate the risk of gentrification and displacement at all points along the trail, and implement best practices to prevent and mitigate these processes.



Single-family residential development with direct access to the American Tobacco Trail. Apex, NC.

The City of Durham has passed plans with policy recommendations, for example the Comprehensive Plan. However, most of the actions related to anti-displacement have yet to be implemented. There are also many actions that could have bearing on the Durham-to Roxboro Rail Trail in terms of neighborhood stabilization that are related to housing density and housing diversity. For example, Durham's Unified Development Ordinance (UDO) does allow for considerable increases in density with expectations that the developer meets certain requirements. The UDO also allows increased

flexibility of approved housing types within "high demand neighborhoods". The City's investment in affordable housing could also have an impact with reinvestments in affordable housing near the Downtown Trail as a relevant precedent. Finally, Durham has committed to more opportunity for community input during the rezoning process and budgeting.

Specific actions that should be considered include:

- 1. Use the Durham County Displacement Index to identify at-risk neighborhoods along the trail.
- 2. Track and respond to rent and demographic changes before and after trail investments.
- 3. Support small businesses along the trail to prevent commercial displacement.
- 4. Extend protection and benefits to public housing residents near the trail corridor.
- 5. Add policies regarding trail-oriented development to the UDO that is currently being re-written. These policies should incentivize affordable housing within trail-oriented development projects.
- 6. Consider Community Benefits Agreements (CBAs).

See A2. Anti-Displacement Overview, page 311 for more information on an overview of gentrification and displacement, gentrification and displacement indicators, conditions in Durham County and best practice case studies.

Trends in the Right Direction

The preservation and creation of affordable housing near trail infrastructure investments, like the Durham-to-Roxboro Rail Trail, is one way to stabilize neighborhoods and work to limit displacement. Case studies show that these efforts are more effective when completed before the infrastructure is even built. In the past five years, several affordable housing developments have been approved in the Bragtown neighborhood. While not directly associated with the rail trail, these projects are good examples of how the City of Durham can incentivize and work with developers to build affordable housing near the trail.

Sandy Ridge Station (approved 2024)1

- 130+ residential units with multi-family and single-family options
- · All units will be affordable housing
- Supported through the Forever Home, Durham program

Fairhaven Walk (approved in 2023)²

- · 190+ apartment units and on-site daycare
- · All units will be affordable
- Supported through the Forever Home, Durham program

Cub Creek Apartments (approved in 2022)3

- 820+ residential units total with multifamily and single-family options
- 190+ multi-family units will be affordable housing
- Developer has interest in creating walking trails within the site





I. City of Durham. (2022). Sandy Ridge Station Affordable Housing Project.

^{2.} Moore, Mary Helen. (2023). <u>Durham affordable apartments, townhome developments get green light. Here's where.</u>

^{3.} Thompson, Kayli. (2022). \$150M Durham development adds affordable housing to community.

Trail-Oriented Development

Trail-oriented development is a planning and design approach that integrates trails into urban and suburban development. Trail-oriented development aims to create a network of local business and housing choices alongside safe and enticing trails, and leverage transportation infrastructure to support active ways of getting around.

Benefits of trail-oriented development include:

- Community-building: strengthens social connections by offering recreational amenities and gathering spaces that foster a sense of community.
- Economic development: promotes public and private investment and boosts the local economy by increasing foot traffic to businesses along the trail, as well as jobs that can be accessed through active modes.
- Sense of security: helps activate the trail and increases the "eyes on the trail", which can make trail users more comfortable.
- Public health: promotes active lifestyles by providing safe and accessible spaces for exercise, improving physical and mental health
- Active transportation: encourages walking, bicycling, and riding transit as viable transportation options, reducing car dependency and greenhouse gas emissions.
- Environmental Preservation: preserves and creates green spaces, enhances water management, and supports biodiversity by integrating natural landscapes into urban development

The City of Durham and Durham County do not currently have policies specific to trail-oriented development, but there is clear potential for commercial trail-oriented development along the rail corridor with existing commercial nodes at Red Mountain Rd. and Dearborn Rd. Public input during the plan process showed an interest in both commercial and residential trail-oriented development along the Durham-to-Roxboro Rail Trail.


Trail-oriented development should be specific to the urban or rural nature of the surrounding area. While denser residential and commercial development may be appropriate for the southern segments of the trail, the northern segments of the trail should be small-scale and in keeping with the rural nature of the corridor.







After the opening of the B-Line Trail, an existing business (left) added a walk-up window oriented toward the trail. On the right, new mixed-use development oriented to the trail. Bloomington, IN.



FOCUS AREA: DOWNTOWN DURHAM

As the southern gateway of the Durham-to-Roxboro Rail Trail, the Downtown Durham Focus Area extends 1.7 miles between the Avondale Rd. underpass and East Club Blvd. It establishes critical recreational and transportation linkages by tying into Downtown Durham, the American Tobacco Trail (via the planned 1.8 mile Downtown Durham Rail Trail), the East Coast Greenway, multiple community parks, and GoDurham Route 9. (See Map 26: Downtown Durham Focus Area Map, page 183.)

Community feedback from downtown Durham shows strong enthusiasm for the trail and eagerness to begin design and construction, especially among cyclists and other active transportation users.

Downtown Durham Focus Area Key Facts

Section Extent: Avondale Rd Underpass to East Club Blvd.

Segment Length: 1.7 Miles

Key Features: Downtown Durham, East Coast Greenway, American Tobacco Trail, Durham Rail Trail, East End Park, Duke Park, Northgate Park, Sherwood Park, Southern Terminus, Go Durham bus stops

Proposed Trailheads

· Camden Ave. Trailhead

Proposed Trail Connectors


- R. Kelly Bryant Trail Connector/
 East End Park
- Sherwood Park Connector (proposed Goose Creek Trail East)
- Northgate Park Connector (proposed North Ellerbe Creek Trail)
- Downtown Durham Rail Trail (proposed)

Trail Crossings

- I-85 (Underpass)
- · Camden Ave. (Underpass)
- E. Club Blvd.(At-grade)

Stream Crossings

· Ellerbe Creek



Trailhead Recommendations

In the Downtown Durham Focus Area, a trailhead is proposed at **Camden Ave.** The site, owned by the North Carolina Department of Transportation, sits directly adjacent to the rail corridor. While the parcel has challenging slopes, the two conceptual designs incorporate an access ramp to connect the parking area with the trail, which sits roughly 20' below the parking area grade. At the direction of the Project Management Team, two conceptual designs were developed for the trailhead.

Conceptual Design 1 for Camden Ave. trailhead prioritizes parking, with space for 40–50 vehicles, and includes an information kiosk, seating, and a ramp connection to the trail. (See Exhibit 28: Camden Ave. Trailhead – Concept 1.)



Conceptual Design 2 emphasizes user comfort and site activation, with more seating and amenity spaces to enhance safety and create a welcoming atmosphere. This option provides 25–35 parking spaces along with an information kiosk, a small picnic pavilion, dedicated amenity space, and a ramp connection to the trail. (See Exhibit 29: Camden Ave. Trailhead – Conceptual Design 2)

An opportunity for a major trailhead was identified at the southern terminus of the rail corridor adjacent to the northern stub of Miami Blvd., at an area near where multiple proposed City trails are expected to converge and would provide access from the east side of the corridor.

A conceptual design was created that included 60–70 parking spaces, a welcome plaza, two-stall restroom, picnic area, and boardwalk connection to the trail. This concept was presented to the Project Management Team and Advisory Committee. However, the trailhead was removed from the plan due to the City of Durham's preference to minimize parking while encouraging access to the rail trail from downtown via access from nearby public transit and adjacent neighborhoods.



Trail Connector Recommendations

The Downtown Durham Focus Area provides multiple opportunities to connect with existing and planned trails. At the southern terminus of the Durham-to-Roxboro Rail Trail, the **R. Kelly Bryant Trail Connector** will link to East End Park and Long Meadow Park via the proposed R. Kelly Bryant trail along Avondale Dr. and East Geer St.


Also at the southern terminus, the programmed 1.8 mile **Downtown Durham Rail Trail** has the potential to tie directly into the corridor and connect to the 22-mile American Tobacco Trail that extends south through Durham, Chatham, and Wake counties. In the project coordination meeting with City of Durham Transportation staff on July 25, 2025 it was confirmed that the construction drawings for the Downtown Durham RailTrailareanticipating and planning for the future connection of the Durham-to-Roxboro Rail Trail.

From this point at the southern terminus, the **East Coast Greenway** will also begin its shared route along the Durham-to-Roxboro Rail Trail.

Additional connections include the proposed Goose Creek Trail East, which will extend access to Sherwood Park, and the proposed North Ellerbe Creek Trail, which will provide a connection to Beaver Marsh Nature Preserve. An extension of the North Ellerbe Creek Trail is proposed to provide access to Northgate Park and connection to the existing Ellerbe Creek trail that travels north-to-south in this area of Durham. This proposed connection passes through sensitive areas like floodplains and wetlands, so a boardwalk for some or all portions will likely be needed to reduce environmental impacts. (See Exhibit 30: Ellerbe Creek Connectivity Map, page 187.)

For all Downtown Durham Trail Connector Recommendations, see Map 26: Downtown Durham Focus Area Map, page 183.





Trail Crossings *I-85 Underpass*

This is an underpass crossing. See Exhibit 31: I-85 Underpass - Existing Conditions & Trail Underpass for a rendering of the proposed crossing. Specific considerations include:

- · Lighting will be required
- · Potential for public art and trail identity elements
- Trailhead at Camden Ave. would help activate this underpass with "eyes on the trail"

Exhibit 31: I-85 Underpass – Existing Conditions & Trail Underpass



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.

Camden Ave. Underpass

This is an underpass crossing. Specific considerations include:

- · Lighting will be required
- · Potential for public art
- To access the Camden Ave. trailhead and Camden Ave. itself, a significant ramp structure would be required due to steep grades

East Club Blvd.

The recommended treatment is a signalized crossing (Type B) with either a user-activated flashing sign (Rectangular Rapid Flashing Beacon) or a user-activated stop light (Pedestrian Hybrid Beacon), including a high-visibility crosswalk and trail crossing sign, as well as advance warning sign of trail crossing. (See Exhibit 32: East Club Blvd. Trail Crossing, page 190 for a rendering of the proposed crossing that shows an RRFB option.)

Specific considerations include:

- A median with a pedestrian refuge is recommended at the crossing, which helps slow down traffic, increases visibility of the crossing, and allows pedestrians and bicyclists to cross one lane at a time.
- We heard through community engagement that East Club Blvd. feels unsafe. Additional traffic calming is recommended to slow down vehicles ahead of the crossing. (See Exhibit 26: Toolkit of Add-On Crossing Treatments, page 174 for a range of treatments that can be considered, which will need to be determined at a later phase of the design.)

See Section 2.3 Trail Crossings, page 52 for the crossings analysis that, along with community input, helped guide these recommendations, and Map 25: Trail Crossings and Renderings, page 173 to see all of the crossings and more information on types of recommended treatments.






Stream Crossings

The rail corridor crosses Ellerbe Creek via the existing steel beam Ellerbe Creek Bridge. A planning-level review, including field work and visual inspections, indicates the structure is partially collapsed and will likely require some level of reconstruction/replacement; however, a licensed structural engineer must evaluate its capacity to support trail use. This crossing will also provide a critical connection to the future North Ellerbe Creek Trail. (See the Bridges section on page 74 of Section 2.3, Built Environment, for the preliminary assessment and additional photographs of the Ellerbe Creek Bridge.)





FOCUS AREA: BRAGTOWN

The Bragtown Focus Area extends 2.5 miles from East Club Blvd. to Sandy Ridge Elementary School along Hebron Rd.. This segment serves the Bragtown community and provides access to community parks including Lakeview and Red Maple, schools including Lakeview Secondary and Sandy Ridge Elementary, the Bragtown Branch Library, Soul Sanctuary Farmers Market, Welcome Venture Industrial Park, and connections to the GoDurham bus route. (See Map 27: Bragtown Focus Area Map, page 195.)

The community of Bragtown is known for its historical significance and strong community bonds, having been settled by formerly enslaved people from the nearby Stagville Plantation. It operated as an independent community until it was annexed by the City of Durham in 1957. That history is an important part of the community's identity for many of its current residents, especially those who are direct descendants of those enslaved. The focus area presents opportunities for interpretive signage and public art that celebrate Bragtown's rich history and community identity, as well as community-focused trail-oriented development.

Community organizations, including the Bragtown Community Association, were actively engaged during the planning process to provide input. A significant concern of the community is that gentrification and displacement are already occurring in the area while many of the long-standing issues facing residents – roadway safety and sidewalk connectivity – have gone unaddressed. Key priorities for the Bragtown community include safe roads and crossings, sidewalk connections, a trail that is accessible to all ages and abilities, and preserving the identity of Bragtown along the rail corridor. Ongoing engagement with community members will be essential to ensure a successful, community-supported implementation of the Bragtown segment of the Durham-to-Roxboro Rail Trail.

Bragtown Focus Area Key Facts

Section Extent: East Club Blvd to Sandy Ridge Elementary School (Hebron Rd.)

Segment Length: 2.5 Miles

Key Features: Bragtown Community, Lakeview Park, Lakeview Secondary School, Bragtown Branch Library, Red Maple Park, Welcome Venture Industrial Park, Sandy Ridge Elementary School, Hebron Road Plant Conservation Preserve, East Coast Greenway

Proposed Trailheads

· East Club Blvd.

Proposed Trail Connectors


- · Red Maple Park Connector
- Lakeview Park & Lakeview
 Secondary School Connector
- Bragtown Branch Library
 Connector
- Sandy Ridge Elementary & proposed Club Creek Trail (via Hebron Rd. Connector)

Trail Crossings

- · Roanoke St.
- Dearborn Dr.
- · Thompson Rd.
- · Hamlin Rd.
- Commercial Driveway near Old Oxford Rd.

Stream Crossings

None



Trailhead Recommendations

In the Bragtown Focus Area, a trailhead is proposed at **East Club Blvd.** on a City of Durham-owned parcel. The conceptual design features an entrance sign, informational kiosk, restroom building, picnic area, and proposed parking for 60–70 vehicles. Sidewalk connections to multiple GoDurham bus stops and residential neighborhoods east and west of the site further enhance access and connectivity for nearby residents. Future engineering assessments will verify feasibility of this concept. A stream buffer may be required along the eastern boundary of the site, but a stream determination was not completed as part of this plan. (See Exhibit 33: East Club Blvd. Trailhead Conceptual Design, below)

Exhibit 33: East Club Blvd. Trailhead -Conceptual Design PROGRAM ELEMENTS on Entrance Sign 02 Proposed Parking (60-70) 03 Restroom Building 04 Informational Kiosk 05 Rail Trail Entrance Road Crossing with RRFB

An opportunity for a public-private partnership to create a community hub in the Bragtown area along Dearborn Drive was also explored. Preliminary conceptual designs were developed and shared with the property owner. As the development of the rail trail progresses, this and/or other opportunities for trail-oriented development in the historic Bragtown community should continue to be explored to support community-focused amenities.

A second potential public–private partnership for a trailhead in the **Old Oxford–Hamlin area** was evaluated. Preliminary conceptual designs were developed and are under consideration by the property owner and Durham County. As the development of the trail progresses, this and/or other opportunities for trailoriented development in the Old Oxford/Hamlin area should continue to be explored.



Trail Connector Recommendations


Red Maple Park with ball fields, picnic shelters, and a playground is located just to the west of the rail corridor. A city-owned parcel that is directly south of the park along Pecan Place could be utilized to provide a direct connection between the community park and the rail trail.

In the Bragtown area, Dearborn Drive serves as an important connector to key community assets. West of the rail corridor, the trail is in close proximity to Lakeview Park, Lakeview Secondary School, and two GoDurham bus stops, with an existing sidewalk along the south side of Dearborn Drive. An additional sidewalk on the north side of Dearborn Drive is proposed to provide direct connection to Lakeview Park. East of the corridor, a proposed sidewalk will create future connections to the Bragtown Branch Library and two additional GoDurham bus stops. (See Exhibit 34: Dearborn Dr. - Connectivity Map, page 199.)



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.

Exhibit 34: Dearborn Dr. - Connectivity Map



Trail Crossings

Roanoke St.

The recommended treatment is an unsignalized crossing (Type A), with pavement markings and signs including a high-visibility crosswalk and trail crossing sign, as well as an advance warning sign of trail crossing.

Specific considerations include:

· Curb ramps will be required for crossing

Thompson Rd.

This crossing could receive either unsignalized (Type A) or signalized (Type B) treatments and should receive further investigation at a future phase of design.

Specific considerations include:

 Additional treatments recommended to increase visibility and driver attention, due to sharp curve and poor sight distance at crossing. (See Exhibit 26: Toolkit of Add-On Crossing Treatments, page 174 for a range of treatments that can be considered, which will need to be determined at a later phase of the design.)

Hamlin Rd.

This crossing could receive either unsignalized (Type A) or signalized (Type B) treatments and should receive further investigation at a future phase of design.

Specific considerations include:

- Trail alignment crosses Hamlin Rd. at a skewed angle with limited sight distance. The crossing will need to be "squared up" to cross at more of a 90 degree angle.
- · Slight grading required to accommodate ditch crossings.

Commercial Driveway near Old Oxford Rd.

This is a commercial private driveway crossing. The recommended treatment is an unsignalized crossing with a high-visibility crosswalk.

Specific considerations include:

- Coordination with the property owner will be required.
- The design will need to consider the types of vehicles that will be accessing the site.

See Section 2.3 Trail Crossings, page 52 for the crossings analysis that, along with community input, helped guide these recommendations, and Map 25: Trail Crossings and Renderings, page 173 to see all of the crossings and more information on types of recommended treatments.

Dearborn Dr.

The recommended treatment is a signalized crossing (Type B) with either a user-activated flashing sign (Rectangular Rapid Flashing Beacon) or a user-activated stop light (Pedestrian Hybrid Beacon), including a high-visibility crosswalk and trail crossing sign and advance warning sign of trail crossing. (See Exhibit 35: Dearborn Dr. – Conceptual Trail Design & Trail Crossing, below for a plan view rendering of the proposed crossing and access point, showing an option with a PHB.)

Specific considerations include:

- Community members voiced concern that Dearborn Dr. is unsafe, and it is part
 of the High Injury Network from Triangle West's regional Vision Zero Action
 Plan. Additional traffic calming is recommended to slow down vehicles ahead of
 the crossing. (See Exhibit 26: Toolkit of Add-On Crossing Treatments, page 174 for
 a range of treatments that can be considered, which will need to be determined
 at a later phase of the design.)
- Community members are concerned that the lack of curbs creates unsafe conditions for people walking on the sidewalks. Adding curbs to Dearborn Dr. at the crossing would help partly address this concern.

Exhibit 35:
Dearborn Dr.
– Conceptual
Trail Design &
Trail Crossing



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.

In addition to the existing road crossings listed above, the Northern Durham Parkway is being planned by NCDOT and the City of Durham. A segment of the Parkway is currently under construction by Welcome Venture Park.

The Parkway would cross the trail just north of Hamlin Rd., creating a four-lane road crossing and making it the longest crossing other than the I-85 underpass. It has not yet been determined whether the rail trail or the Parkway will be constructed first. Existing grades suggest the Parkway would be more suitable to cross over the trail. NCDOT and the City of Durham should coordinate to design the trail and the Parkway to achieve a grade-separated trail crossing.

Stream Crossings

There are no stream crossings in the Bragtown Focus Area.







The Two Rivers Focus Area spans four miles, from Sandy Ridge Elementary School on Hebron Rd. to just south of the Treyburn community. It encompasses key recreational and ecological destinations such as the Mountains-to-Sea Trail, Penny's Bend, and the Eno and Little Rivers. This stretch also features the Eno River and Little River trestle bridges, which provide essential crossings and could provide scenic views, iconic rail trail experiences, and opportunities for interpretive signage.

This segment includes potential trail connections to nearby schools along Snow Hill Rd., including Little River Elementary, Lucas Middle School, and Durham Technical College, as well as to the southern portion of Treyburn Corporate Park. Historically, the Stagville Plantation encompassed the entire segment north of the Eno River and the Great Trading Path (See Historic and Cultural Resources, page 64) is believed to have passed through this area, providing opportunities for interpretation and public art along the rail trail. (See Map 28: Two Rivers Focus Area Map, page 205.)

Community opinion for the trail in the Two Rivers focus area included some concern related to private property conflicts (e.g., privacy, hunting, and agriculture), but was largely supportive with strong support for the trail's potential to connect the nearby nature-based recreation and education assets.

Two Rivers Focus Area Key Facts

Section Extent: Sandy Ridge Elementary School (Hebron Rd.) to just south of the Treyburn Community.

Segment Length: 4 Miles

Key Features: Mountains-to-Sea Trail, Penny's Bend, East Coast Greenway, Eno River, Little River, Little River Elementary School, Durham Technical College, Lucas Middle School, Treyburn Corporate Park

Proposed Trailheads

· Penny's Bend Trailhead

Proposed Trail Connectors


- Mountains-to-Sea Connector Realignment
- · Snow Hill Rd. Schools Connector

Trail Crossings

- Residential Driveway near Old Oxford Rd.
- · Old Oxford Rd.

Stream Crossings

- Eno River tributary (3 crossings)
- Eno River (via Trestle Bridge)
- · Little River (via Trestle Bridge)



Trailhead Recommendations

At **Penny's Bend**, a trailhead is proposed to serve the Durham-to-Roxboro Rail Trail, the Mountains-to-Sea Trail, Eno River access points, and Penny's Bend Nature Preserve. The area is already a popular recreation hub, and the proposed trailhead site is situated on property adjacent to the rail corridor and owned by the U.S. Army Corps of Engineers, and largely managed by the North Carolina Wildlife Resources Commission and North Carolina Botanical Garden.

The area currently lacks sufficient parking and presents safety challenges for pedestrians, particularly where the Mountains-to-Sea Trail crosses the vehicular bridge on Old Oxford Rd.. In project coordination meetings, NCDOT shared concerns about vehicles parking along the right-of-way, the Eno River Association shared concerns about insufficient parking for organized group hikes, and the Friends of the Mountains-to-Sea Trail shared concerns about the current trail routing over the Old Oxford bridge that lacks pedestrian accommodations. The proposed trailhead would address these issues by realigning the Mountains-to-Sea Trail corridor to utilize the Rail Trail corridor and connect to a formal parking area, improving pedestrian safety, and expanding parking to better support both trails and the surrounding recreation area.

At the direction of the Project Management Team, the consultant team developed two conceptual designs for the trailhead. A project coordination meeting with representatives from North Carolina Wildlife Resources Commission and U.S. Army Corps of Engineers was conducted on July 2, 2025 to review these conceptual designs. Discussions were had surrounding rare and endangered species in the area as well as right-of-way ownership, so further research and analysis will be required before moving forward with the design process for a trailhead at Penny's Bend. In the Penny's Bend area, the rail corridor passes through sensitive areas such as floodplains and critical habitat areas, so additional infrastructure, including culverts, new bridges, or boardwalks, may be required. Final trail

design and construction in this area will require regulatory review, engineering, and survey data.

Conceptual Design 1 for the Penny's Bend trailhead proposes a traffic circle at the intersection of Old Oxford Rd. and a realigned Snow Hill Rd. to slow traffic and improve vehicular and pedestrian circulation. The trailhead, with proposed parking for 30 to 40 vehicles



utilizing the current alignment of Snow Hill Rd., would be located west of Old Oxford Rd. A connector trail that goes under the Old Oxford Rd. bridge or crosses over Old Oxford Rd. would link to the Mountains-to-Sea Trail and the Durham-to-Roxboro Rail Trail.

This concept would require significant investment and coordination with the NCDOT and is considered a long-range vision. (See Exhibit 36: Penny's Bend Trailhead – Conceptual Design 1, below.)

Exhibit 36: Penny's Bend Trailhead - Conceptual Design 1



In July 2025, Tropical Storm Chantal resulted in flooding in this area that temporarily closed Old Oxford Rd. NCDOT has noted that the Old Oxford bridge is the lowest elevation bridge over the Eno River, and NCDOT is assessing any damage to the structure. Furthermore, the Triangle West TPO completed a Wildlife Crossing Study and this bridge crossing was prioritized for improvements to allow for better wildlife movement under the bridge. (See Exhibit 03: Triangle West Priority Wildlife Crossing Recommendations, page 48 and Map 11: Wildlife Crossing Recommendations, page 49.)

The replacement of the Old Oxford bridge over the Eno River would present an opportunity to lengthen and raise the roadway to reduce the potential for flooding and enhance wildlife movement. If this is done, the intersection with Snow Hill Rd. would likely need to be relocated to the north presenting an opportunity to reconstruct the intersection with a roundabout.

Conceptual Design 2 for the Penny's Bend trailhead builds on NCDOT's current plans to signalize and add a turn lane at the intersection of Snow Hill Rd. and Old Oxford Rd. This concept looks to add crosswalks to the signalized intersection and formalize an existing informal parking area east of Old Oxford Rd. This concept requires less engineering and permitting than Conceptual Design 1 and is considered a short-range vision. The proposed parking lot would be on land owned by the US Army Corps of Engineers and managed by the NC Wildlife Resources Commission, and it would be subject to their review and approval. (See Exhibit 37: Penny's Bend Trailhead – Conceptual Design 2 page 209.)

This area includes the intersection of the Mountains-to-Sea State Trail and the East Coast Greenway State Trail, the two longest trails in the NC State Parks System. Penny's Bend and the scenic trestle bridge over the Eno River has the potential to be a major state recreational hub, and a landmark feature of Durham.

Due to the sensitive environmental features of this area and the complexity of current public land ownership and management, opportunities for voluntary additional acquisition of property should be explored which may present other options for trailhead parking and facilities.



Exhibit 37: Penny's Bend Trailhead – Conceptual Design 2



Exhibit 38: Snow Hill Rd. Schools Connectivity Map





Trail Connector Recommendations

To the west of the rail trail, three schools along Snow Hill Rd. (Durham Technical Community College, Little River Elementary School, and Lucas Middle School) are located close to the corridor. Connections to these schools could be established via the Catawba Trail Farm/Urban Community AgriNomics (UCAN) property, proposed sidewalk traveling north and south along Snow Hill Rd., a connector trail utilizing privately-owned conservation lands, and existing sidewalks. The founders of UCAN support a connector trail along the edge of their property, as it aligns with their mission to engage the Northern Durham community.

The proposed connection crosses sensitive floodplains and wetlands, so boardwalk segments will likely be needed to minimize environmental impacts. A bridge over the Little River will also be required, creating a scenic crossing and an opportunity for interpretive signage about the river and adjacent wetlands. The route passes through game lands managed by the North Carolina Wildlife Resources Commission, where hunting currently occurs with some areas limited to archery due to nearby schools. Advancing this connection will require coordination with the NC Wildlife Resources Commission and the U.S. Army Corps of Engineers. (See Exhibit 38: Snow Hill Rd. Schools Connectivity Map, page 210.) Alternatively, a connector to the three schools could occur along Snow Hill Rd.



Trail Crossings

Residential Driveway near Old Oxford Rd.

This is a private residential driveway crossing. The recommended treatment is an unsignalized crossing with a high-visibility crosswalk.

Specific considerations include:

- Coordination with the property owner will be required.
- The design will need to consider strategies for ensuring safety of both trail users and farm animals, including fencing.
- A culvert for livestock crossing may be considered.

Old Oxford Rd.

This crossing could receive either unsignalized (Type A) or signalized (Type B) treatments and should receive further investigation at a future phase of design.


Specific considerations include:

 Community members expressed that Old Oxford Rd. feels unsafe, and the road curve and poor sight distance create visibility issues. This segment of road is also on the Triangle West High-Injury Network.

Penny's Bend Trailhead

- Old Oxford Rd. at Snow Hill Rd.: Both conceptual designs for the trailhead at Penny's Bend propose rerouting the MST to the north side of the Eno River and a crossing at the Old Oxford Rd. and Snow Hill Rd. intersection.
- Conceptual Design 1 shows a roundabout, which would require a single high visibility crosswalk and signage across Old Oxford Rd. (See Exhibit 36: Penny's Bend Trailhead – Conceptual Design 1, page 207.)
- Conceptual Design 2 shows a fully signalized option, which would need to be accompanied by a pedestrian signal/pedestrian signal phase. (See Exhibit 37: Penny's Bend Trailhead – Conceptual Design 2, page 209.)
- Additional traffic calming treatments are recommended for either option, especially due to visibility issues for drivers moving downhill towards the crossing. (See Exhibit 26: Toolkit of Add-On Crossing Treatments, page 174 for a range of treatments that can be considered, which will need to be determined at a later phase of the design.)

See Section 2.3 Trail Crossings, page 84 for the crossings analysis that, along with community input, helped guide these recommendations, and Map 25: Trail Crossings and Renderings, page 173 to see all of the crossings and more information on types of recommended treatments.




Stream Crossings

The Eno River, its tributaries, and the Little River are significant features along this portion of the rail corridor. Southeast of Penny's Bend, the corridor crosses Eno River tributaries in three locations. The conditions at these crossings are not currently accessible for observation, but additional infrastructure such as culverts, new bridges, or boardwalks may be required. Final trail design and constructions at these stream crossings will require regulatory review, engineering, and survey data.

Further north along the rail corridor, the abandoned rail line crosses the Eno River on an elevated steel truss bridge just east of Old Oxford Rd., near Penny's Bend. Restoring this historic bridge would create a visually striking and iconic section of the rail trail, offering views of the river and surrounding natural areas. Based on visual inspection, the **Eno River Bridge** structure appears mostly intact, though replacement, repair, or additional supports may be required for restoration. All components require further assessment by a licensed structural engineer to determine whether the structure can support the activities of the proposed rail trail. (See the Bridges section on page 74 of Section 2.3, Built Environment, for the preliminary assessment and photographs of the Eno River Bridge.)

Just north of Old Oxford Rd., the abandoned rail line crosses the Little River on the **Little River Bridge**, an elevated steel truss structure. The primary structural components appear intact, though repairs, replacements, or added supports may be required. Dense vegetation surrounds the bridge, and all elements must be evaluated by a licensed structural engineer to confirm suitability for trail use. One option is to shore up the aging wooden approaches with new steel components, preserving the bridge's historic character while ensuring safety and stability. (See the Bridges section on page 74 of Section 2.3, Built Environment, for the preliminary assessment and photographs of the Ellerbe Creek Bridge.)

During this planning study, Tropical Storm Chantal impacted the area in July 2025, causing historic flooding of the river systems and inundated parts of Penny's Bend Nature Preserve and the Old Oxford Rd. vehicular bridge. Potential flooding and its impacts will be an important factor in the design and engineering of this portion of the trail corridor.





The Bahama Focus Area spans 4.5 miles, beginning just south of the Treyburn community and extending north to Ball Rd. This segment travels through the community of Bahama and connects a wide range of cultural, historic, and natural destinations.

The area is rich in history, with significant sites such as Stagville State Historic Site and the Great Trading Path. These resources create opportunities to integrate historical markers, interpretive signage, and public art that celebrate the region's heritage.

In addition to its cultural assets, the Bahama Focus Area offers access to a variety of natural areas. Horton Grove Nature Preserve, Lake Michie Park and Marina, and their associated natural surface trails, lake, and campground provide opportunities for outdoor recreation and environmental education. In this section, the proposed route of the East Coast Greenway diverges from the Durham-to-Roxboro Rail Trail and travels east passing by the Stagville Historic Site towards Oxford, NC. (See Map 29: Bahama Focus Area Map, page 217)

Community feedback in the Bahama Focus Area reflects a mix of support and concern. While some residents expressed enthusiasm for bringing a trail to northern Durham County, others voiced apprehension about potential loss of privacy, crime and safety issues, and impacts to private property. Additional concerns included public safety near game lands, the long-term costs of maintenance and enforcement, and the environmental effects of impervious pavement and stream crossings. This sentiment was particularly strong among property owners adjacent to the corridor. Community organizations, including the Bahama Ruritan Club, were actively engaged throughout the planning process to provide input and feedback. (Exhibit 16: Phase 1 – Public Workshops, page 141 and Exhibit 17: Phase 1 – Focus Groups, page 143.)

Bahama Focus Area Key Facts

Section Extent: Just south of the Treyburn Community to Ball Rd.

Segment Length: 4.5 Miles

Key Features: Bahama, Stagville State Historic Site, Great Trading Path, Horton Grove Nature Preserve, Lake Michie Recreation Area, Mangum Elementary School, East Coast Greenway Junction

Proposed Trailheads

None

Proposed Trail Connectors


- East Coast Greenway
 Junction
- Horton Grove Nature
 Preserve Connector
- · Lake Michie Trail Connector

Trail Crossings

- · Rhododendron Dr.
- Orange Factory Rd.
- Stagville Rd. (south)
- · Joe Ellis Rd.
- · Stagville Rd. (north)
- · Bahama Rd.
- · Ball Rd.

Stream Crossings

- Buffalo Creek
- Flat River
- · Lake Michie tributary




Trailhead Recommendations

Multiple locations were explored as potential trailheads in the Bahama Focus Area, including the county convenience site on Roxboro Rd. and the area near Mangum Elementary School off Ball Rd.. All options were eliminated during the planning process due to stream buffer limitations and lack of publicly owned property. As the design and construction of the rail trail proceeds, identifying a location for a trailhead or community hub in the Bahama area that includes parking and restrooms may be needed.

In the Bahama Focus Area, future trailheads and segments should **integrate history, culture, and community identity** through interpretive signage, educational stations, and community-created art. The Great Trading Path once crossed this region, and much of the rail line was built on former Stagville Plantation land, where descendants of enslaved people still live today. The trail offers an opportunity to honor this history by sharing the stories of the communities along the corridor.

Partnerships with Stagville State Historic Site, Stagville Descendants Council, and local artisans can help create authentic interpretive elements. Ensuring safety and accessibility will allow the trail to serve as both a welcoming public space and a place of learning and reflection.



Trail Connector Recommendations

A key trail junction is planned within this focus area. After following the Durham-to-Roxboro Rail Trail from downtown Durham, the proposed **East Coast Greenway** is expected to diverge at Rhododendron Rd. to pass by Stagville Historic Site before continuing eastward towards Oxford. The exact alignment has not been determined at the time of this planning document. Construction of this connector will provide an important link between the Durham-to-Roxboro Rail Trail, Stagville Historic Site, and destinations along the East Coast Greenway.

A proposed connector trail at Orange Factory Rd., either as part of the East Coast Greenway or as a separate route, would provide access to **Horton Grove Nature Preserve**, Triangle Land Conservancy's largest public preserve at 708 acres. Once complete, Horton Grove will offer over ten miles of trails for hiking, running, and walking. The trails at Horton Grove are named in honor of Black families (Holman, Peaks, Hart, Justice, Latta, Walker, Jordan, and Sowell) whose ancestors were enslaved on the land. The trails wind through mature forests and share stories of resilience and freedom through interpretive kiosks developed in collaboration with Historic Stagville. (See Exhibit 39: Horton Grove Connectivity Map, below).

Exhibit 39: Horton Grove Connectivity Map Preliminary conceptual design. Final design splaced to an engineering, survey data, and regulatory review.

Further north on the rail corridor, a proposed connector at Ball Rd. could provide a link from the trail to **Lake Michie Recreation Area**, which offers lake access, a campground, and recreational opportunities including fishing, boating, camping, picnicking, and natural surface trails.

This proposed connection passes through sensitive areas like floodplains and wetlands, so a boardwalk for some or all portions would likely be needed to reduce environmental impacts.

The proposed connector would also create a safe pathway for **Mangum Elementary School** students and staff to reach the rail trail via a proposed sidewalk along Quail Roost Rd. (See Exhibit 40: Lake Michie Connectivity Map, below.)

Exhibit 40: Lake Michie Connectivity Map



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.

Trail Crossings

This section includes six crossings. Rhododendron Dr. and Ball Rd. are both recommended as unsignalized crossings (Type A) with pavement markings and signs including a high-visibility crosswalk and trail crossing sign, as well as an advance warning sign of trail crossing. The remaining crossings (Orange Factory Rd., Stagville Rd. north and south, Joe Ellis Rd., and Bahama Rd.) are all recommended as unsignalized (Type A) or signalized (Type B) treatments.

As such, they should receive further investigation at a future phase of design. As this is a rural context, the appropriate signalized treatment would be a user-activated flashing sign (Rectangular Rapid Flashing Beacon) with a high-visibility crosswalk and trail crossing sign, as well as advance warning sign of trail crossing.


Specific considerations for each crossing are listed below.

- Rhododendron Dr.: Will require curb ramps for crossing.
- Orange Factory Rd.: Moderate slope at crossing, with good visibility.
- Stagville Rd. (south): Skewed crossing will require realignment. Realignment will require grading work to resolve conflict with ditch.
- Joe Ellis Rd.: Minor grading required to cross ditch.
- Stagville Rd. (north): Skewed crossing will require realignment and may involve aligning the trail along Stagville Rd. to bring the crossing further south near the John Jones Rd. intersection.

- Bahama Rd.:
 - Will require careful grading on the north side to remain accessible.
 - · A wider range of traffic calming treatments from the Add-On Treatments can be considered on Bahama Rd. due to its relatively low speed limit.
- Ball Rd.: None

See Section 2.3 Trail Crossings, page 84 for the crossings analysis that, along with community input, helped guide these recommendations, and Map 25: Trail Crossings and Renderings, page 173 to see all of the crossings and more information on types of recommended treatments.











Stream Crossings

This portion of the rail corridor includes three stream crossings: Buffalo Creek just north of Orange Factory Rd., the Flat River just south of Bahama Rd., and a tributary of Lake Michie just south of Ball Rd. The conditions at these crossings are not currently accessible for observation, but additional infrastructure such as culverts, new bridges, or boardwalks may be required. Final trail design and construction will depend on regulatory review, permitting, engineering, and coordination with environmental resource agencies. (See Map 29: Bahama Focus Area Map, page 217.)





FOCUS AREA: ROUGEMONT

The Rougemont Focus Area travels 5.5 miles from Ball Rd. to the Durham/Person County line, traveling through the Rougemont community and adjacent to NC State Hill Forest. This segment includes the historic Rougemont Depot and will eventually connect to the Person County portion of the Durham-to-Roxboro Rail Trail that begins at the Person County line and travels to the City of Roxboro. (See Map 30: Rougemont Focus Area Map, page 229.)

Community feedback in the Rougemont Focus Area was mixed: many welcomed a trail in northern Durham County, while others raised concerns about loss of privacy, crime and safety, and impacts on private property. These concerns were most pronounced among owners whose properties abut the corridor. Community groups, including the Rougemont Ruritan Club, participated throughout the planning process to provide input.

Rougemont Focus Area Key Facts

Section Extent: Ball Rd. to Durham/Person County Line

Segment Length: 5.5 Miles

Key Features: Rougemont, Historic Rougemont Depot, NCSU Hill Forest

Proposed Trailheads

Rougemont Trailhead

Proposed Trail Connectors


None

Trail Crossings

- · Quail Roost Rd.
- · Moores Mill Rd.
- · Red Mountain Rd.
- · Harris Mill Rd.

Stream Crossings

None



Trailhead Recommendations

At the intersection of Red Mountain Rd. and the rail corridor, the wider rail right-of-way provides an ideal location for a **Rougemont Trailhead** to serve the northern section of the Durham-to-Roxboro Rail Trail and the Rougemont community. The conceptual design includes parking for 40–50 vehicles, an informational kiosk and plaza, and a restroom building. A security gate would limit parking use to daylight hours.

South of the Red Mountain Rd. crossing, a bike and pedestrian traffic-calming circle featuring public art and interpretive signage celebrating local history is proposed to enhance safety and the overall user experience. (See Exhibit 43: Rougemont Trailhead Conceptual Design, page 231.)

Meetings were held with a private property owner in Rougemont to explore how their commercially zoned parcel could interface with the trail, including a concept for a Rougemont Market adjacent to the corridor. Preliminary conceptual designs were developed and are under consideration by the property owner. As the development of the rail trail progresses, this and other opportunities for trail-oriented development in the Rougemont area should continue to be explored to support community-focused amenities.





Trail Connector Recommendations

There are no proposed trail connectors within the Rougemont Focus Area. Although North Carolina State's Hill Forest is adjacent to the rail corridor, the forest management team did not support a connection to the rail trail at the time of the planning study due to concerns about forest management and visitor experience. However, opportunities for informational and safety signage, as well as interpretive elements, should be explored in partnership with NC State if the trail is constructed.



Trail Crossings

This section includes four crossings. Harris Mill Rd. is recommended as unsignalized crossings (Type A) with pavement markings and signs including a high-visibility crosswalk and trail crossing sign, as well as an advance warning sign of trail crossing.

The remaining crossings (Quail Roost Rd., Moores Mill Rd., and Red Mountain Rd.) are all recommended as unsignalized (Type A) or signalized (Type B) treatments. As such, they should receive further investigation at a future phase of design.

As this is a rural context, the appropriate signalized treatment would be a user-activated flashing sign (Rectangular Rapid Flashing Beacon) with a high-visibility crosswalk and trail crossing sign, as well as advance warning sign of trail crossing.

Specific considerations for each crossing are listed below.

- Quail Roost Rd.: Crossing is located on a curve. Visibility will need to be considered in the design and additional treatments may be needed.
- Moores Mill Rd.: Even though this
 is a high speed road, the crossing
 is located near the intersection
 with NC 501, which provides
 traffic calming as vehicles need
 to stop at the intersection.
- Red Mountain Rd.: This crossing is located in a commercial hub, and there could be more development in the future.
- Harris Mill Rd.:
 - Harris Mill Rd. is a no outlet road, with very low traffic volumes.
 - Shifting the crossing southwest will require less grading.

See Section 2.3 Trail Crossings, page 84 for the crossings analysis that, along with community input, helped guide these recommendations, and Map 25: Trail Crossings and Renderings, page 173 to see all of the crossings and more information on types of recommended treatments.

Stream Crossings

There are no stream crossings in the Rougemont Focus Area.



THE TRAIL, I WANT TO

Ride my bike with others! Let's g00000!

Durham-to-Roxboro

05

Implementation

This section describes the steps for advancing the Durham-to-Roxboro Rail Trail from planning through design, construction, and long-term operation. It covers trail phasing and segment recommendations, potential funding sources, strategies for implementation, operations and maintenance, and safety considerations.

Successful implementation depends on acquiring the rail corridor from Norfolk Southern through The Conservation Fund and on formal adoption of the plan by the Durham County Board of Commissioners and Durham City Council. Following adoption, the project will move into design and engineering, which may refine or adjust the plan's recommendations.

IN THIS CHAPTER:

- 5.1 Trail Implementation and Project Cutsheets
- 5.2 Trail Implementation Considerations
- 5.3 Implementation Strategy and Process
- 5.4 Role of Durham County and City of Durham
- 5.5 Trail Identity
- 5.6 Operations & Maintenance
- 5.7 Safety Considerations and Recommendations
- 5.8 Potential Funding Sources
- 5.9 Conclusion & Next Steps

TRAIL IMPLEMENTATION AND PROJECT CUTSHEETS

The trail Implementation plan provides a roadmap for how the Durham-to-Roxboro Rail Trail Plan can move from vision to reality. Because the full 18.2-mile corridor represents a major investment, implementation will occur in stages based on factors such as community priorities, ease of construction, funding availability, and opportunities to leverage partnerships. A flexible and opportunistic approach that capitalizes on available funding and partnerships will be essential to deliver a project of this scale.

Based on the plan findings, the Project Management Team identified six distinct segments for trail development. These segments differ from the five planning sections previously outlined in the study, reflecting a shift from conceptual planning to implementation-focused sequencing for eventual full trail development. (See Map 31: Trail Implementation Overview Map, page 237.)

The following cutsheets detail the six recommended trail segments. Each cutsheet includes maps, planning-level cost estimates, anticipated permitting needs, potential funding sources, and conceptual graphics that illustrate design intent and opportunities. With phased implementation in mind, the cutsheets are designed as stand-alone summaries for each trail segment and some information is intentionally repeated across all cutsheets.

GUIDE FOR ESTIMATED PROJECT COSTS:

Top Section (orange)

Estimated costs for trail construction, including bridge repair or replacement if needed and trail crossings, are provided. The low and high estimate columns reflect variability in crossing treatments (see Exhibit 25: Recommended Crossing Treatments, page 171). Soft costs and inflation adjustments are listed separately.

Middle Section (green)


Estimated costs are provided for trail enhancements, including ancillary improvements (underpasses), proposed trailheads, and trail connections. Soft costs and inflation adjustments are listed separately.

Lower Section (blue)

Total estimated costs for the trail, trail crossings, and enhancements, including inflation adjustments.

Note: The cutsheets include a summary of planning-level cost estimates. These estimates are for planning purposes only and are not based on engineering design. They include erosion and sediment control. They exclude costs for temporary construction easements, permanent easements, right-of-way acquisition, and utility coordination and relocation. Soft costs including contingency, design and permitting and construction, engineering and inspection (CEI) are listed separately.

The estimates assume no LAP funding. If pursuing LAP funding with federal grants, add a 10% NCDOT administration fee to the project cost. Because trail construction will likely span multiple years, inflation adjustments are provided for 5-, 10-, and 15-year scenarios. For the more detailed planning-level cost estimates, see Appendix A5: Planning-level cost estimates for trail segments, page 320.



SEGMENT 1: AVONDALE RD. UNDERPASS TO HAMLIN RD.

Location and Trail Length

Avondale Rd. underpass to Hamlin Rd. (3.47 miles)

- 100% in Urban Growth Boundary (as of Sept. 2025)
- 86% percent in City of Durham (as of Sept. 2025)

Trail Type

12-14 foot wide asphalt shared-use path

Structure Required

Partial or full rebuild of bridge at Ellerbe Creek

At-Grade Crossings

- E. Club Blvd. Signalized (either RRFB or PHB)
- Roanoke St. Unsignalized (Yield sign)
- Dearborn Dr. Signalized (either RRFB or PHB)
- Thompson Rd. Unsignalized or Signalized (either Yield sign, RRFB, or PHB)

Underpass Improvements

- · 1-85 underpass
- · Camden Ave. underpass

Trailheads

- · Camden Ave.
- · E. Club Blvd.

Trail Connections

- · N. Ellerbe Creek Trail (greenway, 1.4mi.)
- · Red Maple Trail (sidewalk, 0.2mi.)
- · Bragtown Trail (sidewalk, 0.3mi.)

Key Connections and Destinations

Downtown Durham, American Tobacco Trail, Durham Rail Trail, proposed R. Kelly Bryant Trail, Northgate Park, proposed Goose Creek Trail, proposed North Ellerbe Creek Trail, Red Maple Park, Bragtown, Lakeview Park, Lakeview Secondary School, Bragtown Branch Library, Go Durham bus stops, East Coast Greenway (shared route)

Possible Acquistion Needs


- Rail corridor ROW (currently being acquired)
- Temporary Construction Easement, Permanent Easement, and Supplemental ROW (Necessity/extents determined during Design and Construction phase)

Permitting Requirements

- · Floodplain Development Permit
- · NCDOT Encroachment Agreement
- Duke Transmission Encroachment Agreement
- · Erosion and Sediment Control Permit
- USACE 404 Permit
- NCDEQ 401 Water Quality Permit
- · Durham Stormwater Development Review
- · Durham Site Plan Review
- · Durham Construction Drawing Review

Jurisdiction and Key Partners

The segment is primarily within the current City of Durham municipal boundaries and fully within the Urban Growth Boundary where future annexation is likely to occur. Partners include City of Durham, Durham County, NCDOT, The Conservation Fund, East Coast Greenway Alliance, Bragtown Community Association, and Ellerbe Creek Watershed Association (if active).



Potential Funding Sources

- Federal grants, such as BUILD, ATIIP, RCP, CMAQ, CRP
- · Recreational Trails Program (RTP)
- Transportation Alternatives Set-Aside Program (TA)
- NC Parks and Recreation Trust Fund (PARTF)
- NC Great Trails State Program (GTSP)
- · Private grants, such as Golden Leaf

Next Steps

- The Conservation Fund will acquire the rail line and convey it to NCDOT.
- NCDOT will develop an MOU with Durham County and/or the City of Durham to manage the corridor and future trail.
- Apply for funding for design and/ or construction which may include consideration through TIP/STIP process.
- Advance into next phases of design to provide a more accurate cost estimate and better position the project for grant opportunities.
- Estimated cost for design and permitting for this segment is \$550,684 to \$1,151,477. See Appendix A5 for details.



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.

ESTIMATED PROJECT COSTS - SEGMENT 1: AVONDALE RD. UNDERPASS TO HAMLIN RD.

IMPLEMENTATION SEGMENT	1			
TRAIL ONLY (3.47 MILES)		LOW EST.	HIGH EST.	
TRAIL		\$3,671,230.50	\$3,671,230.50	
IMPROVEMENTS TRAIL CROSSINGS		\$149,900.00	\$401,900.00	
TRAIL CROSSINGS		\$3,821,130.50	\$4,073,130.50	SUBTOTAL
SOFT COSTS		ψ3,021,130.30	ψ-1,075,150.50	SOBIOTAL
CONTINGENCY,				
DESIGN &		\$2,292,678.30	\$2,443,878.30	
PERMITTING, CEI		\$6,113,808.80	\$6,517,008.80	2025 TOTAL
INFLATION FACTOR		4 5)5) 5 5 5 5	+ 0,011,000100	
5 YEARS	4%	\$7,438,383.22	\$7,928,937.67	2030 TOTAL
10 YEARS	4%	\$9,049,930.54	\$9,646,765.03	
15 YEARS	4%	\$11,010,624.25	\$11,736,764.67	2040 TOTAL
IMPLEMENTATION SEGMENT	I TDAII ENU	ANCEMENTS		
ANCILLARY	I - IKAIL LINII/	ANCEMENTS		
IMPROVEMENTS			\$800,000.00	
TRAILHEADS			\$2,500,000.00	
CONNECTIONS			\$90,600.00	
			\$3,390,600.00	SUBTOTAL
SOFT COSTS				
CONTINGENCY,				
DESIGN &			\$2,034,360.00	SUBTOTAL
PERMITTING, CEI			\$5,424,960.00	2025 TOTAL
INFLATION FACTOR			\$5,424,500.00	2025 TOTAL
5 YEARS	4%		¢c coo 207 77	2070 TOTAL
10 YEARS	4%		\$6,600,293.33 \$8,030,266.04	
15 YEARS	4%		\$9,770,046.48	
13 12/113	-170		ψ3,770,040.40	2040101712
IMPLEMENTATION SEGMENT		LOW EST.	HIGH EST.	
TRAIL + TRAIL ENHANCEMEN	NIS			2025 GRAND
		\$11,538,768.80	\$11,941,968.80	TOTAL
		\$14,038,676.55	\$14,529,231.00	2030 GRAND TOTAL
		\$17,080,196.57	\$17,677,031.07	2035 GRAND TOTAL
		\$20,780,670.73	\$21,506,811.15	2040 GRAND TOTAL

SEGMENT 2: HAMLIN RD. TO PENNY'S BEND

Location and Trail Length

Hamlin Rd. to Penny's Bend (1.75 miles)

- 91% in Urban Growth Boundary (as of Sept. 2025)
- 0% percent in City of Durham (as of Sept. 2025)
- Trail corridor abuts land within the City boundary.

Trail Type

12-14 foot wide asphalt shared-use path

Structure Required

One existing railroad bridge at Eno River

At-Grade Crossings

- Hamlin Rd. Unsignalized or Signalized (either Yield sign, RRFB, or PHB)
- Commercial Driveway Unsignalized (Yield sign)

Trailheads

· Penny's Bend

Trail Connections

- · Sandy Ridge School (sidewalk, 0.7 mi.)
- · MST connector (greenway, 0.2 mi.)

Key Connections and Destinations

Penny's Bend, Mountain-to-Sea Trail, proposed Cub Creek Trail, Sandy Ridge Elementary, East Coast Greenway (shared route)

Possible Acquistion Needs


- Rail corridor ROW (currently being acquired)
- Temporary Construction Easement, Permanent Easement, and Supplemental ROW (Necessity/extents determined during Design and Construction phase)

Permitting Requirements

- · Floodplain Development Permit
- · NCDOT Encroachment Agreement
- Duke Transmission Encroachment Agreement
- Erosion and Sediment Control Permit
- · USACE 404 Permit
- · NCDEQ 401 Water Quality Permit
- Durham Stormwater Development Review
- · Durham Site Plan Review
- Durham Construction Drawing Review

Jurisdiction and Key Partners

While the trail corridor is currently outside of the municipal boundary, a significant portion of this trail segment (91%) is within the Urban Growth Boundary where future annexation is likely to occur. Key implementation partners include City of Durham, Durham County, NCDOT, The Conservation Fund, East Coast Greenway Alliance, Friends of the Mountain-to-Sea Trail, US Army Corp of Engineers (USACE), and NC Wildlife Resources Commission.



Potential Funding Sources

- · Federal grants, such as BUILD, ATIIP, RCP, CMAQ, CRP
- · Recreational Trails Program (RTP)
- Transportation Alternatives Set-Aside Program (TA)
- · NC Parks and Recreation Trust Fund (PARTF)
- NC Great Trails State Program (GTSP)
- · Private grants, such as Golden Leaf

Next Steps

- · The Conservation Fund will acquire the rail line and convey it to NCDOT.
- · NCDOT will develop an MOU with Durham County and/or the City of Durham to manage the corridor and future trail.
- Apply for funding for design and/ or construction which may include consideration through TIP/STIP process.
- Advance into next phases of design to provide a more accurate cost estimate and better position the project for grant opportunities.
- · Continue coordination with the US Army Corps of Engineers and NC Wildlife Resources
- · Estimated cost for design and permitting for this segment is \$345,685 to \$607,262. See Appendix A5 for details.



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.



Preliminary conceptual design. Final design subject to change based on engineering, survey data, and regulatory review.

ESTIMATED PROJECT COSTS - SEGMENT 2: HAMLIN RD. TO PENNY'S BEND

IMPLEMENTATION SEGMENT 2 TRAIL ONLY (1.75 MILES)		LOW EST.	HIGH EST.	
TRAIL		\$2,304,572.55	\$2,304,572.55	
IMPROVEMENTS				
TRAIL CROSSINGS		\$14,700.00	\$113,350.00	CLIDTOTAL
COFT COSTS		\$2,319,272.55	\$2,417,922.55	SUBTOTAL
SOFT COSTS				
CONTINGENCY, DESIGN & PERMITTING, CEI		\$1,391,563.53	\$1,450,753.53	
		\$3,710,836.08	\$3,868,676.08	2025 TOTAL
INFLATION FACTOR		+-1	4-1	
5 YEARS	4%	\$4,514,799.49	\$4,706,835.98	2030 TOTAL
10 YEARS	4%	\$5,492,943.90	\$5,726,585.66	
15 YEARS	4%	\$6,683,006.14	\$6,967,267.06	
IMPLEMENTATION SI	EGMENT 2 - TRAIL ENHA	NCEMENTS		
ANCILLARY IMPROVEMENTS				
TRAILHEADS			\$2,500,000.00	
CONNECTIONS			\$147,000.00	
			\$2,647,000.00	SUBTOTAL
SOFT COSTS				
CONTINGENCY,				
DESIGN &			\$1,588,200.00	SUBTOTAL
PERMITTING, CEI				
			\$4,235,200.00	2025 TOTAL
INFLATION FACTOR				
5 YEARS	4%		\$5,152,768.37	2030 TOTAL
10 YEARS	4%		\$6,269,130.60	2035 TOTAL
15 YEARS	4%		\$7,627,355.93	2040 TOTAL
1. 4. E.				
IMPLEMENTATION SI TRAIL + TRAIL ENHA		LOW EST.	HIGH EST.	
		\$7,946,036.08	\$8,103,876.08	2025 GRAND TOTAL
		\$9,667,567.86	\$9,859,604.35	2030 GRAND TOTAL
		\$11,762,074.50	\$11,995,716.25	2035 GRAND TOTAL
		\$14,310,362.07	\$14,594,623.00	2040 GRAND TOTAL

SEGMENT 3: PENNY'S BEND TO RHODODENDRON DR.

Location and Trail Length

Penny's Bend to Rhododendron Dr. (3.66 miles)

- 60% in Urban Growth Boundary (as of Sept. 2025)
- 0% percent in City of Durham (as of Sept. 2025)
- Trail corridor abuts land within the City boundary

Trail Type

12-14 foot wide asphalt shared-use path

Structure Required

One existing railroad bridge at Little River

At-Grade Crossings

- Residential Driveway Unsignalized (Yield sign; livestock may warrant future consideration)
- Old Oxford Rd. Unsignalized or Signalized (either Yield sign or RRFB)
- Rhododendron Dr. Unsignalized (Yield sign)

Trail Connections

 Schools and Catawba Trail Farm (sidewalk & greenway, 1.9 mi.)

Key Connections and Destinations

Little River Elementary, Lucas Middle School, Durham Technical College, Catawba Trail Farm, the historic location of the Great Trading Path, East Coast Greenway (shared route)

Possible Acquistion Needs


- Rail corridor ROW (currently being acquired)
- Temporary Construction Easement, Permanent Easement, and Supplemental ROW (Necessity/extents determined during Design and Construction phase)

Permitting Requirements

- · Floodplain Development Permit
- · NCDOT Encroachment Agreement
- Duke Transmission Encroachment Agreement
- Erosion and Sediment Control Permit
- · USACE 404 Permit
- · NCDEQ 401 Water Quality Permit
- Durham Stormwater Development Review
- · Durham Site Plan Review
- Durham Construction Drawing Review

Jurisdiction and Key Partners

While the trail corridor is currently outside of the municipal boundary, a significant portion of this trail segment (60%) is within the Urban Growth Boundary where future annexation is likely to occur. Key implementation partners include City of Durham, Durham County, NCDOT, The Conservation Fund, East Coast Greenway Alliance, US Army Corp of Engineers (USACE), NC Wildlife Resources Commission, and Urban Community AgriNomics (UCAN).



Potential Funding Sources

- Federal grants, such as BUILD, ATIIP, RCP, CMAQ, CRP
- · Recreational Trails Program (RTP)
- Transportation Alternatives Set-Aside Program (TA)
- NC Parks and Recreation Trust Fund (PARTF)
- NC Great Trails State Program (GTSP)
- · Private grants, such as Golden Leaf

Next Steps

- The Conservation Fund will acquire the rail line and convey it to NCDOT.
- NCDOT will develop an MOU with Durham County and/or the City of Durham to manage the corridor and future trail.
- Apply for funding for design and/ or construction which may include consideration through TIP/STIP process.
- Advance into next phases of design to provide a more accurate cost estimate and better position the project for grant opportunities.
- Continue coordination with the US Army Corps of Engineers and NC Wildlife Resources
- Estimated cost for design and permitting for this segment is \$657,048 to \$709,128.
 See Appendix A5 for details.

ESTIMATED PROJECT COSTS - SEGMENT 3: PENNY'S BEND TO RHODODENDRON DR.

IMPLEMENTATION SEGMENT 3		LOW EST.	HIGH EST.	
TRAIL ONKY (3.66 MILES)				
TRAIL IMPROVEMENTS		\$4,380,321.75	\$4,380,321.75	
TRAIL CROSSINGS		\$25,050.00	\$47,200.00	
·		\$4,405,371.75	\$4,427,521.75	SUBTOTAL
SOFT COSTS				
CONTINGENCY,				
DESIGN &		\$2,643,223.05	\$2,656,513.05	
PERMITTING, CEI		*	4	
INELATION FACTOR		\$7,048,594.80	\$7,084,034.80	2025 TOTAL
INFLATION FACTOR	7.07	¢0 575 607 70	¢0.610.011.50	2070 TOTAL
5 YEARS	4%	\$8,575,693.32	\$8,618,811.50	
10 YEARS 15 YEARS	4% 4%	\$10,433,642.17 \$12,694,121.03	\$10,486,102.03 \$12,757,946.47	
IS YEARS	4%	\$12,094,121.03	\$12,757,946.47	2040 TOTAL
IMPLEMENTATION SEGMENT	3 - TRAIL ENH	IANCEMENTS		
ANCILLARY				
IMPROVEMENTS				
TRAILHEADS				
CONNECTIONS			\$483,000.00	
			\$483,000.00	SUBTOTAL
SOFT COSTS	1			
CONTINGENCY,				
DESIGN &			\$289,800.00	SUBTOTAL
PERMITTING, CEI			\$772,800.00	2025 TOTAL
INFLATION FACTOR			\$772,800.00	ZUZS TOTAL
5 YEARS	4%		\$940,229.36	2030 TOTAL
10 YEARS	4%		\$1,143,932.78	2035 TOTAL
15 YEARS	4%		\$1,391,769.14	2040 TOTAL
10 12, 11 10	170		ψι,συι, <i>τ</i> συιτ	20101017(2)
IMPLEMENTATION SEGMETN		LOW EST.	HIGH EST.	
TRAIL + TRAIL ENHANCEMEN	TS	2011 2011		2025
		¢7 001 70 / 00	\$7.0E6.077.00	2025 GRAND
		\$7,821,394.80	\$7,856,834.80	TOTAL
				2030
		\$9,515,922.68	\$9,559,040.86	GRAND
				TOTAL
		A33 FFF :	dan con con con	2035
		\$11,577,574.95	\$11,630,034.81	GRAND
				TOTAL 2040
		\$14,085,890.17	\$14,149,715.61	GRAND
		, ,	, , , , , , , , , , , , , , , , , ,	TOTAL

SEGMENT 4: RHODODENDRON DR. TO BALL RD.

Location and Trail Length

Rhododendron Dr. to Ball Rd. (3.82 miles)

- 29% in Urban Growth Boundary (as of Sept. 2025)
- 0% percent in City of Durham (as of Sept. 2025)
- Trail corridor abuts land within the City boundary

Trail Type

12-14 foot wide asphalt shared-use path

At-Grade Crossings

- Orange Factory Rd. Unsignalized or Signalized (either Yield sign or RRFB)
- Stagville Rd. (south) Unsignalized or Signalized (either Yield sign or RRFB)
- Joe Ellis Rd. Unsignalized or Signalized (either Yield sign or RRFB)
- Stagville Rd. (north) Unsignalized or Signalized (either Yield sign or RRFB)
- Bahama Rd. Unsignalized or Signalized (either Yield sign or RRFB)
- Ball Rd. Unsignalized (Yield sign)

Trail Connections

- · Horton Grove (sidewalk, 0.2 mi.)
- · Lake Michie (sidewalk & trail, 0.9 mi.)

Key Connections and Destinations

Stagville Historic Site, Horton Grove Nature Preserve, Lake Michie, Mangum Elementary, East Coast Greenway (trail divergence)

Possible Acquistion Needs


- Rail corridor ROW (currently being acquired)
- Temporary Construction Easement, Permanent Easement, and Supplemental ROW (Necessity/extents determined during Design and Construction phase)

Permitting Requirements

- · Floodplain Development Permit
- · NCDOT Encroachment Agreement
- Duke Transmission Encroachment Agreement
- · Erosion and Sediment Control Permit
- · USACE 404 Permit
- · NCDEQ 401 Water Quality Permit
- Durham Stormwater Development Review
- · Durham Site Plan Review
- Durham Construction Drawing Review

Jurisdiction and Key Partners

The segment is primarily within unincorporated Durham County and outside of the Urban Growth Boundary. Partners include Durham County, City of Durham, NCDOT, The Conservation Fund, East Coast Greenway Alliance, Triangle Land Conservancy, and Stagville Descendants Council.



Potential Funding Sources

- Federal grants, such as BUILD, ATIIP, RCP, CMAQ, CRP
- · Recreational Trails Program (RTP)
- Transportation Alternatives Set-Aside Program (TA)
- NC Parks and Recreation Trust Fund (PARTF)
- NC Great Trails State Program (GTSP)
- · Private grants, such as Golden Leaf

Next Steps

- The Conservation Fund will acquire the rail line and convey it to NCDOT.
- NCDOT will develop an MOU with Durham County and/or the City of Durham to manage the corridor and future trail.
- Apply for funding for design and/ or construction which may include consideration through TIP/STIP process.
- Advance into next phases of design to provide a more accurate cost estimate and better position the project for grant opportunities.
- Estimated cost for design and permitting for this segment is \$632,607 to \$675,008. See Appendix A5 for details.



ESTIMATED PROJECT COSTS - SEGMENT 4: RHODODENDRON DR. TO BALL RD.

IMPLEMENTATION SECTION SECTION SECTION IN 1981		LOW EST.	HIGH EST.	
TRAIL		\$4,217,382.75	\$4,217,382.75	
IMPROVEMENTS TRAIL CROSSINGS		\$44,100.00	\$154,850.00	
TRAIL CROSSINGS		\$4,261,482.75	\$4,372,232.75	SUBTOTAL
SOFT COSTS		ψ+,201,+02.75	ψ+,572,232.73	SOBIOTAL
CONTINGENCY, DESIGN & PERMITTING, CEI		\$2,556,889.65	\$2,623,339.65	
		\$6,818,372.40	\$6,995,572.40	2025 TOTAL
INFLATION FACTOR				
5 YEARS	4%	\$8,295,592.57	\$8,511,183.46	2030 TOTAL
10 YEARS	4%	\$10,092,856.78	\$10,355,156.06	2035 TOTAL
15 YEARS	4%	\$12,279,503.49	\$12,598,630.68	2040 TOTAL
IMPLEMENTATION SEC	GMENT 4 - TRAIL I	ENHANCEMENTS		
ANCILLARY IMPROVEMENTS TRAILHEADS				
CONNECTIONS			\$127,830.00	
CONNECTIONS			\$127,830.00	SUBTOTAL
SOFT COSTS			ψ127,030.00	302101712
CONTINGENCY, DESIGN & PERMITTING, CEI			\$76,698.00	SUBTOTAL
F LRIVIII IIIVO, CLI			\$204,528.00	2025 TOTAL
INFLATION FACTOR			φ20 1,320.00	2023 1017(2
5 YEARS	4%		\$248,839.58	2030 TOTAL
10 YEARS	4%		\$302,751.40	2035 TOTAL
15 YEARS	4%		\$368,343.37	2040 TOTAL
IMPLEMENTATION SECTION		LOW EST.	HIGH EST.	
		\$7,022,900.40	\$7,200,100.40	2025 GRAND TOTAL
		\$8,544,432.15	\$8,760,023.05	2030 GRAND TOTAL
		\$10,395,608.18	\$10,657,907.47	2035 GRAND TOTAL
		\$12,647,846.87	\$12,966,974.05	2040 GRAND TOTAL

SEGMENT 5: BALL RD. TO RED MOUNTAIN RD.

Location and Trail Length

Ball Rd. to Red Mountain Rd. (4.23 miles)

- 0% in Urban Growth Boundary (as of Sept. 2025)
- 0% percent in City of Durham (as of Sept. 2025)

Trail Type

12-14 foot wide asphalt shared-use path

At-Grade Crossings

- Quail Roost Rd. Unsignalized or Signalized (either Yield sign or RRFB)
- Moores Mill Rd. Unsignalized or Signalized (either Yield sign or RRFB)
- Red Mountain Rd. Unsignalized or Signalized (either Yield sign or RRFB)

Trailheads

· Rougemont

Key Connections and Destinations

Rougemont, Rougemont Train Depot

Possible Acquistion Needs


- Rail corridor ROW (currently being acquired)
- Temporary Construction Easement, Permanent Easement, and Supplemental ROW (Necessity/extents determined during Design and Construction phase)

Permitting Requirements

- · Floodplain Development Permit
- · NCDOT Encroachment Agreement
- Duke Transmission Encroachment Agreement
- Erosion and Sediment Control Permit
- · USACE 404 Permit
- NCDEQ 401 Water Quality Permit
- Durham Stormwater Development Review
- · Durham Site Plan Review
- Durham Construction Drawing Review

Jurisdiction and Key Partners

The segment is within unincorporated Durham County. Partners include Durham County, NCDOT, and The Conservation Fund.



Potential Funding Sources

- Federal grants, such as BUILD, ATIIP, RCP, CMAQ, CRP
- Recreational Trails Program (RTP)
- Transportation Alternatives Set-Aside Program (TA)
- NC Parks and Recreation Trust Fund (PARTF)
- NC Great Trails State Program (GTSP)
- · Private grants, such as Golden Leaf

Next Steps

- The Conservation Fund will acquire the rail line and convey it to NCDOT.
- NCDOT will develop an MOU with Durham County to manage the corridor and future trail.
- Apply for funding for design and/ or construction which may include consideration through TIP/STIP process.
- Advance into next phases of design to provide a more accurate cost estimate and better position the project for grant opportunities.
- Estimated cost for design and permitting for this segment is \$734,080 to \$972,355. See Appendix A5 for details.



ESTIMATED PROJECT COSTS - SEGMENT 5: BALL RD. TO RED MOUNTAIN RD.

IMPLEMENTATION SI TRAIL ONLY (4.23 MII		LOW EST.	HIGH EST.	
TRAIL		\$4,893,867.30	\$4,893,867.30	
IMPROVEMENTS TRAIL CROSSINGS		\$22,050.00	\$88,500.00	
TRAIL CROSSINGS		\$4,915,917.30	\$4,982,367.30	SLIBTOTAL
SOFT COSTS		Ψ+,515,517.50	ψ+,502,507.50	SOBIOTAL
CONTINGENCY,				
DESIGN &		\$2,949,550.38	\$2,989,420.38	
PERMITTING, CEI				
		\$7,865,467.68	\$7,971,787.68	2025 TOTAL
INFLATION FACTOR				
5 YEARS	4%	\$9,569,544.08	\$9,698,898.62	
10 YEARS	4%	\$11,642,813.58	\$11,800,193.15	2035 TOTAL
15 YEARS	4%	\$14,165,262.94	\$14,356,739.25	2040 TOTAL
	EGMENT 5 - TRAIL ENF	HANCEMENTS		
ANCILLARY				
IMPROVEMENTS TRAILHEADS			¢1 F00 000 00	
CONNECTIONS			\$1,500,000.00	
CONNECTIONS			\$1,500,000.00	SUBTOTAL
SOFT COSTS			+ 1,000,000	
CONTINGENCY,				
DESIGN &			\$900,000.00	SUBTOTAL
PERMITTING, CEI				
			\$2,400,000.00	2025 TOTAL
INFLATION FACTOR				
5 YEARS	4%		\$2,919,966.97	2030 TOTAL
10 YEARS	4%		\$3,552,586.28	2035 TOTAL
15 YEARS	4%		\$4,322,264.41	2040 TOTAL
IMPLEMENTATION SI TRAIL + TRAIL ENHAI		LOW EST.	HIGH EST.	
		\$10,265,467.68	\$10,371,787.68	2025 GRAND TOTAL
		\$12,489,511.05	\$12,618,865.58	2030 GRAND TOTAL
		\$15,195,399.87	\$15,352,779.44	2035 GRAND TOTAL
		\$18,487,527.35	\$18,679,003.66	2040 GRAND TOTAL

SEGMENT 6: RED MOUNTAIN RD. TO PERSON COUNTY LINE

Location and Trail Length

Red Mountain Rd. to Person County Line (1.28 miles)

- 0% in Urban Growth Boundary (as of Sept. 2025)
- 0% percent in City of Durham (as of Sept. 2025)

Trail Type

12-14 foot wide asphalt shared-use path

At-Grade Crossings

· Harris Mill Rd. – Unsignalized (Yield sign)

Key Connections and Destinations

Person County portion of the Durham-to-Roxboro Rail Trail, Roxboro Rotary Centennial Park (in Person County).

Possible Acquistion Needs


- Rail corridor ROW (currently being acquired)
- Temporary Construction Easement, Permanent Easement, and Supplemental ROW (Necessity/extents determined during Design and Construction phase)

Permitting Requirements

- · Floodplain Development Permit
- · NCDOT Encroachment Agreement
- Duke Transmission Encroachment Agreement
- · Erosion and Sediment Control Permit
- · USACE 404 Permit
- · NCDEQ 401 Water Quality Permit
- Durham Stormwater Development Review
- · Durham Site Plan Review
- · Durham Construction Drawing Review

Jurisdiction and Key Partners

The segment is within unincorporated Durham County. Partners include Durham County, NCDOT, The Conservation Fund, and Person County.



Potential Funding Sources

- Federal grants, such as BUILD, ATIIP, RCP, CMAQ, CRP
- · Recreational Trails Program (RTP)
- Transportation Alternatives Set-Aside Program (TA)
- NC Parks and Recreation Trust Fund (PARTF)
- NC Great Trails State Program (GTSP)
- · Private grants, such as Golden Leaf

Next Steps

- The Conservation Fund will acquire the rail line and convey it to NCDOT.
- NCDOT will develop an MOU with Durham County to manage the corridor and future trail.
- Apply for funding for design and/ or construction which may include consideration through TIP/STIP process.
- Advance into next phases of design to provide a more accurate cost estimate and better position the project for grant opportunities.
- Continue coordination with Person County.
- Estimated cost for design and permitting for this segment is \$256,789 to \$257,891. See Appendix A5 for details.

ESTIMATED PROJECT COSTS - SEGMENT 6: RED MOUNTAIN RD. TO PERSON COUNTY LINE

IMPLEMENTATION S TRAIL ONLY (1.28 MII	6	LOW EST.	HIGH EST.		
TRAIL IMPROVEMENTS			N/A	\$1,711,927.35	
TRAIL CROSSINGS			N/A	\$7,350.00	
				\$1,719,277.35	SUBTOTAL
SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI			N/A	\$1,031,566.41	
				\$2,750,843.76	2025 TOTAL
INFLATION FACTOR					
5 YEARS		4%		\$3,346,822.04	2030 TOTAL
10 YEARS		4%		\$4,071,920.75	2035 TOTAL
15 YEARS		4%		\$4,954,114.20	2040 TOTAL
IMPLEMENTATION S	EGMENT	6	LOW EST.	HIGH EST.	
			\$0.00	\$2,750,843.76	2025 GRAND TOTAL
			\$0.00	\$3,346,822.04	2030 GRAND TOTAL
			\$0.00	\$4,071,920.75	2035 GRAND TOTAL
			\$0.00	\$4,954,114.20	2040 GRAND TOTAL

5.2 TRAIL IMPLEMENTATION CONSIDERATIONS

At the direction of the Project Management Team, a high-level trail segment evaluation matrix was developed based on broad categories influencing implementation-transportation funding competitiveness, recreation funding competitiveness, environmental impact, and community support. Each implementation segment was qualitatively evaluated based on the entirety of work completed for this Plan. A maximum of four points were awarded for each category and the total score reflects the segment's relative ripeness for implementation. Segments were scored relative to each other and not against other projects that may compete for similar funding sources (e.g., a trail or linear park elsewhere in Durham County).

While every segment may not have received a high score, each segment is a critical part of advancing the regional vision for the Durham-to-Roxboro Rail Trail. As noted earlier, a flexible and opportunistic approach that leverages available funding and partnerships will be essential to deliver a project of this scale.

The criteria is defined as follows:

Funding Competitiveness for Transportation-related grants

- Criteria is based on NCDOT's scoring of bicycle and pedestrian projects through the State Transportation
 Improvement Program. Scoring is based on four categories: Connectivity (potential destinations near the
 trail), Density (population near the trail), Safety (crashes near the trail and safety benefit of the trail), and
 Cost Effectiveness (combined consideration of the other three factors in relationship to overall cost incurred
 by NCDOT). See Chapter 2.
- Per NCDOT scoring, one check-mark indicates the likeliness of a less competitive project and four checkmarks indicate the likeliness of a more competitive project based on NCDOT's scoring.
- Note: There are other opportunities for federal transportation funding in addition to the NCDOT STIP
 process. The Triangle West TPO is also responsible for programming federal funding that is directly
 suballocated to the MPO. In recent years, the USDOT has had federal discretionary grants for trail
 development, but this may be affected by current federal government priorities.

Funding Competitiveness for Recreation-related grants

- Criteria is based on scoring of multiple statewide recreation-related grants including the Recreational Trails Program, Great Trails State Program, Parks and Recreation Trust Fund, and Water Resources Water Development Grant Program. Many factors assessed in these funding programs would likely be consistent across all segments (e.g., economic need determined at the County-level). Factors with variation across segments that were considered include connectivity to other trails or parks, public support, if the trail will provide a new type of recreation for the area, potential for water-based recreation, potential for contribution to water quality, and partnerships. See Chapter 2 and 3.
- One check-mark indicates the likeliness of a less competitive project based on the factors listed above and four checkmarks indicate the likeliness of a more competitive project based on the factors listed above.

Environmental Impact

- Criteria is based on the level of environmental impact as determined through GIS analysis and visual assessment. Multiple factors were considered including stream crossings, wetlands, watershed protection overlays, plant communities, and wildlife/habitat. (See Section 2.2. Natural Environment)
- One checkmark indicates a high environmental impact. Four checkmarks indicate a low environmental impact.
- As noted earlier, the Conservation Fund (on behalf of NCDOT) has conducted Phase 1 and Phase II
 Environmental Site Assessment (ESA) and a NEPA Assessment that was completed at the end of this
 study.

Community Support

- Based on the feedback received during Phase 1 and Phase 2 community engagement (See Section 3.4 Phase 1- Community Engagement, page 132 and Section 3.5 Phase 2- Community Engagement, page 146.)
- While enthusiasm differed along the corridor, most respondents supported the trail. Concerns were more common in unincorporated Durham County. (See Phase 1 Community Survey Results in Chapter 3.4.)

Exhibit 44: Trail Segment Evaluation Matrix

Segment	Transporta- tion (Funding Competitive- ness)	Recreation (Funding Competitive- ness)	Environmen- tal (Low Im- pact)	Public Input (Community Support)	Score (4-16)	Relative Ripeness of Implementation (Low = 4-8; Medium = 9-12; High = 13-16)
Segment 1: Avodale Rd. Underpass to Hamlin Rd.	0000	0000	99	0000	14	High
Segment 2: Hamlin Rd. to Penny's Bend	000	999	999	000	12	Medium
Segment 3: Penny's Bend to Rhododendron Rd.		0000	•	000	10	Medium
Segment 4: Rhododendron Rd. to Ball Rd.	Ø	99	000	00	8	Low
Segment 5: Ball Rd. to Red Mountain Rd.	99	Ø	000	Ø	7	Low
Segment 6: Red Mountain Rd. to Person County line	Ø	0	0000	00	8	Low

5.3 IMPLEMENTATION STRATEGY AND PROCESS

This section outlines the next steps for Durham County, the City of Durham, and project partners to advance the trail's development through a phased approach. The County and City should continue working collaboratively with partners, including NCDOT, Triangle West, East Coast Greenway Alliance, and Person County, to implement the plan. A flexible and opportunistic approach will be essential to successfully undertake a project of this scale.

Key elements of implementation encompass phased trail development, establishing a clear trail identity, ongoing operations and maintenance, and incorporating safety considerations. All aspects of implementation should be informed by the goals set forth by the of Project Management Team and Project Advisory Committee at the starting of the planning study including:


- Design a welcoming rail trail for users of all ages and abilities
- Highlight the corridor's historical, cultural, environmental, and community assets
- Connect parks, schools, neighborhoods, and historic resources
- Spur economic growth through trail-oriented development
- Strengthen ties between communities along the corridor
- Enhance quality of life for residents and visitors

Community engagement carried out before and during the planning study should continue throughout implementation, with focused outreach to key stakeholder organizations such as the Bahama Ruritan Club, Bike Durham, Bragtown Community Association, Durham Open Space & Trails Commission, Durham Public Schools, Oxford-Hamlin Community Association, Rougemont Ruritan Club, and the Stagville Descendants Council.

At the close of this planning process, several key implementation steps have already been initiated or achieved:

- A corridor-wide partnership between Durham County, Person County, and other organizations was formed to enable resource-sharing and coordinated implementation across the 28.2-mile corridor.
- A feasibility study for the Person County segment of the rail corridor was completed in August 2024 and adopted by the Person County Board of Commissioners on March 17, 2025.
- The Conservation Fund is facilitating NCDOT's acquisition of the rail ROW from Norfolk Southern, extending from downtown Durham to south Roxboro, with closing expected by late 2025.

- The Conservation Fund on behalf of NCDOT, completed a Phase I Environmental Site Assessment (ESA), a Phase II Environmental Site Assessment (ESA), and a National Environmental Policy Act (NEPA) assessment in October 2025.
- NCDOT is preparing to take ownership of the corridor in 2026.
- In July 2025, Durham County was awarded a \$500,000 Great Trails
 State Program Grant for corridor acquisition.



Implementation Action Steps

A series of key steps has been identified to guide the phased advancement of the Durham-to-Roxboro Rail Trail. Although presented in general sequence, these steps are not necessarily listed chronologically and should be approached with flexibility to accommodate funding availability, coordination among project partners, evolving conditions, and emerging opportunities that may enhance the project.

Action Steps - Initial

Adopt the Durham-to-Roxboro Rail Trail Plan

The first critical step is for Durham County and the City of Durham to formally adopt the Durham-to-Roxboro Rail Trail Plan. Adoption demonstrates local government support, which is typically required to secure grant funding. It also signals official endorsement of the project's development, operations, and management. While adoption does not commit funding, it reflects a commitment to provide resources in the future, particularly as matching funds to leverage grants and other implementation opportunities.

Establish City and County Roles

The City Council and Board of County
Commissioners should identify the lead
agency for future action steps. Coordination
efforts are most successful when staff
roles are clearly identified. Maintaining
collaboration, setting meeting dates
and agendas, conducting community
engagement, pursuing grants, and
assembling funding etc., will require staff
resources, and this will be more successful
if clear responsibilities are identified. (See
Section 5.4 Role of Durham County and City
of Durham, page 270)

Establish a Cultural and Natural History Working Group

Staff should create a Cultural and Natural History Working Group that includes members of the Project Advisory Committee, Trail Identity Committee, local historians, and naturalists. Consider a partner such as Durham History Museum to provide leadership and expertise for this effort. This group will help continue community engagement, guide how the trail's history and culture are interpreted, and inform the trail identity process. (See Section 5.5 Trail Identity, page 274.)

Finalize Trail Identity

During the planning study, a Trail Identity Committee developed potential names and visual concepts for the 28.8-mile Durhamto-Roxboro Rail Trail but did not select a final name and identity. Members of the newly formed Cultural and Natural History Working Group should meet and finalize the trail's identity to guide branding, signage, and promotional efforts. (See Section 5.5 Trail Identity, page 274.)

Action Steps - Ongoing

Maintain City and County Collaboration

The City and County should continue to meet regularly to guide the trail's design and implementation, identify and pursue funding opportunities, and plan for ongoing operations and maintenance. Quarterly collaboration meetings with key organizations such as East Coast Greenway Alliance, Triangle West, NCDOT, and Person County should also occur.

Continue Community Engagement

The planning process dedicated extensive time to community engagement, generating strong public interest and momentum that should be sustained as the project moves into implementation. Continued engagement with nongovernment partners such as local boards, committees, cycling clubs, land conservancies, and other community organizations will be essential to building and maintaining support. Pop-up events and tabling throughout Durham County should also continue to keep community members informed and involved in the rail trail's progress and provide opportunities for additional comments on preliminary conceptual designs.

Expand Marketing and Public Relations

Ongoing marketing and public relations will be essential to keep the Durham-to-Roxboro Rail Trail Plan visible and supported throughout implementation. Once a trail identity is established, consistent messaging, branding, and storytelling can help build excitement, attract funding, and engage new partners. Coordinated outreach through local media, social media, and community events will showcase progress, highlight benefits, and strengthen regional pride in the project.

Establish and Maintain an Operations Fund

Durham County and the City of Durham should establish a dedicated operations fund to support ongoing trail development, maintenance, and programming. Sustained funding should also include a full-time staff position to coordinate project implementation, oversee daily operations, and ensure the rail trail remains a well-managed community asset.

Action Steps – Trail Development

Review Environmental Reports

Work with the Conservation Fund to review the Phase I Environmental Site Assessment (ESA), a Phase II Environmental Site Assessment (ESA), and a National Environmental Policy Act (NEPA) assessment that were conducted by the Conservation Fund on behalf of NCDOT as part of the acquisition process to determine if there are

any concerns identified in the final report that need to be considered for trail phasing. These studies were not completed until the end of October 2025 and therefore were not considered as part of this planning study. Refine and complete conceptual designs based on NEPA, P1, and P2 results.

Finalize Trail Phasing Schedule

Once the Conservation Fund completes the acquisition of the rail corridor, assess which trail segments are most ready for design and construction. Segments closer to downtown Durham may be more competitive for funding and attract stronger community support, while segments in northern Durham County may better address local needs for health, wellness, and recreational opportunities. Durham County, the City of Durham, and their partners should remain responsive to emerging funding opportunities and consider advancing multiple phases concurrently when feasible. (See Section 5.1 Trail Phasing & Project Cutsheets, page 236.)

Pursue and Secure Funding

Durham County, the City of Durham, and project partners should actively pursue diverse funding sources to support trail development, design, and construction. This includes leveraging federal and state grant programs, seeking support from regional and local funding initiatives, and engaging private foundations, nonprofits, and corporate sponsors. Matching funds from local governments will be critical to strengthen applications and improve competitiveness. Establishing a coordinated funding strategy will ensure long-term financial support for both construction and ongoing operations of the rail trail. (See Section 5.8 Potential Funding Sources, page 286.)

Complete Engineering and Permitting

Each phase will require survey, detailed design work, permitting processes, and the preparation of engineered construction will Permitting include documents. environmental approvals, City/County code compliance and review, NCDOT approvals, and accessibility compliance. Consultants may need to be engaged if the phase includes architectural, structural, environmental, or transportation challenges. Further acquisition needs (such as Temporary Construction Easements, Permanent Easements, Supplemental ROW) may arise during the Design and Engineering process due to circumstances that were not identified during the planning phases. Durham County and/ or the City of Durham can contract directly with a design consultant to prepare design and construction documents that meet the requirements of the anticipated construction funding source. Each project phase should follow a defined workflow for completing construction documents and securing the necessary reviews and approvals from local, state, and federal authorities. Once design is finalized, the County or City will also be able to provide an updated, more accurate cost estimate.

Advance to Construction

Once design and permitting are complete for a project phase, bid packages should be prepared for trail construction. The contracting agency will oversee the bidding process, contract award, and compliance with applicable local, state, and federal requirements. After the construction contract is awarded, construction should begin according to the approved schedule, with coordination among agencies to ensure timely delivery, quality, and safety.

Wayfinding and Signage

Once the trail identity is finalized, develop a cohesive wayfinding and signage system that includes trailheads, decision and confirmation signs, and regulatory and interpretive elements. Deliverables for this step will include design standards, location plans, messaging, and a phased implementation with cost estimates and maintenance guidance. (See Section 5.5 Trail Identity, page 274.)

Host Groundbreaking & Ribbon-Cutting Ceremonies

At the start of each trail segment development phase, organize a groundbreaking ceremony to

recognize progress and celebrate the project. Events should highlight the contributions of partner organizations, invite local media, and include elected officials to strengthen awareness and support for future phases. Upon completion of each trail segment development phase, organize a ribbon-cutting ceremony to officially open the segment. These events provide an opportunity to showcase the trail to the public, celebrate accomplishments, and reinforce the project's broader economic, recreational. and community benefits.

Action Steps - Operations

Establish an Operations and Management Plan

Operations, maintenance, and management are essential for all trail segments, ensuring the Durham-to-Roxboro Rail Trail functions as intended and remains a valued public asset. Durham County and the City of Durham should begin planning these elements early, including securing funding for ongoing maintenance. Since NCDOT will hold title to the corridor, a maintenance memorandum of understanding (MOU) with Durham County and/or the City of Durham will be required and can be adjusted over time as needs evolve. If either the City or the County is responsible for maintenance, an interlocal agreement may be necessary to provide shared funding. (See Section 5.4 Role of Durham County and City of Durham, page 270 and Section 5.6 Operations and Maintenance Framework, page 278)

Develop Trail Programming for Events and Education

The trail offers opportunities for community events that can generate revenue to support operations and maintenance. It can also serve as an outdoor classroom, allowing visitors to learn about local history, ecology, and cultural landscapes. Durham County and City of Durham should partner with schools, historical societies, and environmental organizations to provide educational programming, ensuring activities are compatible with general trail use. As an example, the American Tobacco Trail is utilized annually for a popular 10-mile running race, and a half and full marathon running race.

Monitor Trail Performance

Once a trail segment opens, project partners should assess its use and effectiveness. Evaluations can measure factors such as transportation alternatives, recreational use, and educational impact. Methods may include trail user counts, surveys, and other data collection.

Coordinate with Durham Next and Discover Durham

Both organizations have expressed interest in assisting with future enhancements to the trail such as signage, support facilities, interpretive exhibits, and public art.

5 4 ROLE OF DURHAM COUNTY AND CITY OF DURHAM

The Durham-to-Roxboro Rail Trail is the first greenway project proposed in rural Durham County, and segments from Hamlin Rd. to the north all have significant length outside of the City of Durham. The City and County have not yet determined what role each will play in the development of the trail moving forward. There are several options that should be explored and evaluated.

Option A: City of Durham as the lead agency

All existing paved greenway trails in Durham County have been developed and are maintained by the City of Durham or by the Research Triangle Foundation. As a result, all of the City's greenways are fully within the City of Durham or within the Urban Growth Boundary, and all of the Research Triangle Foundation's greenways are within Research Triangle Park. There are no greenways in rural Durham County as there is not a responsible agency.

- Pros: The City has an established greenway development and maintenance program. Staff have experience developing and maintaining greenway trails. It would be more resource efficient to have one entity responsible for all trails.
- Cons: The City has many other greenways that are currently planned or in design, and this project may be a lower priority than other projects. As a result, implementation may be delayed as the City is limited by its available financial and staff resources. The City would be unlikely to prioritize developing the segments north of the Urban Growth Boundary. If the rural segment were developed by the City, County residents would not have representation in the decision-making and governance of the corridor. There could be coordination challenges with impacts to County facilities and assets if the County did not have a financial stake in the project.

Option B: Durham County as the lead agency

Unlike most counties in North Carolina, Durham County does not have a Parks and Recreation Department. This study has been led by the Transportation Department which focuses on transportation planning and policy and does not have construction project managers, operations, or maintenance staff. However, as Durham County continues to grow and develop, the County could establish a new initiative to develop and maintain regional greenways and identify the necessary department, staffing, and resource needs.

An example of this approach is the segment of the corridor in Person County. The Person County Parks and Recreation Department is the lead agency, is providing all of the local match for acquisition, and is expected to lead the trail development phases.

- Pros: All residents have representation in the decision-making and governance of the corridor. Establishing a new initiative at the County may also set a structure for how other regional greenways could be developed. This may also align with other emerging initiatives at the County to develop and maintain County parks.
- Cons: The County would need to identify the appropriate staff and resources to start this new initiative. This will take time and additional resources leading to a delay in implementation. There could be duplication of effort with the existing City greenway program. Development of a trail within the City will require a lot of coordination with City departments due to the inclusion of traffic signals and markings, stormwater controls, sidewalk connectors, connections to DPR facilities, and impacts to utilities. These coordination issues could be challenging if the City did not have a financial stake in the project.

Option C: City of Durham and Durham County partnership

There are several examples of how municipalities and counties have collaborated on the development and maintenance of regional greenways in order to coordinate efforts, provide more funding, and be more efficient with staffing and resources. In these partnerships, counties most often are funding partners for the design and development phases, and municipalities are most often responsible for ongoing maintenance.

For example, Wake County has a regional greenways plan that identifies projects that it will help fund and develop. The County has passed county-wide greenway bonds that have raised funding for these projects. Generally, the County provides a 50% match for the development of projects in coordination with its municipalities. The municipalities then design, construct, and maintain these regional greenways both inside and outside of their municipal boundaries. The Neuse River Greenway has been developed by the County and the City of Raleigh following this model. The County does still have a Parks, Recreation, and Open Space Department and does maintain some facilities on its own such as the trailheads on the American Tobacco Trail.

Another example is the American Tobacco Trail in Chatham County. The County and the Town of Cary funded and built the trail. Now the Town of Cary maintains it, and Chatham County contributes an annual payment to the Town for a portion of the maintenance costs.

- Pros: A partnership would allow for one entity to maintain the trail to maximize efficiency and eliminate the duplication of resources and efforts. Both City and County funding resources could be used towards the trail development. The partnership could be structured to take advantage of available staff resources to lead development or maintenance to minimize delays. Both entities having a financial stake in the project would incentivize more cooperation on impacts to City and County facilities.
- Cons: Shared decision-making and governance can be challenging with partnerships. However, this could be ameliorated if there are shared values, good communication, and clear roles and responsibilities.



5.5 TRAIL IDENTITY

During the planning study, the corridor was referred to as the Durham-to-Roxboro Rail Trail, a working name that reflected its geographical span from Downtown Durham to the City of Roxboro. A key component of the planning process was to establish a distinctive identity for the full 28.8-mile corridor, including a name, visual look, and overall message. This identity development process aimed to not only ensure that the trail would resonate and be a source of pride within the community, but also meet the practical needs of marketing, funding, and future promotion. Several steps were taken to gather input, build consensus, and generate potential names and visual identities for the trail:

Phase 1 Community Engagement (January 15- March 25)


Community input was gathered through two questions in the Phase 1 survey requesting ideas for the trail name and visual identity.

Phase 1 Public Workshops Station (January 15- March 25)

A "Trail Identity Station" at the Phase 1 public workshops invited participants to provide input on the trail's purpose, themes and values, and potential names.







Formation of Trail Identity Committee (Spring 2025)

An initial Trail Identity Committee, composed of three Project Management Team members (representing Durham County Transportation, East Coast Greenway Alliance, and Triangle West) and five Project Advisory Committee members (representing Bahama Ruritan Club, Bragtown Community Association, Durham Open Space & Trails Commission, Durham Public Schools, Person County, and Stagville Descendants Council) was formed. This group reviewed the Phase 1 community input, created a rulebook for sorting through potential proposed names, and worked to generate and cull down an initial list of possible names. The committee's goal was to ensure the selected identity reflected the desires and values of the surrounding communities. (See Appendix A7. Committee Guidelines for Trail Identity, page 371.).

The Trail Identity Committee met on:

- January 28, 2025: Kick-off Meeting to establish naming guidelines
- March 18, 2025: Reviewed naming guidelines and selected top name choices
- May 23, 2025: Trail Identity naming workshop
- June 6, 2025: Review draft brand concepts
- June 30, 2025: Trail Identity
 Committee update

Consultation with Local Marketing Experts (Late Spring 2025)

After the Trail Identity Committee narrowed the list to two top names, the Project Management Team explored whether more creative or culturally rooted options could be developed. To support this, the team had informal conversations with local marketing experts from Discover Durham (Jada Harkins Andrews, Sam Kraushaar, and Margaret Pentrack), Person County (Kim Strickland and Sallie Vaughn), and Person County Tourism Development Authority (Katie Ann Brann). These conversations were intended to generate fresh ideas and marketing insights to support the trail identity process.

Project Management Team Creation of Short-List of Names (Summer 2025)

Based on committee input and discussions with the local marketing experts, the Project Management Team compiled five potential names for further exploration:

- · Waterdog Trail
- Iron Line Trail
- · Red Loam Trail

- · Durham-to-Roxboro Rail Trail (DRRT)
- · Durham-to-Roxboro (DTR) Connector

From this list, the Project Management Team selected Waterdog Trail, Iron Line Trail, and Red Loam Trail to be developed into visual identity concepts by the consultant team. These concepts included color palettes, typography, and illustrative styles intended for use in signage and promotional materials. The goal was to provide tangible visual options to support the trail naming process and facilitate meaningful feedback from the Trail Identity Committee. (See Exhibit 45: Visual Identity – Concepts.)

Exhibit 45: Trail Visual Identity – Concepts







Lessons Learned

When the draft trail identity visuals were shared with the Trail Identity Committee, several members shared concern about how this part of the process was managed and communicated. While the Project Management Team's intention was to spark new, generative and creative discussions for the Trail Identity Committee to review, committee members shared that:

- They had not been adequately involved in the decision to consult with marketing experts.
- Visual concepts had been created before the full committee had agreed on name options.
- The process didn't fully reflect the collaborative, transparent, and community-driven goals of the group.

In response, the Project Management Team paused the naming process, reflected on a new path forward, and made changes to respond to committee member concerns:

- The selection of a final trail name was removed from the scope of the plan to ensure that future decisions about the trail's identity will be made intentionally, with everyone in the room.
- The next steps were adjusted to allow for more time, open discussion, and community member review after the plan is adopted.

These changes reflect a commitment to collaboration, transparency, and ensuring that the trail's identity truly reflects the people and places it will serve.

Next Steps

While a final name and visual identity for the trail were not selected during this planning study, the foundational work completed will support future efforts. Input from community members and the Trail Identity Committee helped shape a thoughtful and values-driven approach to naming and branding.

With adoption of this plan, the Trail Identity Committee will conclude its role. Ongoing identity work will continue through the formation of a new Cultural and Natural History Working Group and will follow the naming policies of Durham County, Person County, and the City of Durham.

Cultural and Natural History Working Group

To support the continued development of the trail's identity, and to ensure that history, culture, and the environment are meaningfully integrated into future planning, a Cultural and Natural History Working Group will be established following the plan's adoption. This group will be led by Durham County, City of Durham, and East Coast Greenway Alliance and will carry forward the spirit of collaboration established during the planning process and ensure that future decisions reflect both community input and the region's cultural and natural history.

This group will:

- Meet on an ongoing basis to guide interpretive content, design decisions, trail naming, signage, and storytelling.
- Be open to all members of the former Trail Identity Committee, while also expanding to include:
 - Local historians and cultural representatives
 - · Natural resource and environmental experts
 - Representatives from organizations such as the Durham History Museum, tribal nations, and other cultural institutions
 - · Marketing and branding professionals familiar with the region

By bringing together a wide range of perspectives and expertise, this group will help ensure that the trail's identity evolves in ways that are authentic, inclusive, and deeply rooted in place.

The trail identity process so far has demonstrated how local history, shared values, and regional pride can shape the meaning and experience of a public space. While the final trail name and brand will be determined in the next phase, the planning work completed here offers a strong and inclusive starting point. With continued collaboration and guidance from the Cultural and Natural History Working Group, the trail's identity will grow to reflect the stories and communities that define this 28.2-mile corridor from Durham-to-Roxboro.

5.6 OPERATIONS AND MAINTENANCE FRAMEWORK

The Operations and Maintenance Framework outlines how the Durham-to-Roxboro Rail Trail will be sustained over time, ensuring it remains safe, functional, and welcoming for all users. It will be informed by the decisions made in the future regarding the role of Durham County and the City of Durham (See Section 5.4 Role of Durham County and City of Durham, page 270.)

This section provides a high-level framework regarding formal agreements, day-to-day strategies and actions, the expected lifespan of major trail elements, and potential funding sources to support long-term operations and upkeep.

Operations & Maintenance Agreements

Durham County and/or the City of Durham will be responsible for maintaining the trail. This will require a maintenance MOU with NCDOT, which will retain ownership of the rail corridor; the agreement can be updated over time as needs evolve and opportunities arise. (See Section 5.4 Role of Durham County and City of Durham, page 270.)



Trail Operations & Maintenance

Paved shared-use trails with trailheads, trail crossings, and signage require ongoing operations and maintenance to remain safe, accessible, and enjoyable for all users. Effective maintenance starts with sound design and durable construction.

The outline below offers a framework for routine and long-term tasks needed to operate, manage, and maintain the trail and related amenities. It is not exhaustive; requirements for the Durham-to-Roxboro Rail Trail will evolve as segments are built and the community begins using the trail.

As noted earlier, specific roles and responsibilities should be finalized once Durham County and the City of Durham define their respective roles. At that point, a detailed Operations and Maintenance Plan should be developed. Community groups, residents, businesses, and other stakeholders may also play a role in the long-term stewardship of the trail and its resources.

The following are typical routine, remedial, and seasonal maintenance tasks that should be considered when developing the detailed Operations and Maintenance Plan:

Routine Maintenance

Covers regular activities to keep the trail safe and usable, including inspections, sweeping, trash removal, opening/closing trailhead gates, tree and shrub trimming, weed control, sign upkeep and minor repairs, such as filling cracks and potholes, and maintaining lighting.

Remedial Maintenance

Addresses larger, less frequent repairs and improvements, such as resurfacing and striping, repairing boardwalks or bridges, removing invasive plant species, replacing major trail structures at trailheads or along the trail, repairing or replacing signage and wayfinding, and correcting drainage or erosion issues.

Seasonal Maintenance

Focuses on tasks tied to specific times of year, including leaf removal, storm debris cleanup, seasonal planting, mowing, and inspections following heavy rain, wind, or other extreme weather events.

According to the Rails to Trails Conservancy, agencies budget between \$2,000 to \$7,000 per mile per year for maintenance of a paved shared-use greenway. This estimate includes routine maintenance such as sweeping, spot repairs, vegetation control, and maintaining signs/marking. Cost estimates for remedial and seasonal maintenance will vary depending on required repairs or improvements and if extreme weather events occur.

Useful Life of Major Trail Elements

Trail infrastructure is composed of a variety of elements, each with a finite useful life that depends on material, design, usage, and maintenance. Understanding the expected lifespan of trail components helps with budgeting for operations, maintenance, and replacement, ensuring safety, accessibility, and a positive user experience over time.

Lifespan estimates listed below assume regular preventive maintenance and timely repairs, though environmental factors such as flooding, sun exposure, and ice can reduce the useful life of trail elements. Replacement cycles should be incorporated into longterm operations and capital planning.

Exhibit 46: Typical Useful Life of Rail Trail Elements

TRAIL ELEMENT	TYPICAL USEFUL LIFE	MAINTENANCE CONSIDERATIONS
Asphalt Trail Surface	15–25 years	Resurfacing may be needed periodically; depends on traffic and climate
Concrete Trail Surface	25–40 years	Requires crack repair and joint maintenance
Wood Boardwalk / Bridges	15-25 years	Periodic sealing, inspection, and replacement of damaged planks
Steel or Concrete Bridges	>75 years	Routine inspection and minor repairs; structural maintenance as needed
Parking Lots / Paved Areas	20–30 years	Sealcoating and crack repair recommended every 3 to 5 years
Crosswalks / Traffic Signals	15–20 years	Replace worn markings and maintain signal equipment
Trailhead Kiosks / Signage	10–15 years	Replace faded or damaged signage; maintain readability
Benches / Picnic Tables	10–20 years	Inspect for wear; replace or repair as needed
Lighting / Electrical Systems	15–25 years	Routine bulb replacement and fixture maintenance
Fencing / Railings	15–25 years	Inspect for corrosion, rot, or damage; repair or replace as needed

American Association of State Highway and Transportation Officials (AASHTO). 2024. Guide for the Development of Bicycle Facilities (5th ed.)

U.S. Department of Transportation. (2024). <u>Guide for Maintaining Active Transportation Infrastructure for Enhanced Safety</u> U.S. Department of Transportation. (2022). <u>Service Life Design for Bridges</u>

U.S. Department of Transportation (2023) FHWA Lighting Handbook

U.S. Forest Service. Plastic Wood and Alternative Materials for Trail Structures

Community Supported Maintenance

Durham County and the City of Durham should engage community members and local organizations to help support trail operations and maintenance through programs such as Adopt-a-Trail or volunteer-led work crews.

Adopt-a-Trail Program

By fostering community involvement, an Adopt-a-Trail program not only helps reduce maintenance costs but also builds a sense of ownership, pride, and ongoing stewardship among local residents and user groups. Participants commit to routine care and monitoring of a designated trail segment, which may include:

- · Picking up litter and debris
- · Reporting hazards, damaged infrastructure, or environmental concerns
- · Performing light landscaping tasks and planting flowers
- · Supporting removal of invasive plant species
- · Assisting with seasonal cleanup efforts

The City of Durham Parks and Recreation currently has an Adopt-A-Park/Trail/Garden Program (AP/T/G) that could be expanded to include some or all of the Durham-to-Roxboro Rail Trail.

Volunteer Support and Stewardship

Volunteer organizations play a crucial role in maintaining and enhancing trails by providing hands-on support for cleanup, repairs, and habitat protection. Engage groups such as the Friends of the Mountains-to-Sea Trail and Keep Durham Beautiful to help keep trail corridors clear, safe, and free of litter, while also supporting stewardship and community engagement along the route.

Funding for Operations and Maintenance

Sustaining the Durham-to-Roxboro Rail Trail over the long term requires a reliable and diversified funding strategy for operations, maintenance, and management. A combination of approaches should be pursued to establish a sustainable funding framework that ensures high-quality operations and maintenance.

Budget Allocations

Local government budgets should include dedicated funding for routine maintenance, repairs, and staffing necessary to manage the trail effectively. Regular allocations help ensure consistent upkeep and responsiveness to emerging needs.

Partnerships

Collaborative agreements with nonprofit organizations, user groups, and community partners, such as Discover Durham, the East Coast Greenway Alliance, and local "Friends" groups within Durham County, can provide additional resources and expertise to support trail maintenance. These partnerships can help leverage volunteer programs, advocacy, and shared operational responsibilities.

Endowments

Creating an endowment or reserve fund for the trail can provide long-term financial stability, supporting major repairs, replacements, or upgrades without reliance on annual budget cycles.

Outside Funding Sources

Federal and state grants, foundation funding, and other external sources can supplement local contributions for maintenance and operational needs, particularly for larger capital projects or specialized improvements.

In-Kind Services

Contributions of labor, materials, or professional services from community organizations, volunteers, and corporate partners can offset costs and provide critical support for ongoing trail upkeep. Programs such as Adopt-a-Trail or Trail Ambassadors can mobilize volunteers to help maintain the corridor, enhancing both stewardship and community engagement.



SAFETY CONSIDERATIONS AND RECOMMENDATIONS

During community engagement through the surveys, focus groups, and public workshops, citizens expressed concerns about safety, including pedestrian and cyclist safety, crime, and property rights.

In Rails-to-Trails Conservancy's multi-state study that included 7,000 trail miles with 45M annual users, only 3% of 372 trails reported any major crime in a given year.¹

Ensuring a safe and welcoming environment along the Durham-to-Roxboro Rail Trail requires a coordinated approach that should combine local public safety and law enforcement, Crime Prevention through Environmental Design (CPTED) strategies, and the engagement of Trail Ambassadors.

Public Safety and Law Enforcement

The Durham County Sheriff's Office and City of Durham Police Department will play a central role in ensuring safety along the Durham-to-Roxboro Rail Trail through regular patrols, prompt incident response, and collaboration with community partners to prevent and address crime. During the planning process, Sheriff Clarence F. Birkhead was consulted, and the Project Management Team should continue engaging Sheriff Birkhead (or the serving Sheriff) as well as the City of Durham Police Chief to develop and implement a coordinated safety plan for the trail.

Trail Ambassador Program

A Trail Ambassador program allows government agencies to enlist community volunteers to monitor trail conditions, provide safety and etiquette guidance to users, report maintenance needs, and foster a culture of stewardship along the rail trail. Examples of successful Trail Ambassador programs include, Roanoke Valley Greenways Ambassador Program (Roanoke, Virginia) and City of Knoxville Greenways Ambassador Program (Knoxville, Tennessee).

^{1.} Rails-to-Trails Conservancy. (1998). Rail-Trails and Safe Communities.

Crime Prevention through Environmental Design (CPTED)

Ensuring the safety and security of trail users is a critical component of trail planning, design, and operations. Applying the principles of Crime Prevention through Environmental Design (CPTED) can reduce opportunities for crime and enhance the sense of safety along the Durham-to-Roxboro Rail Trail. CPTED strategies emphasize the thoughtful design and management of the physical environment to promote natural surveillance, territoriality, and responsible use. Key recommendations for implementing CPTED along the trail include:

Natural Surveillance

Design trail alignments, intersections, and trailheads to maximize visibility from surrounding areas. Incorporate lighting at key locations such as trailheads, bridges, and parking areas to improve safety during early morning or evening use.

Access Control

Define entry and exit points, and where appropriate, use fencing or landscaping to guide users along the trail and restrict access to adjacent private or sensitive properties. Trailheads, parking areas, and other key facilities should be clearly delineated to reduce unauthorized access.

Maintenance and Management

Maintain vegetation, signage, and trail infrastructure to prevent hidden areas or blind spots. Regular upkeep signals active management, which can deter vandalism and misuse.

Activity Support

Encourage positive, consistent use of the trail through programming, events, and recreational opportunities. Higher levels of legitimate activity increase informal surveillance and community ownership.

Wayfinding and Signage

Clear, consistent signage supports safe navigation, informs users of rules and expectations, and reduces opportunities for conflicts or unsafe behavior.

Community Engagement

Involve adjacent property owners, local residents, and volunteer groups in stewardship programs such as Adopt-a-Trail or Trail Ambassadors. Engaged communities increase informal monitoring and support for trail safety.



In 2011 and 2012, police recorded 13 ontrail incidents per year on the American Tobacco Trail, concentrated near access points around Fayetteville Street and reflecting neighborhood crime patterns rather than trail-induced activity.²

^{2.} North Carolina Rail-Trails (2015). Social Justice as it Pertains to Safety on the American Tobacco Trail.

5 8 POTENTIAL FUNDING SOURCES

The Durham-to-Roxboro Rail Trail Plan recommendations advance a transformational project with significant recreation, health, and economic benefits for Durham County and the City of Durham. Given these benefits, the project is well-positioned to compete for a wide range of federal, state, and foundation grants that prioritize active transportation, public health, and outdoor recreation.

To maximize funding potential, a coordinated grant strategy that layers multiple sources, reducing reliance on local contributions should be developed. Local match requirements may be supported through Durham County and/or City of Durham budget appropriations and potential allocations from regional partners such Triangle West and East Coast Greenway Alliance. Strategic use of philanthropic and foundation resources could further supplement state and federal programs, strengthening the project's competitiveness and ensuring phased development remains on track.

See Exhibit 47: Grant Funding Opportunities for a detailed list of funding options. The chart includes the program name, funding agency, minimum and maximum award, split, funding type, and infrastructure notes.

Note: Federal government discretionary spending is funding that Congress and the President must approve annually through the appropriations process. It is subject to the current federal administration's priorities.

Exhibit 47: Grant Funding Opportunities

FEDERAL		Grarre			portarinties	
PROGRAM NAME	FUNDING AGENCY	MIN	MAX	SPLIT	FUNDING TYPE	INFRASTRUCTURE NOTES
Congestion Mitigation and Air Quality Improvement Program (CMAQ)	FHWA	\$100,000	N/A	80/20	Formula-based. Funds are managed and distributed by state DOTs and MPOs. Statewide CMAQ funds are administrated by NCDOT (35% of NC CMAQ). Regional CMAQ funds are distributed by air quality regions: Catawba, Great Smoky Mountains National Park, Metrolina, Rocky Mount, Triad and Triangle (5% of NC CMAQ). Subregional CMAQ funds are locally-administrated and awared at the MPO/RPO level (60% of NC CMAQ).	Eligible projects include those that reduce emissions, improve traffic flow, and enhance transit, bicycle, and pedestrian facilities like Geenways/ Multi-Use Paths.
Climate Pollution Reduction Grants (CPRG)	USEPA	\$2,000,000	\$500,000,000	No match or cost-sharing required	A combination of formula and discretionary grants. Funded by the Inflation Reduction Act. Planning grants (Phase 1) are non-competative and formulabased. Implementation grants (Phase 2) are competative and discretionary.	Infrastructure projects to facilitate public transit, micro-mobility, car sharing, bicycle, and pedestrian modes; bikeshare and bike storage/parking facilities Projects must be ID'd in Climate Priority Action Plan. CPAP developed by the Central Pines Regional Council for the Raleigh-Cary and Durham-Chapel Hill Metropolitan Statistical Areas.
Recreational Trails Program (RTP)	NCDNCR (recommendations made by the North Carolina Trails Committee)			80/20		Trail planning - motorized and non motorized trails NEW NOTE: The main priority in allocating funding is for the construction of new trails and for major maintenance of existing trails.
Reconnecting Communities Pilot (RCP) Grant Program	USDOT	\$5,000,000 (construction)	\$2,000,000 (planning) \$100,000,000 (construction)	80/20	Project must address an "eligible facility," defined as a highway or other transportation facility that creates a barrier to community connectivity.	

FEDERAL						
Surface Transportation Block Grant Program (STBG)	FHWA, FTA, Triangle West TPO	\$125,000 (design) \$1,250,000 (construction)	No more than 50% of total allocation (~ \$12M) to a single project sponsor	80/20	Formula-based. Flexible federal funding for a wide range of transportation projects, while TA funds projects focused on improving transportation assets.	Multimodal improvement projects incl. surface replacement, curb and gutter replacement, sidewalk and ADA improvements, bicycle facilities including bike lanes and shared bike/ pedestrian paths, traffic signal upgrades, and drainage improvements.
Transportation Alternatives Set- Aside Program, (TA, formally known as TAP)	NCDOT	\$20,000	\$500,000	80/20	Formula-based for funding allocation to states, with a portion suballocated based on population. A set-aside from the Surface Transportation Block Grant (STBG) program. The program is run through a state-level Local Programs Management Office. The state uses a mix of competitive and non-competitive selection processes, and funds are distributed directly by the NC Board of Transportation in accordance with departmental funding allocation procedures.	On- and off-road trail and non-motorized transportation infrastructure, including Rail-to-Trail projects. Construction only.
Carbon Reduction Program (CRP)	Triangle West TPO	\$125,000	No more than 50% of total allocation (~ \$1.4M) to a single project sponsor)	80/20	The Carbon Reduction Program (CRP), established by the Bipartisan Infrastructure Law, provides a formula-based funding for states to reduce transportation emissions, with a discretionary component allowing for flexibility in project selection and funding.	Transportation alternatives project(s) as described in 23 U.S.C. 101(a)(29) as in effect prior to the enactment of the FAST Act, 3 including the construction, planning, and design of on-road and off road trail facilities for pedestrians, bicyclists, and other nonmotorized forms of transportation;
National Endowment for the Arts Our Town Grant Program (Creative Placemaking)	NEA	\$25,000	\$150,000	50/50 minimum required match	<u>Discretionary</u>	Planning and design that integrates arts, culture, and design activities into efforts that strengthen communities over the long term.
Active Transportation Infrastructure Investment Program (ATIIP)	FHWA	\$100,000	\$15,000,000		<u>Discretionary</u>	Construction of active transportation infrastructure for an AT network or spine (\$15M max).

FEDERAL						
Better Utilizing Investments to Leverage Development (BUILD) Grant Program (formally RAISE/ TIGER)	USDOT - Office of the Secretary	\$5,000,000	\$25,000,000	80/20	Discretionary	Shared use trail networks, transit, and multimodal infrastructure are eligible; Projects should have a significant local or regional impact and increase mobility and community connectivity.
Safe Streets and Roads for All (SS4A)	USDOT - Office of the Secretary	~ \$100,000 (planning/ demo) ~ \$2.5M (implement.)	~ \$2.5M (planning/ demo) ~ \$25M (implement.)	80/20	<u>Discretionary</u>	Implementation of safety projects that address fatal and serious injury crashes and systemic needs identified in an adopted Comprehensive Safety Action Plan
Transit Oriented Development Planning (TOD)	FTA			80/20	Discretionary	Multimodal connectivity and accessibility, improved transit access for pedestrian and bicycle traffic, enable mixed-use development near transit stations.
Advanced Transportation Technology and Innovation (ATTAIN)	FHWA		\$12,000,000	80/20	<u>Discretionary</u>	Integrated corridor management systems; signal improvements; advanced mobility access and on-demand transportation service technologies; dynamic ridesharing; shared-use mobility applications
Rural Surface Transportation Grant RSTG (RST)	USDOT			50 / 50 for capital construction (80 / 20 for planning)	<u>Discretionary</u>	A project to develop, establish, or maintain an integrated mobility management system, a transportation demand management system, or on-demand mobility services
National Infrastructure Project Assistance (MEGA) Grant	FHWA				<u>Discretionary</u>	This \$5 billion competitive grant program supports multi-modal, multi-jurisdictional projects of regional or national significance. Communities are eligible to apply for funding to complete critical large projects that would otherwise be unachievable without assistance.

FEDERAL						
Land Water & Conservation Fund (LWCF)	NCDNCR	\$100,000	\$750,000		A combination of formula and discretionary grants. Formula grants are allocated to states based on a formula, while competitive grants are awarded through a separate national competition, targeting specific objectives like urban areas and underserved communities.	Created to preserve outdoor recreation and ensure future generations have the opportunity to enjoy their public lands. Construction, Maintenance, Planning/ Support.
The Transportation Infrastructure Finance and Innovation Act (TIFIA-credit assistance)	USDOT - Office of the Secretary	\$ 10,000,000	\$100,000,000	Financing for 33% to 49% of project cost, depending on project type		Eligible projects for low-interest financing include: Transit Vehicles and Facilities, Pedestrian Bicycle Infrastructure Networks, Transit-Oriented Development
Railroad Rehabilitation & Improvement Financing (RRIF)	USDOT					Can be used to finance transit-oriented development (TOD) projects
Building Resilient Infrastructure and Communities (BRIC)	FEMA					Supports states, local and territorial governments and Tribal Nations as they work to reduce their hazard risk.
SMART Grant Program	USDOT		\$ 1,000,000			The SMART program was established to provide grants to eligible public sector agencies to conduct demonstration projects focused on advanced smart community technologies and systems in order to improve transportation efficiency and safety.
Highway Safety Improvement Program (HSIP)	FHWA				<u>Formula</u>	A core Federal-aid program with the purpose to achieve a significant reduction in traffic fatalities and serious injuries on all public roads, including non-State-owned roads and roads on tribal land.

STATE						
PROGRAM NAME	FUNDING AGENCY	MIN	MAX	SPLIT	FUNDING TYPE	INFRASTRUCTURE NOTES
Safety and Education Grant (SEG)	NCDPR		\$ 5,000			Safety and Education grants may be awarded for trail-related safety and education instructor fees, speaker fees, displays, signage and other uses
Complete the Trail Program (CTP)	NCDPR				<u>Discretionary</u>	Provides funding for the planning, construction, promotion, and maintenance of state trails in North Carolina
Connecting Communities to State Trails (CCST)	NCDPR				<u>Discretionary</u>	CCST grant requests can be for the planning or development of connecting trails to the state trails system. All constructed land trails must be natural surface.
Great Trails State Program	NCDNCR		\$500,000	1	Discretionary	The Great Trails State Program provides funding for new trail development and extension of existing trails anywhere in the state of North Carolina. This includes paved trails or greenways, natural surface trails, biking trails, equestrian trails, and any other type of trail recognized by the Department of Natural and Cultural Resources.
Strategic Transportation Investments (STI)	NCDOT	\$100,000		80 / 20	<u>Formula</u>	Strategic Transportation Investments law equips the N.C. Department of Transportation to use funding efficiently and effectively to enhance infrastructure while supporting economic growth, job creation and a higher quality of life

STATE						
SPOT Safety Program	NCDOT		\$400,000		<u>Discretionary</u>	The Spot Safety Program is used to develop smaller improvement projects to address safety, potential safety, and operational issues. The program is funded with state funds and currently receives approximately \$9 million per state fiscal year
North Carolina Trails Program	NCDPR	\$ 10,000	\$ 100,000	25%	<u>Discretionary</u>	These sustainable, "shovel-ready" projects leverage local funds to meet recreational trail and trail-needs, to provide low infrastructure economic development opportunities through natural resource tourism
Parks and Recreation Trust Fund (PARTF)	NC Parks and Recreation		\$ 500,000	50 / 50	<u>Discretionary</u>	Local governments can apply to acquire land for parks and build recreational facilities for use by the public. A PARTF grant can also be used to protect the natural and scenic resources or renovate older park facilities
Environmental Grants (EEG)	NCDOJ	\$ 5,000	\$ 500,000			The EEG Program offers reimbursement grants for projects that improve North Carolina's air, water, and land quality by addressing the goals of the Smithfield Agreement.
Hazard Mitigation Grant Program (HMGP)			\$300,000	75 / 25		Eligible uses include bridge and low-water crossing replacement, critical infrastructure retrofits to reduce natural hazard risk, and bank stabilization

LOCAL/ REGIONAL COMMUNITY FOUNDATIONS						
PROGRAM NAME	FUNDING AGENCY	MIN	MAX	SPLIT	FUNDING TYPE	INFRASTRUCTURE NOTES
Durham County Matching Grants Program	Durham County		\$ 5,000	25%	<u>Discretionary</u>	The Matching Grants Program is designed to assist non-profit organizations in Durham County, both inside and outside the city limits, in preserving open space lands and promoting new or improved recreational opportunities for citizens of Durham County.
GSK IMPACT Awards	Triangle Community Foundation		\$ 50,000		<u>Discretionary</u>	This annual awards program honors up to 10 local nonprofit organizations in recognition of their exceptional achievements, overall excellence, and best practices in contributing to a healthier Triangle Region
Our Impact Cultural Arts	Triangle Community Foundation		\$ 40,000		<u>Discretionary</u>	Funding will support general operations of organizations that are doing work related to two key program goals: Increase culturally representative arts programming Increase the arts in public and community space
Our Impact Environmental Resilience	Triangle Community Foundation		\$ 40,000		<u>Discretionary</u>	Increase awareness of and education around conservation and/or climate issues Increase climate resiliency, particularly of low-income communities

LOCAL/ REGIONAL COMMUNITY FOUNDATIONS				
Our Impact Land Transaction	Triangle Community Foundation	\$ 36,000	Discretionary	Survey, environmental assessment, and legal description expenses Legal expenses Legal defense fund Baseline documentation report Stewardship endowment Conservation staff expense
Our Impact Responsive Grantmaking	Triangle Community Foundation	\$ 20,000	<u>Discretionary</u>	Support established Triangle nonprofits to maintain their capacity through a period of organizational change so they can continue providing core services and strategize how to best remain agile, innovative, and responsive to community needs moving forward.
Triangle Capacity- Building Network Grant	Triangle Community Foundation	\$ 35,000	<u>Discretionary</u>	Focuses on shifting power and providing financial resources to organizations led by and serving people of color.
Strategic Initiative Housing Affordability	Triangle Community Foundation	\$ 25,000	Discretionary	Understand and promote promising practices to increase access to safe, affordable, stable housing

PRIVATE						
PROGRAM NAME	FUNDING AGENCY	MIN	MAX	SPLIT	FUNDING TYPE	INFRASTRUCTURE NOTES
North Carolina Community Foundation (NCCF)	The North Carolina Community Foundation	Grant amounts vary by market and organization size.			Discretionary	Our community grantmaking funds a broad range of purposes to meet local needs that include human services, education, youth development, health, food/nutrition, arts, and more.
Creating New Economies Fund (CNEF)	The Conservation Fund	No Minimum	\$ 15,000		<u>Discretionary</u>	Provides direct investment in community-based efforts supporting a range of projects: ecotourism and heritage tourism, youth conservation programs, farmers markets, alternative energy production and more.
Blue Cross Blue Shield of North Carolina Foundation	Blue Cross Blue Shield of North Carolina Foundation	Grant amounts vary by market and organization size.			<u>Discretionary</u>	BCBSNC grantmaking supports: -Access to Care -Health Through Food -Youth Mental Health, Connectedness, and Resilience:
Duke Energy Foundation	Duke Energy Foundation		\$ 20,000		<u>Discretionary</u>	Suuports projects focued on strengthening and uplifting communities in three focus areas: Vibrant Economies Cimate Resiliency Opportunity and Inclusion
Golden Leaf	Golden Leaf Foundation		\$ 500,000		Discretionary	Support the development of new crops, expand markets for agriculture products, or provide training for farmers. Construction of infrastructure for public use needed for development of workforce housing (developer must be a 501(c) (3) or local government entity)

PRIVATE						
Bank of America Charitable Foundation	Bank of America	Grant amounts vary by market and organization size.			<u>Discretionary</u>	Must be aligned with our funding priorities: basic needs, income creation, stable housing, and empowering communities
Z. Smith Reynolds Community Progress Fund	Z. Smith Reynolds Foundatin	\$ 20,000	\$ 30,000		<u>Discretionary</u>	
Rails to Trails Conservancy (RTC) grants	Rails to Trails Conservancy	\$ 5,000	\$ 25,000	No match or cost-sharing required	<u>Discretionary</u>	The project must serve or plan to serve multiple user types (e.g., bicycling, walking/hiking or horseback riding) and be considered a rail-trail, greenway, multi-use trail or shared-use path.
Equitable Communities Fund	Trust for Public Land					
American Trails grants	American Trails	\$ 2,000	\$ 10,000	No in-kind or cash match required, but some match preferred.	<u>Discretionary</u>	The Trails Capacity Program supports trails that serve ALL types of trail users, motorized and nonmotorized. This includes hiking, cycling, mountain biking, trail running, access routes, horseback riding, water trails, ATVs, snowmobiling, and more.
Pay Dirt	Pay Dirt			No match or cost-sharing required	<u>Discretionary</u>	PayDirt funds groups, projects, programs, and events that aim to improve access to riding bicycles.
Trail Accelerator Grant	International Mountain Bicycling Association	\$ 10,000	\$ 30,000	1 to 1	Discretionary	Trail Accelerator grants provide a jump-start to communities that have the interest and political support to develop trail systems, but need assistance to get projects up and running.

PRIVATE					
PeopleForBikes' Bike Industry Community Grant Program	PeopleForBikes	\$ 5,000	\$10,000		Funding infrastructure projects that improve a community's City Ratings score by building connections in a lowstress bikeway network or improving access to recreational amenities.
John William Pope Foundation (JWPF)	John William Pope Foundation		No maximum	<u>Discretionary</u>	Grants funds in four core areas: public policy, education, human services, and the arts.
Joy William Pope Memorial Grant Funds	John William Pope Foundation		\$100,000	<u>Discretionary</u>	The Foundation seeks to foster innovation and model solutions across North Carolina.

5.9 conclusion


The development of the Durham-to-Roxboro Rail Trail will require time, persistence, and hard work, grounded in strong collaboration among project partners and community members. Sustaining the momentum established during the planning study is essential—through regular meetings of the project management team, continued pursuit of funding for design and construction, and intentional community engagement and promotion to ensure broad awareness and support.

To make this vision a reality, project partners should pursue multiple funding sources and cultivate public-private partnerships that can spark trail-oriented development along the corridor.

Ongoing partnership with Person County will be especially important to advance the shared vision of a 28.8-mile regional trail connecting downtown Durham-to-Roxboro.

Equally important is ensuring that the trail reflects and celebrates the communities it serves. Through efforts such as the Cultural and Natural History Working Group, or other collaborative initiatives, the integration of culture, history, and art can create a unique trail experience that honors local identity while drawing new users and visitors.

Together, these strategies will guide the transition from planning to implementation and bring the trail closer to realization.









APPENDICES

IN THIS CHAPTER:

A.1 Durham-to-Roxboro Rail Trail Plan Public Involvement Plan

A.2 Anti-Displacement Overview and Best Practice Case Studies

A.3 Design Guidance

A.4 Invasive Plants Found in the North Carolina Piedmont

A.5 Planning-Level Cost Estimates for Trail Segments

A.6: Phase 1 Community Survey Summary

A.7. Phase 2 Community Survey – Questions, Analysis, and Quotes

A.8: Committee Guidelines for Trail Identity

DURHAM-TO-ROXBORO RAIL TRAIL PLAN PUBLIC INVOLVEMENT PLAN

1. Introduction

This Public Involvement Plan (PIP) was designed to guide the community and stakeholder involvement processes for the Durham-to-Roxboro Rail Trail Plan. This PIP is intended to guide all project outreach and allow flexibility in its implementation as the project evolves. The PIP includes several aspects of the outreach effort, including:

- · Goals for public outreach
- · Public outreach phases
- · Descriptions of outreach strategies that will be used for this effort
- · Approach for evaluating the inclusivity and effectiveness of outreach efforts
- Roles and responsibilities for the Project Team comprised of the Consultant Team and Client
 Team

1.1 Public Engagement Goals

The fundamental purpose of this effort is to obtain input from community members and stakeholders to inform development of the Durham-to-Roxboro Rail Trail Plan and guide decision-making related to this process. Community members and stakeholders will be invited to articulate how trail development and implementation will impact their quality of life, pay homage to local history and culture, spur econotdevelopment in select areas where appropriate, address mobility barriers, and create a more equitable transportation network.

In line with the goals of the City of Durham Equitable Community Engagement Blueprint, the intention is to engage the public transparently and equitably, with a focus on reaching historically underrepresented communities.

The principal goals of public outreach are to:

- Implement a process that is equitable and accessible, with emphasis on uplifting the voices of priority audiences in the City and County of Durham. Priority Audiences are described on page 2 of this memo.
- 2. Create awareness of the Durham-to-Roxboro Rail Trail Plan, the public input needed, and the overall process.
- Provide a variety of methods for public participation that are accessible in terms of language, technology, literacy, location, and time so that priority groups may easily participate in the process.

- 4. Gain substantive insights from the public to inform the goals, branding, planning, design, and implementation of the Durham-to-Roxboro Rail Trail.
- 5. Present information in a manner that respects native languages and is culturally appropriate.
- 6. Communicate how the Durham-to-Roxboro Rail Trail is an equity-centered effort to reconnect communities harmed by previous transportation decisions and is in line with the larger transportation, public health, and sustainability goals of the City and County of Durham.

To ensure the efforts and outcomes are aligned with the outreach goals above, the Consultant Team will continually measure outreach and provide periodic updates on public participation throughout the planning study process.

1.2 Priority Audiences

There are two priority audiences for the Durham-to-Roxboro Rail Trail Plan community and stakeholder outreach efforts:

- Residents of the Regional Focus Areas identified in the Triangle West regional Vision Zero Safety Action Plan where there are high concentrations of populations vulnerable to transportation disadvantage, and
- · Residents within 1-mile of the Durham-to-Roxboro Rail Trail corridor.

The first priority audience is residents within the Regional Focus Areas identified in the Triangle West regional Vision Zero Safety Action Plan, shown in Figure 1. Based on the Indicators of Potential Disadvantage Methodology,

the areas with a high score, shown in orange and red, have been identified as areas with high concentrations of key populations that are vulnerable to transportation disadvantage based on socioeconomic factors and historically underrepresented in transportation decision-making. This includes:

- Black, Indigenous, and other People of Color, specifically the ACS race and ethnicity categories:
 - · Black or African American
 - · American Indian and Alaska Native
 - Asian
 - · Two or More Races
 - Hispanic or Latinx/Latine
- · Households in poverty
- · Carless households
- · Youth under 18 years old
- · Older adults over 64 years old
- · People with disabilities
- People with limited English proficiency
- · People with limited educational attainment

Additionally, community and stakeholder outreach efforts should prioritize outreach to community residents within 1-mile of the proposed Durham-to-Roxboro Rail Trail corridor, also shown in Figure 1. This will ensure that the input of those who will be most impacted by the facility guides the project planning process.




Figure Triangle West Vision Zero Action
Plan Equity Analysis: Indicators of Potential
Disadvantage

1.3 Spectrum of Engagement

The Project Team will establish clear expectations with the public about how feedback given will be integrated into the planning process. Figure 2 below depicts the Spectrum of Public Participation developed by the International Association for Public Participation (IAP2). The IAP2 Spectrum helps clarify expectations, tailor engagement activities, ensure transparency, and foster trust by defining the level of public influence and outlining meaningful ways for stakeholders to participate in the decision-making process. Full disclosure of the level of engagement is especially important when engaging with historically marginalized communities. This Plan primarily pursued engagement with activities ranging from Inform to Collaborate..




Figure 2. Spectrum of Public Participation. Source: International Association for Public Participation

2. Engagement Phases

Public outreach will take place in two major phases, described below. Each phase will include a similar combination of engagement strategies centered around a series of public workshops.

2.1 Phase 1: Existing Conditions & Discovery (anticipated December 2024 - March 2025)

In Phase 1, community engagement will focus on collecting information that is relevant to identifying and prioritizing trail planning and development recommendations through:

- Collecting existing conditions information relevant to trail design and trail access including but not limited to environmentally-sensitive areas, multimodal transportation barriers, intersecting trails and open spaces, and anticipated future development;
- Gathering qualitative input about local, cultural, and historical aspects of the study area to inform a trail name and character development; and
- Building awareness about the Durham-to-Roxboro Rail Trail Plan and future trail implementation.

2.2 Phase 2: Recommendations Review (June - September 2025)

Phase 2 will provide the public and stakeholders with opportunities to review and provide feedback on the draft recommendations developed by the Project Team (informed by engagement conducted in Phase 1). Community members will be invited to discuss:

- · The primary findings of Phase 1;
- Draft recommendations and priorities for major elements of trail development such as crossing treatments, major and minor trailhead locations, and types of trail amenities;
- · Draft recommendations for connections from the trail to nearby community destinations;
- · Additional details of design that will contribute to the character of the trail; and
- How well the Project Team listened and responded to their input and how satisfied they are with the recommendations.

3. Strategies

3.1 Project Advisory Committee (PAC)

The Project Management Team will create a PAC that the Consultant Team will engage four times over the course of the project. The general timeline and focus of each meeting is provided below:

- End of Task 2. Content: Overview of the project, role of the PAC, summary of the corridor analysis, and overview of preliminary strategies for implementation.
- End of Task 3. Content: Summary of feedback from Phase 1 of public engagement, discussion of how public involvement has/will influence design.
- · Midpoint of Task 4. Content: Discussion of framework plan and preliminary recommendations.
- · Near end of Task 5. Content: Present the final plan recommendations.

3.2 Project Website

A project website will serve as the primary source of information for the planning process. The website (www.durham2roxborotrailplan.com) will host a variety of information and engagement activities including project background information, blog posts with project updates and public event announcements, the online survey, and the draft and final plan. The Consultant Team will manage the website during the contract period, after which it will be handed over to the Client Team.

3.3 Newsletters, Press Releases, and Social Media

Content from newsletters, press releases, and social media postings will be created by the Client Team based on blog posts from the project website. The Consultant Team will not create new newsletters or social media accounts, but will rather rely on the Client Team to use their existing accounts. Anticipated social media posting will correspond to the following project milestones

- · Project kickoff announcement (once plan brand is finalized)
- · Prior to online surveys, public workshops, and pop-up events
- · Full trail brand identity is finalized
- · Draft Durham-to-Roxboro Rail Trail Plan is complete
- · Final Durham-to-Roxboro Rail Trail Plan is complete

Final social media presence will be created upon completion of the final trail brand.

3.4 Public Workshops

The Project Team will host a total of six, 2-hour workshops with three occurring during each engagement phase. These meetings will be highly interactive and provide members of the public with opportunities to give insight and/or provide feedback on multiple aspects of the planning study process as outlined in Section 2. Each workshop will use a format that minimizes slideshow presentations and emphasizes interactive stations and dialogue. A variety of mediums (e.g., illustrative graphics, interactive mapping, question-based poster boards, etc.) will be used to educate the public, convey information, and solicit input.

All workshops will be in-person. General areas for the workshops include:

- Northern Durham/Bragtown (potential locations: Bragtown Branch of Durham Public Library, Lakeview Secondary School, Braggtown Baptist Church)
- · Northern Durham County (potential locations: Bahama Ruritan Club, Rougemont Ruritan Club)
- Downtown Durham (potential locations: GoDurham bus station, Durham County Main Library)

3.5 Survey / Map

Each phase of engagement will include a public survey that is concise and easy-to-understand with a target completion time of 5-8 minutes. The content of each survey will reflect the focus of each engagement phase and will include multiple choice questions, free response questions, and an interactive map to display location-specific information and collect location-specific comments.

The surveys will be translated into Spanish and will ask respondents to provide demographic data to ensure we are reaching people from a variety of backgrounds. Participants will have the option to provide their name and email to receive project newsletters and communications. Survey promotions will include the project website, newsletters, press releases, and social media. The survey will also be administered in-person at pop-ups and public workshops.

Recommended: Depending on availability of project and/or additional funds, a survey incentive giveaway will be provided (e.g., bicycle helmet giveaway via NCDOT donation).

3.6 Public Engagement Kits

The Client Team will attend various community meetings to relay information about the project. The Consultant Team will provide a kit of materials in English and Spanish for the Client Team to use including:

- · Slide deck
- · Project one-pager
- · FAQ & instructional guide
- · Comment cards
- · Banner and tablecloth
- · Large-scale map of the trail corridor
- · Engagement and feedback materials in-line with materials used for the public workshops

3.7 Pop-Ups

The Client Team will facilitate community pop-ups to meet people where they naturally are and provide opportunities to quickly engage with and shape the planning study process. The Client Team will utilize materials from the public engagement kits to communicate project updates and gather feedback related to each phase of engagement.

The Client Team will use two types of pop-up events to engage community members at a wide array of locations:

- 1. Intercepts: The Client Team will attend and disseminate information at previously scheduled events such as local neighborhood events/festivals (e.g., Bragtown Juneteenth Celebration) or existing community rides (e.g., Ride Around Durham). The events selected will be heavily informed by and likely reach priority audiences.
- 2. Community Conversations: Local staff will host longer form pop-ups sessions where refreshments are provided (e.g., Cookies & Conversation) and participants can have an in-depth discussion about the topic which will be determined based on the engagement phase. These longer form sessions are an opportunity to engage the general public in discussions about important topics such as concerns about gentrification, equitable access to recreation for Black and Brown communities, or how government agencies can utilize funding streams to rebuild trust with marginalized communities. These types of pop-ups will be coordinated, facilitated, and evaluated by local staff. To appropriately reach priority audiences through these efforts, locations such as public parks, civic plazas, open amphitheaters, playgrounds, or community centers are recommended. These types of pop-ups may also be promoted through print media near the pop-up locations.

3.8 Focus Groups

The Client Team will recruit community leaders and agency representatives to participate in Focus Groups that will help influence the design of the trail and inform the content of the plan. It is anticipated the Client Team will engage some Focus Groups twice over the course of the project and others only once during the project, as shown below:

- · Groups to meet with twice:
 - · Stagville Descendants Council
 - · Bragtown Community Association
 - · Northern Durham County Residents
- · Groups to meet with once during the second round of engagement:
 - Environmental Groups (Eno River Association, NCSU Hill Forest, Triangle Land Conservancy, Ellerbe Creek Watershed Association)
 - · Durham Youth Ambassador Program

Format

The Project Team will listen and connect with these stakeholders as they provide critical insights into concerns, perceptions, and opportunities related to trail development and implementation. This includes in-depth discussions about how to best reach their community/constituents, what issues or challenges their communities face regarding trail access and transportation options generally, and how the Durham-to-Roxboro Rail Trail Plan can best serve their communities' needs.

The first round of Focus Groups will be held in Winter 2024 and focus on building an understanding of the planning process, learning more about the local history of the trail corridor, listening to the needs and concerns of historically underrepresented communities that are most impacted by transportation decision-making, identifying opportunities for trail character to truly reflect the community and their priorities, and collecting information about potential design or implementation challenges that this planning study will need to address.

The second round of Focus Groups will occur in Summer 2025, after planning study recommendations have been drafted. In these discussions, the Project Team will ask participants to react to draft recommendations and identify potential concerns with their respective communities or agencies. This information will be used to either validate or refine the plan's recommendations and priorities to ensure an equitable and inclusive final product.

Logistics

Focus Groups will not be publicly advertised, rather the Client Team will invite participants personally or through their organization. Where appropriate, community leaders and agency representatives may be asked to invite an additional participant (e.g., constituent served by local affordable housing organization) to ensure we are hearing the perspectives of not only grass top leaders, but grassroots citizens.

The Consultant Team will identify appropriate dates and locations for Focus Groups, and will assist with follow up communication after initial invitations are made by the Client Team. Locations may include libraries, community centers, or local businesses.

Recommended: Depending on availability of project and/or additional funds, all Focus Groups will include a meal and refreshments for participants.

3.9 Project Coordination Meetings

This meeting type was developed in early summer 2025, prior to Round 2 of Engagement, in response to the need for strategic coordination with groups that are not representative of the general public.

These meetings may be held with one individual stakeholder or a small group of stakeholders. Project Coordination Meetings will focus on making the stakeholder(s) aware of the Durham-to-Roxboro Rail Trail, identifying opportunities for synergy and/or potential conflicts with current or future projects by the stakeholder(s), and specific topics related to the stakeholder's area of expertise (e.g., roadway crossing discussion with Department of Transportation staff). The client team is instrumental in scheduling these meetings and will generally be the lead facilitator unless specifically noted. The consultant team will attend to provide specific information on draft recommendations.

Project coordination meetings have been identified for Durham City and County staff within Community Development Department and Development Review for Transportation Department, for Transportation (City of Durham Transportation, DCHC MPO, NCDOT Division 5, and NCDOT IMD), and the Treyburn Corporate Park.

3.10 General Information Session

This meeting type was developed in early summer 2025, prior to Round 2 of Engagement, in response to community demand and prevalence of misinformation.

These are larger events with the general public or a subset of the public (e.g., Northern Durham County) used to provide general information about the project and answer FAQs. These events are especially important opportunities for providing accurate information and addressing misinformation. The client team will schedule and facilitate these meetings with preparation assistance from the consultant team. Generally, the consultant team will not attend these sessions.

General information sessions have been identified for Northern Durham County residents and the Stagville Descendants Council.

4. Success Measures

The Project Team will document who participates in the process. In line with the City of Durham Equitable Engagement Blueprint, the intent is to center race in our equitable engagement efforts, specifically by prioritizing participation of Black, Hispanic/Latino, Indigenous, Asian, and other People of Color. Additionally, we will prioritize participation of people in low-income households and people with disabilities. During each engagement activity, the Project Team will ask for personal data from participants to ensure the process is engaging with a diverse set of residents. The data will help the Project Team identify any gaps or potential areas for improvement and serve as general metrics to measure the plan's effectiveness and overall performance. The key data considerations include:

- Race
- · Ethnicity
- Age
- Gender
- · Disability status
- · Residential ZIP code
- · Contact information
- · Income

For some engagement activities (e.g., pop-ups) it may not be feasible to collect all of these data points. At a minimum, the Project Team will seek to document the participant's residential ZIP code, race, and age.

The Project Team will also track the number and impact of engagement activities throughout the project using the following metrics:

- · Survey participation
- · Event attendees
- · Demographics of people engaged
- · Number of individuals submitting feedback
- · Participation in neighborhood events

Following the engagement phases and strategy implementation for this planning study, the project team will conduct a review of engagement activities and metrics. This includes assessment of both quantity and quality of input received from priority populations. This will include a comparison of demographics of those engaged to the project area, discussion about what worked well and did not work well, and reflections about lessons learned.

ANTI-DISPLACEMENT OVERVIEW AND BEST PRACTICE CASE STUDIES

Anti-Displacement Overview

Gentrification and displacement, while often seen in conjunction with each other, are distinct phenomena. Gentrification refers to an influx of higher income residents, who are often of a different demographic, into a lower income neighborhood. Displacement describes the process in which long-term residents of a neighborhood are pressured or forced to relocate. Displacement is often seen as a byproduct of gentrification.

Gentrification and displacement resulting from infrastructure improvements is a common and justified concern on public infrastructure projects, including trails and greenways. The gentrification of communities surrounding high-profile trail projects, such as the Atlanta Beltline and the 606 in Chicago, is well-studied, showing increases in home values and changes in the housing market close to the trail (Immergluck and Balan 2018; Smith et al. 2016).

More recently, the Rails to Trails Conservancy conducted a case study investigation of three smaller-scale trails projects in Washington D.C., Memphis, and New Orleans. Using home value and median household income as metrics, they found evidence of gentrification along each of the trails. However, their results also suggest that the effects are highly context-dependent, responding both to characteristics of the improvement and those of the community itself (Lindsey et al 2021). While these processes are context-dependent and difficult to measure, there are several indicators of gentrification and displacement that are commonly referenced across academic research and project-specific case studies. Viewing these indicators at a specific point in time, along with historical context, can provide a general picture of the risk of gentrification and displacement for a certain area. When measured over time, these indicators can provide an idea of whether these processes are taking place.

As the development of the Durham-to-Roxboro Rail Trail progresses, it will be essential to evaluate the risk of gentrification and displacement at all points along the trail. Measuring and mitigating these effects will ensure that the rail trail provides a unique trail experience while protecting the heritage and character of all communities surrounding the corridor.

Gentrification Indicators:

Economic

- Home Value (Lindsey et al 2021; Pudlin 2016)
- · Associated: property values, gross rent, home sales
- · Household Income (Lindsey et al 2021; Seattle Office of Planning and Development 2016)

Demographic Changes

- · Percentage Black Population (Pudlin 2016)
- College Education Attainment (Preis et al. 2021)
- · Changes to the Built Environment
- Redevelopment and Zoning Changes (Pudlin 2016)

Displacement Indicators:

- · Percentage of Renters (Seattle Office of Planning and Development 2016)
- Percentage Spending > 50% Income on Housing (Pudlin 2016)

Conditions in Durham County

Historical Context

It is essential to integrate the historical context of communities when evaluating the gentrification and displacement impacts of current or planned trails projects. Transportation and housing policies and practices across the United States have long failed to serve BIPOC communities. Durham County is no different, as policies with racist origins enabled the perpetration of disinvestment in certain communities. These communities often have little trust for current public projects. To rebuild this trust, any efforts to mitigate displacement associated with trail development projects must first acknowledge the history that led to these current conditions.

In Durham County, racial segregation and discrimination were historically woven into the government policies surrounding housing and transportation. In the 1920s through the 1960s, restrictive covenants – clauses included in property transactions to shape uses of the land after the sale – were a common practice to keep Black and other People of Color confined to certain neighborhoods, which invariably received lower investments and had more limited infrastructure. Starting in the 1930s, redlining codified racial segregation by favoring white-only neighborhoods for bank loans and made it extraordinarily difficult for residents of majority Black or mixed-race neighborhoods to secure loans for homes or businesses. In 1958, during the height of urban renewal and the highway construction boom, the Durham Redevelopment Commission oversaw seven projects with the goal of combating what they saw as urban decay. These seven projects disproportionately affected Black communities – including the Hayti and Northeast Central Durham neighborhoods – and disrupted those neighborhoods and the lives of those residents.

Immediately adjacent to the proposed trail, the Bragtown community has close historical ties to the families enslaved at the nearby Stagville plantation. After emancipation, many of the freed people settled in Bragtown and its proximity to Stagville reinforced the connection in the years following (Stagville Memorial Project, n.d.). It operated as an independent community until was annexed by the City of Durham in 1957. Its residents were predominantly Black and lower income, and the community received relatively low levels of investment in public amenities from the city. That history is an important part of the community's identity for many of its current residents, especially those who are direct descendants of those enslaved. (Bragtown Community Association, n.d.).

Conditions Today

As Durham continues to develop and grow outside the core of its urban area, the communities in those areas are going to continue to experience increased interest and development pressure. Broadly speaking, the communities around the Durham-to-Roxboro Rail trail – especially those that are closer to downtown, that are lower income, and whose residents are predominantly BIPOC – are at risk of gentrification and displacement.

A 2020 article in the IndyWeek describes the frustration community members feel dealing with the ongoing pressures of development and gentrification. The article describes residents who are facing rising property taxes and a lack of affordable housing, issues exacerbated by outside developers with proposals to construct subdivisions with an insignificant number of affordable units (McDonald, 2023). Many of these same sentiments were echoed in the Bragtown Focus Group conversations, with participants commenting that gentrification is already occurring in the community while many of the long-standing issues facing residents – sidewalk connectivity and roadway safety – have gone unaddressed. Bragtown residents say that gentrification is a major concern and that anything that accelerates the process, dramatically changes the demographic makeup of the community, or displaces long-time residents would be a failure.

As this project progresses, those involved should employ best practices to prevent and mitigate these processes.

Best Practice Examples

While the number of public trail projects that incorporate strategies to mitigate gentrification and displacement is limited, there are examples that showcase the kinds of practices that communities are incorporating into their projects. The projects below are still in development or have been recently completed, and so their overall impact on displacement remains to be seen, but they provide a solid foundation of the measures available.

Joe Louis Greenway, Detroit MI: 27.5-mile bike and pedestrian trail that creates a loop from the Detroit Riverfront to 23 neighborhoods across the city. Displacement mitigation and protecting housing and small businesses is a core part of the plan. Some of their key strategies were around public involvement, preventing high property taxes, and encouraging affordable housing.

 Leveraging the City of Detroit's Homeowner Property Tax Relief Fund. To prevent displacement as taxes increase, this fund provides for a full or half exemption of property taxes for income qualified homeowners.

- Connecting existing residents to Detroit's Side Lot Sales program. This program makes
 vacant lots exclusively available for adjacent homeowners to purchase for low prices. It
 prioritizes ownership of existing residents as land in the area develops.
- Aligning existing homeownership assistance programs with resident income and needs.
 Multiple programs in the area that provide subsidies, loans, and education can be adjusted to prioritize existing residents.
- · Encourage broad public participation of existing residents.

The 11th St. Bridge Park, Washington DC: proposed park along the old 11th St. Bridge connecting Washington D.C.'s Navy Yard and Anacostia neighborhoods across the Anacostia River. While not a greenway, this project is often referenced as the gold standard of equitable open space development for their commitment to anti-displacement strategies. Early on, the project developed an Equitable Development Plan to address concerns around potential gentrification and displacement. The main pursued strategies for each of their focus areas are shown below. A key finding from this project was the importance of partnerships with other organizations for the implementation of these strategies.

Housing

- Educate and inform current residents about existing programs and opportunities for support with maintaining their housing, such as tenants' rights, the Tenant Opportunity for Purchase Act, and community development financial institutions.
- Preserve and expand affordable housing through the creation and growth of the Douglass Community Land Trust, which has been securing housing units in the area.

Workforce Development

 Ensure that current residents are prioritized in the hiring process for construction and post-construction jobs of the park. The project partnered with an organization to provide construction training for existing residents with some of them receiving full-time construction jobs.

Small Businesses

• The project team formed partnerships with businesses and organizations to provide lending and technical assistance to existing and emerging small businesses.

Arts and Culture

Many of the project's efforts revolve around performing arts, culturally relevant food, and
entrepreneurs who are artists. The project sponsored large recurring events that promote
the goals of the plan. The Anacostia River Festival and Taste of the Harvest Festival are both
opportunities for the identity of the existing communities to be displayed and celebrated.
Local artists also benefited from the financial and networking opportunities provided by
the festivals.



This section contains additional, detailed guidance regarding trail design.

Railings

Railings can be used for wetlands, steep drop-offs, and other areas where needed to prevent falls. Considerations for railings include:

- Including wide "rub rails" in some settings to reduce the likelihood that a bicyclist's handlebar might be caught by the railing
- Avoid designing a wide top rail that would obstruct views for people in wheelchairs or seated on benches.
- In sensitive habitat areas railing tops need to be designed to prevent predators from perching, resting, or standing there, which could increase predation of critical species.

Lighting

Trail lighting can increase the safety and comfort of the trail at night by increasing the visibility of obstructions (fallen trees, debris, etc.) and illuminating trail users at roadway crossings to enhance their visibility to motor vehicles. Lighting is also an important consideration to support commuting trips when it is dark. Trail lighting can either be connected to an existing electrical grid or each fixture can be powered by on-fixture solar panels. Solar powered lighting can also include a charging station, which can do double duty as a backup power source for small devices in an emergency.

Trail lighting best practices include:


- · Use only dark-sky compliant lighting.
- · Avoid any lighting near sensitive habitat or areas where migrating birds are expected.
- · Use pedestrian scale fixtures (typically lower and closer together than roadway lighting).
- Focus on critical points, such as trail access points, roadway crossings, tunnels, and bridges, if lighting larger sections of the trail is not feasible.
- Avoid creating very bright and very dark areas which make it more difficult for trail users' eyes to adjust quickly enough to see.


Sight Distance of Crossings

The design guidance in this section is based on the AASHTO Guide for the Development of Bicycle Facilities, 5th Edition (2024) which includes guidance on shared use path and trail design.

All crossings should be designed in accordance with the following:

- Sight triangles: should be calculated according to the AASHTO Policy on Geometric Design of Highways and Streets ("Green Book"), depending on the design speeds of the trail and the roadway. If sufficient stopping sight distance cannot be achieved, additional traffic control such as stop signs or signals should be provided.
- · Crossing angles: The trail should cross roadways as close to 90 degrees as possible, to minimize crossing distance and potential conflicts and maximize sight distances.





Restricting Motor Vehicles

According to the American Association of State Highway and Transportation Officials (AASHTO), gates and bollards are not recommended to restrict access by motor vehicles at trail entrances unless there is a documented history of issues as gates and bollards create permanent obstacles for trail users.

The following graphics show options for design with and without bollards at crossings.




Figure X.X Road Crossing Design without Bollard(s)




Figure X.X Road Crossing Design without Bollard(s)

Additional Bollard Design Details


Where bollards or other barriers are determined to be necessary, consider the following to make the bollards as compatible as possible for all trail users:

- Spacing bollards 5- to 6-feet apart for clearance.
- Flexible or spring-mounted delineators should be used before rigid bollards to see whether they effectively dissuade unauthorized vehicle access.
- If rigid bollards are determined to be necessary, fold-down bollards should never be used
 on the trail, as they create an obstruction hazard for users. Instead, fully removable bollards
 should be used. Any hardware that is used to install the bollard shall be flush to the surface,
 so there is no obstruction when removed. A permanently affixed cover with non-slip
 surfacing that sits flush to the pavement should be used to close the opening when the
 bollard is removed.
- All effort should be made to increase the visibility of bollards, including but not limited to
 using alternating reflective banding of contrasting colors on the bollard (typically white or
 yellow), using internally lit bollards, and installing pedestrian-scale lighting.
- Rigid bollards should be a minimum of 40 inches high with a minimum diameter of 4 inches and a shy distance of 12 to-24 inches for user safety and comfort.

Bridges, Viaducts, and Boardwalks

On creek crossings, wetlands, and under or underpass locations, bridges, viaducts, and boardwalks may be needed and require specific considerations:

- The clear, unobstructed width of the trail between railings should be a preferred minimum of 12 feet.
- Structures may be designed to carry service and emergency vehicles based on the needs of the local agency.
- · The clearing height from overhead obstructions, including fencing, should be 10 feet.
- The design style of these trail features should be compatible with surrounding land uses, habitats, and adjacent developments.



 Bicycle railings shall be set no lower than 42 inches, or 48 inches from in-plane railings from the top of the riding surface.

INVASIVE PLANTS FOUND IN THE NORTH CAROLINA PIEDMONT

Below is an overview list from the North Carolina Native Plant Society. A more detailed list can be found at their website.

TREES

Ailanthus altissima (Tree-of-Heaven)

Albizia julibrissin (Mimosa)

Melia azedarach (Chinaberry)

Paulownia tomentosa (Princess Tree)

Pyrus calleryana (Bradford Pear)

Triadica sebifera (Chinese Tallow Tree)

SHRUBS

Berberis (Mahonia) bealei (Leatherleaf Mahonia)

Berberis thunbergii (Japanese Barberry)

Buddleja davidii (Butterfly bush)

Elaeagnus angustifolia (Russian Olive)

Elaeagnus pungens (Thorny Olive)

Elaeagnus umbellata (Autumn Olive)

Euonymus alata (Burning Bush)

Ligustrum japonicum (Japanese Privet)

Ligustrum sinense (Chinese Privet)

Lonicera fragrantissima (Fragrant

Honeysuckle)

Lonicera maackii (Bush Honeysuckle)

Nandina domestica (Heavenly Bamboo)

Poncirus trifoliata (Trifoliate Orange)

Rosa multiflora (Multiflora Rose)

Tamarix ramosissima (Salt Cedar)

HERBACEOUS PLANTS

Alliaria petiolata (Garlic Mustard)

Arthraxon hispidus (Small Carpetgrass)

Arundo donax (Giant Reed)

Cyperus entrerianus (Deep-rooted Sedge)

Ficaria verna (Fig Buttercup)

Glechoma hederacea (Ground Ivy)

Heracleum mantegazzianum (Giant

Hogweed)

Imperata cylindrica (Cogongrass)

Iris pseudacorus (Yellowflag Iris)

Lespedeza bicolor (Bicolor/Shrub Lespedeza)

Lespedeza cuneata (Chinese Lespedeza)

Lygodium microphyllum (Old World Climbing

Fern)

Lythrum salicaria (Purple Loosestrife)

Microstegium vimineum (Japanese Stilt Grass)

Miscanthus sinensis (Chinese Silvergrass)

Oplismenus hirtellus ssp. undulatifolius

(Wavyleaf Basketgrass)

Perilla frutescens (Beefsteak Plant)

Phalaris arundinacea (Reed Canarygrass)

Phragmites australis (Common Reed)

Phyllostachys aurea (Golden Bamboo)

Reynoutria japonica (Japanese Knotweed)

Solanum viarum (Tropical Soda Apple)

Sorghum halepense (Johnson Grass)

Stellaria media (Common Chickweed)

Youngia japonica (Asiatic Hawsbeard)

VINES

Akebia quinata (Chocolate Vine)

Ampelopsis brevipedunculata (Porcelain

Berry)

Cayratia japonica (Bushkiller)

Celastrus orbiculatus (Oriental Bittersweet)

Clematis terniflora (Sweet Autumn Virgin's

Bower)

Euonymus fortunei var. radicans (Winter

Creeper)

Hedera helix (English Ivy)

Lonicera japonica (Japanese Honeysuckle)

Persicaria perfoliata (Mile-A-Minute Vine)

Pueraria montana (Kudzu)

Tribulus terrestris (Puncturevine)

Wisteria floribunda (Japanese Wisteria)

Wisteria sinensis (Chinese Wisteria)

AQUATIC PLANTS

Alternanthera philoxeroides (Alligatorweed)

Egeria densa (Brazilian Waterweed)

Hydrilla verticillata (Hydrilla)

Ludwigia hexapetala (Creeping Water Primrose)

Myriophyllum aquaticum (Parrot feather)

Nymphoides cristata (Crested Floating Heart)

Salvinia molesta (Giant Salvinia)



DESTINATION BY DESIGN

PLANNING-LEVEL COST ESTIMATE

DURHAM-TO-ROXBORO RAIL TRAIL PLAN

LOCATION:

DESCRIPTION:

Planning Sections 1&2 - Avondale Rd. underpass to Hamlin Rd.

Implementation Segment 1 - 12'-14' asphalt

Segment Length: 3.47 miles

Town/City: <u>Durham</u> County: <u>Durham</u>

TRAIL IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
MOBILIZATION	LS	1	\$266,000.00	\$266,000.00	
CONSTRUCTION SURVEYING/STAKING	LS	1	\$166,000.00	\$166,000.00	
GRADING	LS	1	\$1,400,000.00	\$1,400,000.00	
AGGREGATE BASE COURSE	TON	9,250	\$55.00	\$508,750.00	
ASPHALT SURFACE COURSE	TON	2,800	\$140.00	\$392,000.00	
ASPHALT BINDER MIX	TON	170	\$900.00	\$153,000.00	
TEMPORARY TRAFFIC CONTROL	LS	1	\$40,000.00	\$40,000.00	
EROSION AND SEDIMENT CONTROL	LS	1	\$270,660.00	\$270,660.00	
BRIDGE REPAIR/REPLACEMENT	LF	60	\$5,000.00	\$300,000.00	ELLERBE CREEK - ASSUMES REPLACEMENT (SUBJECT TO CHANGE BASED ON STRUCTURAL ASSESSMENT)
MINOR ITEMS (5%)	LS	1	\$174,820.50	\$174,820.50	
			SUBTOTAL	\$3,671,230.50	
SOFT COSTS					
CONTINGENCY			30%	\$1,101,369.15	
DESIGN AND PERMITTING			15%	\$550,684.58	
CONSTRUCTION ENGINEERING INSPECTION (CE	EI)		15%	\$550,684.58	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE I	BELOW)		10%	N/A	
			SUBTOTAL	\$5,873,968.80	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$7,146,581.19	2030 TOTAL
	YRS	10	4%	\$8,694,908.75	2035 TOTAL
	YRS	15	4%	\$10,578,685.96	2040 TOTAL

TRAIL CROSSINGS - UNIT COSTS	Unit	Quantity	Low	High	Notes
TRAIL CROSSING - E. CLUB BLVD.	LS	1	\$64,600.00	\$141,300.00	Type B. Either RRFB or PHB. Plus crossing island.
TRAIL CROSSING - ROANOKE ST.	LS	1	\$11,600.00	\$11,600.00	Type A. Plus curb ramps.
TRAIL CROSSING - DEARBORN DR.	LS	1	\$66,350.00	\$143,000.00	Type B. Either RRFB or PHB. Plus curb & gutter and ramps.
TRAIL CROSSING - THOMPSON RD.	LS	1	\$7,350.00	\$106,000.00	Type A or B. Yield, RRFB, or PHB.
	SUBTOTAL (RANGE)	\$149,900.00	\$401,900.00		
TRAIL CROSSINGS - SOFT COSTS		Low	High		
CONTINGENCY		30%	\$44,970.00	\$120,570.00	
DESIGN AND PERMITTING		15%	\$22,485.00	\$60,285.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)	15%	\$22,485.00	\$60,285.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)	10%	N/A	N/A	
		SUBTOTAL (RANGE)	\$239,840.00	\$643,040.00	2025 TOTAL
TRAIL CROSSINGS - INFLATION FACTOR			Low	High	
YRS	5	4%	\$291,802.03	\$782,356.48	2030 TOTAL
YRS	10	4%	\$355,021.79	\$951,856.28	2035 TOTAL
YRS	15	4%	\$431,938.29	\$1,158,078.71	2040 TOTAL

ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
I-85 UNDERPASS IMPROVEMENTS	LS	1	\$500,000.00	\$500,000.00	
CAMDEN AVE. UNDERPASS IMPROVEMENTS	LS	1	\$300,000.00	\$300,000.00	
		•	SUBTOTAL	\$800,000.00	
SOFT COSTS					
CONTINGENCY			30%	\$240,000.00	
DESIGN AND PERMITTING			15%	\$120,000.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	:1)		15%	\$120,000.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$1,280,000.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$1,557,315.72	2030 TOTAL
	YRS	10	4%	\$1,894,712.68	2035 TOTAL
	YRS	15	4%	\$2,305,207.69	2040 TOTAL
		_			
TRAILHEADS	Unit	Quantity	Unit Cost	Total	Notes
MINOR TRAILHEAD - CAMDEN AVE.	LS	1	\$1,000,000.00	\$1,000,000.00	1.1 CAMDEN AVE. TRAILHEAD
MAJOR TRAILHEAD - E. CLUB BLVD.	LS	1	\$1,500,000.00	\$1,500,000.00	1.2 E CLUB BLVD. TRAILHEAD
			SUBTOTAL	\$2,500,000.00	
SOFT COSTS					
CONTINGENCY			30%	\$750,000.00	
DESIGN AND PERMITTING			15%	\$375,000.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	:1)		15%	\$375,000.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$4,000,000.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$4,866,611.61	2030 TOTAL
	YRS	10	4%	\$5,920,977.14	2035 TOTAL
	YRS	15	4%	\$7,203,774.02	2040 TOTAL
CONNECTIONS	Unit	Quantity	Unit Cost	Total	Notes
RED MAPLE PARK SIDEWALK CONNECTION	LF	1,300	\$30.00	\$39,000.00	1.2
BRAGTOWN AREA SIDEWALK CONNECTIONS	LF	1685	\$30.00	\$50,550.00	1.3
NORTHGATE PARK CONNECTOR	LF	7,128	\$30.00	\$213,840.00	1.1
			SUBTOTAL	\$303,390.00	
SOFT COSTS					
CONTINGENCY			30%	\$91,017.00	
DESIGN AND PERMITTING			15%	\$45,508.50	
CONSTRUCTION ENGINEERING INSPECTION (CE	-		15%	\$45,508.50	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	sELOW)		10%	N/A	
			SUBTOTAL	\$485,424.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$590,592.52	2030 TOTAL
	YRS	10	4%	\$718,546.10	2035 TOTAL
	YRS	15	4%	\$874,221.20	2040 TOTAL
TOTAL ESTIMATED PROJECT COSTS			Low	High	

NOTE:

 $\hbox{\it ESTIMATE IS NOT BASED ON AN ENGINEERING DESIGN, AND IS FOR PLANNING PURPOSES ONLY. } \\$

2025

2030

2035

2040

EXCLUDES COSTS ASSOCIATED WITH TEMPORARY CONSTRUCTION EASEMENTS, PERMANENT EASEMENTS, AND RIGHT-OF-WAY ACQUISITION

\$11,879,232.80 \$12,282,432.80

\$14,452,903.06 \$14,943,457.51

\$17,584,166.46 \$18,181,000.96

\$21,393,827.16 \$22,119,967.58

INFLATION ASSUMES CONSTRUCTION BID YEAR (2029).

UTILITY COORDINATION/RELOCATION COSTS UNKNOWN AND NOT INCLUDED.

 $ASSUMES \ NO \ LAP \ FUNDING. \ IF \ PURSUING \ LAP \ FUNDING \ WITH \ FEDERAL \ GRANTS, \ ADD \ NCDOT \ ADMINISTRATIVE \ FEE \ (10\%) \ TO \ PROJECT \ COST.$

Range due to options built into crossings

Range due to options built into crossings

Range due to options built into crossings.

Range due to options built into crossings.

CONSOLIDATED COST ESTIMATE

CONSOCIDANTED COST ESTIMATOR			_		
IMPLEMENTATION SEGMENT 1 - 3.47 MILES			LOW	HIGH	Notes
TRAIL IMPROVEMENTS			\$3,671,230.50	\$3,671,230.50	
TRAIL CROSSINGS			\$149,900.00	\$401,900.00	
			\$3,821,130.50	\$4,073,130.50	SUBTOTAL
SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI			\$2,292,678.30	\$2,443,878.30	
			\$6,113,808.80	\$6,517,008.80	2025 TOTAL
INFLATION FACTOR					
YRS	5	4%	\$7,438,383.22	\$7,928,937.67	2030 TOTAL
YRS	10	4%	\$9,049,930.54	\$9,646,765.03	2035 TOTAL
YRS	15	4%	\$11,010,624.25	\$11,736,764.67	2040 TOTAL

IMPLEMENTATION SEGMENT 1 - TRAIL ENHANCEMENTS								
ANCILLARY IMPROVEMENTS				\$800,000.00				
TRAILHEADS				\$2,500,000.00				
CONNECTIONS				\$303,390.00				
				\$3,603,390.00	SUBTOTAL			
SOFT COSTS								
CONTINGENCY, DESIGN & PERMITTING, CEI				\$2,162,034.00	SUBTOTAL			
				\$5,765,424.00	2025 TOTAL			
INFLATION FACTOR								
YRS	5	4%		\$7,014,519.84	2030 TOTAL			
YRS	10	4%		\$8,534,235.93	2035 TOTAL			
YRS	15	4%		\$10,383,202.91	2040 TOTAL			

IMPLEMENTATION SEGMENT 1 - FULL BUILD OUT		LOW	HIGH	
		\$11,879,232.80	\$12,282,432.80	2025 GRAND TOTAL
		\$14,452,903.06	\$14,943,457.51	2030 GRAND TOTAL
		\$17,584,166.46	\$18,181,000.96	2035 GRAND TOTAL
		\$21,393,827.16	\$22,119,967.58	2040 GRAND TOTAL



PLANNING-LEVEL COST ESTIMATE

DURHAM-TO-ROXBORO RAIL TRAIL PLAN

 LOCATION:
 Planning Sections 2.8.3 Hamlin Rd. to Penny's Bend

 DESCRIPTION:
 Implementation Segment 2 - 12'-14' asphalt

Segment Length: 1.75 miles

Town/City: <u>Durham</u> County: <u>Durham</u>

TRAIL IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
MOBILIZATION	LS	1	\$134,165.00	\$134,165.00	Hotes
CONSTRUCTION SURVEYING/STAKING	LS	1	\$83,853.00	\$83,853.00	
,	-		. ,		
GRADING	LS	1	\$942,083.00	\$942,083.00	
AGGREGATE BASE COURSE	TON	4,666	\$55.00	\$256,630.00	
ASPHALT SURFACE COURSE	TON	1,400	\$140.00	\$196,000.00	
ASPHALT BINDER MIX	TON	84	\$900.00	\$75,600.00	
TEMPORARY TRAFFIC CONTROL	LS	1	\$20,000.00	\$20,000.00	
EROSION AND SEDIMENT CONTROL	LS	1	\$136,500.00	\$136,500.00	
					ENO RIVER - ASSUMES REHABILITATION
BRIDGE REPAIR/REPLACEMENT	LF	140	\$2,500.00	\$350,000.00	(SUBJECT TO CHANGE BASED ON STRUCTURAL ASSESSMENT)
MINOR ITEMS (5%)	LS	1	\$109,741.55	\$109,741.55	
			SUBTOTAL	\$2,304,572.55	
SOFT COSTS					
CONTINGENCY			30%	\$691,371.77	
DESIGN AND PERMITTING			15%	\$345,685.88	
CONSTRUCTION ENGINEERING INSPECTION (C	EI)		15%	\$345,685.88	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE	BELOW)		10%	N/A	
			SUBTOTAL	\$3,687,316.08	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$4,486,183.81	2030 TOTAL
	YRS	10	4%	\$5,458,128.55	2035 TOTAL
	YRS	15	4%	\$6,640,647.95	2040 TOTAL

TRAIL CROSSINGS - UNIT COSTS	Unit	Quantity	Low	High	Notes
TRAIL CROSSING - HAMLIN RD.	LS	1	\$7,350.00	\$106,000.00	Type A or Type B. Either RRFB or PHB.
TRAIL CROSSING - COMMERCIAL DRIVE	LS	1	\$7,350.00	\$7,350.00	Туре А.
		SUBTOTAL (RANGE)	\$14,700.00	\$113,350.00	
TRAIL CROSSINGS - SOFT COSTS		JOBIOTAL (KANGE)	\$14,700.00 Low	3113,330.00 High	
		2004			
CONTINGENCY		30%	\$4,410.00	\$34,005.00	
DESIGN AND PERMITTING		15%	\$2,205.00	\$17,002.50	
CONSTRUCTION ENGINEERING INSPECTION ((CEI)	15%	\$2,205.00	\$17,002.50	
NCDOT ADMINISTRATION FEE (N/A, SEE NOT	E BELOW)	10%	N/A	N/A	
		SUBTOTAL (RANGE)	\$23,520.00	\$181,360.00	2025 TOTAL
TRAIL CROSSINGS - INFLATION FACTOR			Low	High	
YRS	5	4%	\$28,615.68	\$220,652.17	2030 TOTAL
YRS	10	4%	\$34,815.35	\$268,457.10	2035 TOTAL
YRS	15	4%	\$42,358.19	\$326,619.11	2040 TOTAL
ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes

ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes	
			SUBTOTAL	\$0.00		
SOFT COSTS						
CONTINGENCY			30%	\$0.00		
DESIGN AND PERMITTING			15%	\$0.00		
CONSTRUCTION ENGINEERING INSPECTION (CI	I)		15%	\$0.00		
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE	BELOW)		10%	N/A		
			SUBTOTAL	\$0.00	2025 TOTAL	
INFLATION FACTOR						
	YRS	5	4%	\$0.00	2030 TOTAL	
	YRS	10	4%	\$0.00	2035 TOTAL	
	YRS	15	4%	\$0.00	2040 TOTAL	

TRAILHEADS	Unit	Quantity	Unit Cost	Total	Notes
MAJOR TRAILHEAD - PENNY'S BEND	LS	1	\$1,500,000.00	\$1,500,000.00	
			SUBTOTAL	\$1,500,000.00	
SOFT COSTS					
CONTINGENCY			30%	\$450,000.00	
DESIGN AND PERMITTING			15%	\$225,000.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$225,000.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$2,400,000.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$2,919,966.97	2030 TOTAL
	YRS	10	4%	\$3,552,586.28	2035 TOTAL
	YRS	15	4%	\$4,322,264.41	2040 TOTAL

CONNECTIONS	Unit	Quantity	Unit Cost	Total	Notes
SANDY RIDGE SCHOOL SIDEWALK CONNECTION	LF	3,480	\$30.00	\$104,400.00	2.1
MST CONNECTOR	LF	870	\$30.00	\$26,100.00	2.2
			SUBTOTAL	\$130,500.00	
SOFT COSTS					
CONTINGENCY			30%	\$39,150.00	
DESIGN AND PERMITTING			15%	\$19,575.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$19,575.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE B	ELOW)		10%	N/A	
			SUBTOTAL	\$208,800.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$254,037.13	2030 TOTAL
	YRS	10	4%	\$309,075.01	2035 TOTAL
	YRS	15	4%	\$376,037.00	2040 TOTAL

TOTAL ESTIMATED PROJECT COSTS	Low	High	
2025	\$6,319,636.08	\$6,477,476.08	Range due to options built into crossings.
2030	\$7,688,803.58	\$7,880,840.07	Range due to options built into crossings.
2035	\$9,354,605.19	\$9,588,246.95	Range due to options built into crossings.
2040	\$11,381,307.56	\$11,665,568.48	Range due to options built into crossings.

NOTE:

ESTIMATE IS NOT BASED ON AN ENGINEERING DESIGN, AND IS FOR PLANNING PURPOSES ONLY.

EXCLUDES COSTS ASSOCIATED WITH TEMPORARY CONSTRUCTION EASEMENTS, PERMANENT EASEMENTS, AND RIGHT-OF-WAY ACQUISITION INFLATION ASSUMES CONSTRUCTION BID YEAR (2029).

UTILITY COORDINATION/RELOCATION COSTS UNKNOWN AND NOT INCLUDED.

 $ASSUMES \ NO \ LAP \ FUNDING. \ IF \ PURSUING \ LAP \ FUNDING \ WITH \ FEDERAL \ GRANTS, ADD \ NCDOT \ ADMINISTRATIVE \ FEE \ (10\%) \ TO \ PROJECT \ COST.$

CONSOLIDATED COST ESTIMATE

CONSOCIDATED COST ESTIMATE			_		
IMPLEMENTATION SEGMENT 2 - 1.75 MILES			LOW	HIGH	Notes
TRAIL IMPROVEMENTS			\$2,304,572.55	\$2,304,572.55	
TRAIL CROSSINGS			\$14,700.00	\$113,350.00	
			\$2,319,272.55	\$2,417,922.55	SUBTOTAL
SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI			\$1,391,563.53	\$1,450,753.53	
			\$3,710,836.08	\$3,868,676.08	2025 TOTAL
INFLATION FACTOR					
YRS	5	4%	\$4,514,799.49	\$4,706,835.98	2030 TOTAL
YRS	10	4%	\$5,492,943.90	\$5,726,585.66	2035 TOTAL
YRS	15	4%	\$6,683,006.14	\$6,967,267.06	2040 TOTAL

IMPLEMENTATION SEGMENT 2 - TRAIL ENHANCEMENTS								
ANCILLARY IMPROVEMENTS								
TRAILHEADS				\$1,500,000.00				
CONNECTIONS				\$130,500.00				
				\$1,630,500.00	SUBTOTAL			
SOFT COSTS								
CONTINGENCY, DESIGN & PERMITTING, CEI				\$978,300.00	SUBTOTAL			
				\$2,608,800.00	2025 TOTAL			
INFLATION FACTOR								
YRS	5	4%		\$3,174,004.09	2030 TOTAL			
YRS	10	4%		\$3,861,661.29	2035 TOTAL			
YRS	15	4%		\$4,698,301.42	2040 TOTAL			

IMPLEMENTATION SEGMENT 2 - FULL BUILD OUT		LOW	HIGH	
		\$6,319,636.08	\$6,477,476.08	2025 GRAND TOTAL
		\$7,688,803.58	\$7,880,840.07	2030 GRAND TOTAL
		\$9,354,605.19	\$9,588,246.95	2035 GRAND TOTAL
		\$11,381,307.56	\$11,665,568.48	2040 GRAND TOTAL



PLANNING-LEVEL COST ESTIMATE

DURHAM-TO-ROXBORO RAIL TRAIL PLAN

 LOCATION:
 Planning Sections 3&4 - Penny's Bend to Rhododendron Dr.

 DESCRIPTION:
 Implementation Segment 3 - 12'-14' asphalt

Segment Length: 3.66 miles

Town/City: <u>Durham</u> County: <u>Durham</u>

TRAIL IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
MOBILIZATION	LS	1	\$280,600.00	\$280,600.00	
CONSTRUCTION SURVEYING/STAKING	LS	1	\$175,400.00	\$175,400.00	
GRADING	LS	1	\$1,970,300.00	\$1,970,300.00	
AGGREGATE BASE COURSE	TON	9,757	\$55.00	\$536,635.00	
ASPHALT SURFACE COURSE	TON	2,928	\$140.00	\$409,920.00	
ASPHALT BINDER MIX	TON	176	\$900.00	\$158,400.00	
TEMPORARY TRAFFIC CONTROL	LS	1	\$30,000.00	\$30,000.00	
EROSION AND SEDIMENT CONTROL	LS	1	\$285,480.00	\$285,480.00	
BRIDGE REPAIR/REPLACEMENT	LF	130	\$2,500.00	\$325,000.00	LITTLE RIVER - ASSUMES REHABILITATION (SUBJECT TO CHANGE BASED ON STRUCTURAL ASSESSMENT)
MINOR ITEMS (5%)	LS	1	\$208,586.75	\$208,586.75	
SUBTOTAL				\$4,380,321.75	
SOFT COSTS					
CONTINGENCY			30%	\$1,314,096.53	
DESIGN AND PERMITTING			15%	\$657,048.26	
CONSTRUCTION ENGINEERING INSPECTION (CEI)			15%	\$657,048.26	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE BELOW)			10%	N/A	
			SUBTOTAL	\$7,008,514.80	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$8,526,929.87	2030 TOTAL
	YRS	10	4%	\$10,374,313.98	2035 TOTAL
	YRS	15	4%	\$12,621,939.21	2040 TOTAL

TRAIL CROSSINGS - UNIT COSTS	Unit	Quantity	Low	High	Notes
TRAIL CROSSING - RESIDENTIAL DR.	LS	1	\$7,350.00	\$7,350.00	Type A. Livestock will need future consideration here.
TRAIL CROSSING - OLD OXFORD RD.	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
TRAIL CROSSING - RHODODENDRON DR.	LS	1	\$10,350.00	\$10,350.00	<i>"</i>
TRAIL CROSSING - RHODODENDRON DR.	LS	1	\$10,550.00	\$10,550.00	Type A. Yield Sign. Also requires curb ramps.
		CURTOTAL (DANIES)	A25 050 00	A47 200 00	
		SUBTOTAL (RANGE)	\$25,050.00	\$47,200.00	
TRAIL CROSSINGS - SOFT COSTS			Low	High	
CONTINGENCY		30%	\$7,515.00	\$14,160.00	
DESIGN AND PERMITTING		15%	\$3,757.50	\$7,080.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)	15%	\$3,757.50	\$7,080.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E		10%	N/A	N/A	
(.,,,,==		SUBTOTAL (RANGE)	\$40,080.00	\$75,520.00	2025 TOTAL
TRAIL CROSSINGS - INFLATION FACTOR		002101112 (1011102)	Low	High	2023 101A2
	_				
YRS	5	4%	\$48,763.45	\$91,881.63	2030 TOTAL
YRS	10	4%	\$59,328.19	\$111,788.05	2035 TOTAL
YRS	15	4%	\$72,181.82	\$136,007.25	2040 TOTAL
ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
				\$0.00	
				\$0.00	
			CURTOTAL		
			SUBTOTAL	\$0.00	
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING		-	15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	:1)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E			10%	N/A	
NODOT ADMINISTRATION TEE (N/A), SEE NOTE E	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		SUBTOTAL	\$0.00	2025 TOTAL
INICI ATION CACTOR			JODIOTAL	70.00	2023 TOTAL
INFLATION FACTOR	1				
	YRS	5	4%	\$0.00	2030 TOTAL
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL
					-
TRAILHEADS	Unit	Quantity	Unit Cost	Total	Notes
		. ,		\$0.00	
				\$0.00	
			CURTOTAL		
			SUBTOTAL	\$0.00	
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING			15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	:1)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E			10%	N/A	
110501715111115115115111511151151	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		SUBTOTAL	\$0.00	2025 TOTAL
INCLATION FACTOR			JOBIOTAL	30.00	2023 TOTAL
INFLATION FACTOR	I				T
	YRS	5	4%	\$0.00	2030 TOTAL
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL
CONNECTIONS	Unit	Quantity	Unit Cost	Total	Notes
		,			
SNOW HILL BD SCHOOLS SIDEWALK					2.1 DOTENTIAL COST INCREASE DUE TO POSSIBLE MESS
SNOW HILL RD. SCHOOLS SIDEWALK CONNECTION	LF	10000	\$30.00	\$300,000.00	3.1 - POTENTIAL COST INCREASE DUE TO POSSIBLE NEED FOR ELEVATED BOARDWALK
CONNECTION				¢0.00	I ON ELEVATED BOARDWALK
				\$0.00	
			SUBTOTAL	\$300,000.00	
SOFT COSTS					
CONTINGENCY			30%	\$90,000.00	
DESIGN AND PERMITTING			15%	\$45,000.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	:1)		15%	\$45,000.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	•		10%	N/A	
THE STATE OF THE WAY SEE NOTE I			SUBTOTAL	\$480,000.00	2025 TOTAL
INFLATION FACTOR			SUBTUTAL	3460,000.00	
INFLATION FACTOR					T
	YRS	5	4%	\$583,993.39	2030 TOTAL
	YRS	10	4%	\$710,517.26	2035 TOTAL
	YRS	15	4%	\$864,452.88	2040 TOTAL
TOTAL ESTIMATED PROJECT COSTS			Low	High	
		2025	\$7,528,594.80	\$7,564,034.80	Range due to options built into crossings.
		2030	\$9,159,686.71	\$9,202,804.89	Range due to options built into crossings.
-					
		2035	\$11,144,159.43		Range due to options built into crossings.
		2040	\$13,558,573.91	\$13,622,399.35	Range due to options built into crossings.

NOTE:

ESTIMATE IS NOT BASED ON AN ENGINEERING DESIGN, AND IS FOR PLANNING PURPOSES ONLY.

EXCLUDES COSTS ASSOCIATED WITH TEMPORARY CONSTRUCTION EASEMENTS, PERMANENT EASEMENTS, AND RIGHT-OF-WAY ACQUISITION

INFLATION ASSUMES CONSTRUCTION BID YEAR (2029).

UTILITY COORDINATION/RELOCATION COSTS UNKNOWN AND NOT INCLUDED.

CONSOLIDATED COST ESTIMATE

IMPLEMENTATION SEGMENT 3 - 3.66 MILES	LOW	HIGH	Notes		
TRAIL IMPROVEMENTS			\$4,380,321.75	\$4,380,321.75	
TRAIL CROSSINGS			\$25,050.00	\$47,200.00	
			\$4,405,371.75	\$4,427,521.75	SUBTOTAL
SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI			\$2,643,223.05	\$2,656,513.05	
			\$7,048,594.80	\$7,084,034.80	2025 TOTAL
INFLATION FACTOR					
YRS	5	4%	\$8,575,693.32	\$8,618,811.50	2030 TOTAL
YRS	10	4%	\$10,433,642.17	\$10,486,102.03	2035 TOTAL
YRS	15	4%	\$12,694,121.03	\$12,757,946.47	2040 TOTAL

IMPLEMENTATION SEGMENT 3 - TRAIL ENHANCEMENTS								
ANCILLARY IMPROVEMENTS								
TRAILHEADS								
CONNECTIONS				\$300,000.00				
				\$300,000.00	SUBTOTAL			
SOFT COSTS								
CONTINGENCY, DESIGN & PERMITTING, CEI				\$180,000.00	SUBTOTAL			
				\$480,000.00	2025 TOTAL			
INFLATION FACTOR								
YRS	5	4%		\$583,993.39	2030 TOTAL			
YRS	10	4%		\$710,517.26	2035 TOTAL			
YRS	15	4%		\$864,452.88	2040 TOTAL			

IMPLEMENTATION SEGMENT 3 - FULL BUILD OUT	LOW	HIGH	
	\$7,528,594.80	\$7,564,034.80	2025 GRAND TOTAL
	\$9,159,686.71	\$9,202,804.89	2030 GRAND TOTAL
	\$11,144,159.43	\$11,196,619.28	2035 GRAND TOTAL
	\$13,558,573.91	\$13,622,399.35	2040 GRAND TOTAL



PLANNING-LEVEL COST ESTIMATE

DURHAM-TO-ROXBORO RAIL TRAIL PLAN

 LOCATION:
 Planning Sections 4 - Rhododendron Dr. to Ball Rd.

 DESCRIPTION:
 Implementation Segment 4 - 12'-14' asphalt

Segment Length: 3.82 miles

Town/City: <u>Durham</u> County: <u>Durham</u>

TRAIL IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
MOBILIZATION	LS	1	\$292,864.00	\$292,864.00	
CONSTRUCTION SURVEYING/STAKING	LS	1	\$183,039.00	\$183,039.00	
GRADING	LS	1	\$2,056,432.00	\$2,056,432.00	
AGGREGATE BASE COURSE	TON	10,184	\$55.00	\$560,120.00	
ASPHALT SURFACE COURSE	TON	3,056	\$140.00	\$427,840.00	
ASPHALT BINDER MIX	TON	184	\$900.00	\$165,600.00	
TEMPORARY TRAFFIC CONTROL	LS	1	\$60,000.00	\$60,000.00	
EROSION AND SEDIMENT CONTROL	LS	1	\$270,660.00	\$270,660.00	
MINOR ITEMS (5%)	LS	1	\$200,827.75	\$200,827.75	
			SUBTOTAL	\$4,217,382.75	
SOFT COSTS					
CONTINGENCY			30%	\$1,265,214.83	
DESIGN AND PERMITTING			15%	\$632,607.41	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$632,607.41	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$6,747,812.40	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$8,209,745.54	2030 TOTAL
	YRS	10	4%	\$9,988,410.74	2035 TOTAL
	YRS	15	4%	\$12,152,428.92	2040 TOTAL

ROAD CROSSINGS - UNIT COSTS	Unit	Quantity	Low	High	Notes
ROAD CROSSING - ORANGE FACTORY RD.	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
ROAD CROSSING - STAGVILLE RD. (SOUTH)	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
ROAD CROSSING - JOE ELLIS RD.	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
ROAD CROSSING - STAGVILLE RD. (NORTH)	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
ROAD CROSSING - BAHAMA RD.	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
ROAD CROSSING - BALL RD.	LS	1	\$7,350.00	\$7,350.00	Type A.
	•	SUBTOTAL (RANGE)	\$44,100.00	\$154,850.00	
ROAD CROSSINGS - SOFT COSTS			Low	High	
CONTINGENCY		30%	\$13,230.00	\$46,455.00	
DESIGN AND PERMITTING		15%	\$6,615.00	\$23,227.50	
CONSTRUCTION ENGINEERING INSPECTION (C	EI)	15%	\$6,615.00	\$23,227.50	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE	BELOW)	10%	N/A	N/A	
		SUBTOTAL (RANGE)	\$70,560.00	\$247,760.00	2025 TOTAL
ROAD CROSSINGS - INFLATION FACTOR			Low	High	
YRS	5	4%	\$85,847.03	\$301,437.92	2030 TOTAL
YRS	10	4%	\$104,446.04	\$366,745.32	2035 TOTAL
YRS	15	4%	\$127,074.57	\$446,201.76	2040 TOTA
				•	•
ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes

ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
				\$0.00	
				\$0.00	
			SUBTOTAL	\$0.00	
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING			15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CI	EI)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE	BELOW)		10%	N/A	
			SUBTOTAL	\$0.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$0.00	2030 TOTAL
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL

				\$0.00		
				\$0.00		
SUBTOTAL \$0.00						
SOFT COSTS						
CONTINGENCY			30%	\$0.00		
DESIGN AND PERMITTING			15%	\$0.00		
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$0.00		
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE B	ELOW)		10%	N/A		
			SUBTOTAL	\$0.00	2025 TOTAL	
INFLATION FACTOR						
	YRS	5	4%	\$0.00	2030 TOTAL	
	YRS	10	4%	\$0.00	2035 TOTAL	
	YRS	15	4%	\$0.00	2040 TOTAL	

Unit Cost

Total

Notes

Quantity

CONNECTIONS	Unit	Quantity	Unit Cost	Total	Notes
HORTON GROVE SIDEWALK CONNECTION	LF	1,027	\$30.00	\$30,810.00	4.1
MANGUM ELEMENTARY SIDEWALK CONNECTION	LF	1,883	\$30.00	\$56,490.00	4.2
LAKE MICHIE TRAIL CONNECTION (NATURAL SURFACE)	LF	2,702	\$15.00	\$40,530.00	4.2
		•		\$127,830.00	
SOFT COSTS					
CONTINGENCY			30%	\$38,349.00	
DESIGN AND PERMITTING			15%	\$19,174.50	
CONSTRUCTION ENGINEERING INSPECTION (CE	∃ I)		15%	\$19,174.50	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE I	BELOW)		10%	N/A	
			SUBTOTAL	\$204,528.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$248,839.58	2030 TOTAL
	YRS	10	4%	\$302,751.40	2035 TOTAL
	YRS	15	4%	\$368,343.37	2040 TOTAL

TOTAL ESTIMATED PROJECT COSTS	Low	High	
2025	\$7,022,900.40	\$7,200,100.40	Range due to options built into crossings.
2030	\$8,544,432.15	\$8,760,023.05	Range due to options built into crossings.
2035	\$10,395,608.18	\$10,657,907.47	Range due to options built into crossings.
2040	\$12,647,846.87	\$12,966,974.05	Range due to options built into crossings.

TRAILHEADS

Unit

CONSOLIDATED COST ESTIMATE

IMPLEMENTATION SEGMENT 4 - 3.82 MILES			LOW	HIGH	Notes
TRAIL IMPROVEMENTS			\$4,217,382.75	\$4,217,382.75	
TRAIL CROSSINGS			\$44,100.00	\$154,850.00	
			\$4,261,482.75	\$4,372,232.75	SUBTOTAL
SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI			\$2,556,889.65	\$2,623,339.65	
			\$6,818,372.40	\$6,995,572.40	2025 TOTAL
INFLATION FACTOR					
YRS	5	4%	\$8,295,592.57	\$8,511,183.46	2030 TOTAL
YRS	10	4%	\$10,092,856.78	\$10,355,156.06	2035 TOTAL
YRS	15	4%	\$12,279,503.49	\$12,598,630.68	2040 TOTAL

IMPLEMENTATION SEGMENT 4 - TRAIL ENHANCEMENTS								
ANCILLARY IMPROVEMENTS								
TRAILHEADS								
CONNECTIONS				\$127,830.00				
				\$127,830.00	SUBTOTAL			
SOFT COSTS								
CONTINGENCY, DESIGN & PERMITTING, CEI				\$76,698.00	SUBTOTAL			
				\$204,528.00	2025 TOTAL			
INFLATION FACTOR								
YRS	5	4%		\$248,839.58	2030 TOTAL			
YRS	10	4%		\$302,751.40	2035 TOTAL			
YRS	15	4%		\$368,343.37	2040 TOTAL			

IMPLEMENTATION SEGMENT 4 - FULL BUILD OUT		LOW	HIGH	
		\$7,022,900.40	\$7,200,100.40	2025 GRAND TOTAL
		\$8,544,432.15	\$8,760,023.05	2030 GRAND TOTAL
		\$10,395,608.18	\$10,657,907.47	2035 GRAND TOTAL
		\$12,647,846.87	\$12,966,974.05	2040 GRAND TOTAL



PLANNING-LEVEL COST ESTIMATE

DURHAM-TO-ROXBORO RAIL TRAIL PLAN

 LOCATION:
 Planning Sections 4.85 - Ball Rd. to Red Mountain Rd.

 DESCRIPTION:
 Implementation Segment 5 - 12'-14' asphalt

Segment Length: 4.23

Town/City: <u>Durham</u> County: <u>Durham</u>

TRAIL IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
MOBILIZATION	LS	1	\$324,297.00	\$324,297.00	
CONSTRUCTION SURVEYING/STAKING	LS	1	\$202,685.00	\$202,685.00	
GRADING	LS	1	\$2,277,149.00	\$2,277,149.00	
AGGREGATE BASE COURSE	TON	11,277	\$55.00	\$620,235.00	
ASPHALT SURFACE COURSE	TON	3,384	\$140.00	\$473,760.00	
ASPHALT BINDER MIX	TON	203	\$900.00	\$182,700.00	
TEMPORARY TRAFFIC CONTROL	LS	1	\$30,000.00	\$30,000.00	
EROSION AND SEDIMENT CONTROL	LS	1	\$550,000.00	\$550,000.00	
MINOR ITEMS (5%)	LS	1	\$233,041.30	\$233,041.30	
			SUBTOTAL	\$4,893,867.30	
SOFT COSTS					
CONTINGENCY			30%	\$1,468,160.19	
DESIGN AND PERMITTING			15%	\$734,080.10	
CONSTRUCTION ENGINEERING INSPECTION (C	EI)		15%	\$734,080.10	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE BELOW)			10%	N/A	
			SUBTOTAL	\$7,830,187.68	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$9,526,620.57	2030 TOTAL
	YRS	10	4%	\$11,590,590.56	2035 TOTAL
	YRS	15	4%	\$14,101,725.65	2040 TOTAL

TRAIL CROSSINGS - UNIT COSTS	Unit	Quantity	Low	High	Notes
TRAIL CROSSING - QUAIL ROOST RD.	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
TRAIL CROSSING - MOORE'S MILL RD.	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
TRAIL CROSSING - RED MOUNTAIN RD.	LS	1	\$7,350.00	\$29,500.00	Type A or B. Yield or RRFB.
		SUBTOTAL (RANGE)	\$22,050.00	\$88,500.00	
TRAIL CROSSINGS - SOFT COSTS			Low	High	
CONTINGENCY		30%	\$6,615.00	\$26,550.00	
DESIGN AND PERMITTING		15%	\$3,307.50	\$13,275.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	I)	15%	\$3,307.50	\$13,275.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)	10%	N/A	N/A	
		SUBTOTAL (RANGE)	\$35,280.00	\$141,600.00	2025 TOTAL
TRAIL CROSSINGS - INFLATION FACTOR			Low	High	
YRS	5	4%	\$42,923.51	\$172,278.05	2030 TOTAL
YRS	10	4%	\$52,223.02	\$209,602.59	2035 TOTAL
YRS	15	4%	\$63,537.29	\$255,013.60	2040 TOTAL

ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
		SUBTOTAL	\$0.00		
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING			15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	I)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$0.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$0.00	2030 TOTAL
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL

TRAILHEADS	Unit	Quantity	Unit Cost	Total	Notes
MINOR TRAILHEAD - RED MOUNTAIN RD.	LS	1	\$1,500,000.00	\$1,500,000.00	5.1 RED MOUNTAIN RD. TRAILHEAD
		\$1,500,000.00			
SOFT COSTS					
CONTINGENCY			30%	\$450,000.00	
DESIGN AND PERMITTING			15%	\$225,000.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$225,000.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	ELOW)		10%	N/A	
			SUBTOTAL	\$2,400,000.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$2,919,966.97	2030 TOTAL
	YRS	10	4%	\$3,552,586.28	2035 TOTAL
	YRS	15	4%	\$4,322,264.41	2040 TOTAL

CONNECTIONS	Unit	Quantity	Unit Cost	Total	Notes
			SUBTOTAL	\$0.00	
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING			15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
					2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$0.00	2030 TOTAL
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL

TOTAL ESTIMATED PROJECT COSTS	Low	High	
2025	\$10,265,467.68	\$10,371,787.68	Range due to options built into crossings.
2030	\$12,489,511.05	\$12,618,865.58	Range due to options built into crossings.
2035	\$15,195,399.87	\$15,352,779.44	Range due to options built into crossings.
2040	\$18,487,527.35	\$18,679,003.66	Range due to options built into crossings.

NOTE:

 ${\tt ESTIMATE~IS~NOT~BASED~ON~AN~ENGINEERING~DESIGN, AND~IS~FOR~PLANNING~PURPOSES~ONLY}.$

EXCLUDES COSTS ASSOCIATED WITH TEMPORARY CONSTRUCTION EASEMENTS, PERMANENT EASEMENTS, AND RIGHT-OF-WAY ACQUISITION

INFLATION ASSUMES CONSTRUCTION BID YEAR (2029).

UTILITY COORDINATION/RELOCATION COSTS UNKNOWN AND NOT INCLUDED.

ASSUMES NO LAP FUNDING. IF PURSUING LAP FUNDING WITH FEDERAL GRANTS, ADD NCDOT ADMINISTRATIVE FEE (10%) TO PROJECT COST.

CONSOLIDATED COST ESTIMATE

IMPLEMENTATION SEGMENT 5 - 4.23 MILES	LOW	HIGH	Notes		
TRAIL IMPROVEMENTS			\$4,893,867.30	\$4,893,867.30	
TRAIL CROSSINGS			\$22,050.00	\$88,500.00	
			\$4,915,917.30	\$4,982,367.30	SUBTOTAL
SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI			\$2,949,550.38	\$2,989,420.38	
			\$7,865,467.68	\$7,971,787.68	2025 TOTAL
INFLATION FACTOR					
YRS	5	4%	\$9,569,544.08	\$9,698,898.62	2030 TOTAL
YRS	10	4%	\$11,642,813.58	\$11,800,193.15	2035 TOTAL
YRS	15	4%	\$14,165,262.94	\$14,356,739.25	2040 TOTAL

IMPLEMENTATION SEGMENT 5 - TRAIL ENHANCEMENTS							
ANCILLARY IMPROVEMENTS							
TRAILHEADS				\$1,500,000.00			
CONNECTIONS							
				\$1,500,000.00	SUBTOTAL		
SOFT COSTS							
CONTINGENCY, DESIGN & PERMITTING, CEI				\$900,000.00	SUBTOTAL		
				\$2,400,000.00	2025 TOTAL		
INFLATION FACTOR							
YRS	5	4%		\$2,919,966.97	2030 TOTAL		
YRS	10	4%		\$3,552,586.28	2035 TOAL		
YRS	15	4%		\$4,322,264.41	2040 TOTAL		

IMPLEMENTATION SEGMENT 5 - FULL BUILD OUT		LOW	HIGH	
		\$10,265,467.68	\$10,371,787.68	2025 GRAND TOTAL
		\$12,489,511.05	\$12,618,865.58	2030 GRAND TOTal
		\$15,195,399.87	\$15,352,779.44	2035 GRAND TOTAL
		\$18,487,527.35	\$18,679,003.66	2040 GRAND TOTAL



PLANNING-LEVEL COST ESTIMATE

DURHAM-TO-ROXBORO RAIL TRAIL PLAN

 LOCATION:
 Planning Sections 5 - Red Mountain Rd. to Person County

 DESCRIPTION:
 Implementation Segment 6 - 12'-14' asphalt

Segment Length: 1.28

Town/City: <u>Durham</u> County: <u>Durham</u>

TRAIL IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
MOBILIZATION	LS	1	\$98,133.00	\$98,133.00	
CONSTRUCTION SURVEYING/STAKING	LS	1	\$61,333.00	\$61,333.00	
GRADING	LS	1	\$689,066.00	\$689,066.00	
AGGREGATE BASE COURSE	TON	3,413	\$55.00	\$187,715.00	
ASPHALT SURFACE COURSE	TON	1,024	\$140.00	\$143,360.00	
ASPHALT BINDER MIX	TON	62	\$900.00	\$55,800.00	
TEMPORARY TRAFFIC CONTROL	LS	1	\$10,000.00	\$10,000.00	
EROSION AND SEDIMENT CONTROL	LS	1	\$385,000.00	\$385,000.00	
MINOR ITEMS (5%)	LS	1	\$81,520.35	\$81,520.35	
			SUBTOTAL	\$1,711,927.35	
SOFT COSTS					
CONTINGENCY			30%	\$513,578.21	
DESIGN AND PERMITTING			15%	\$256,789.10	
CONSTRUCTION ENGINEERING INSPECTION	CEI)		15%	\$256,789.10	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE BELOW)			10%	N/A	
			SUBTOTAL	\$2,739,083.76	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$3,332,514.21	2030 TOTAL
	YRS	10	4%	\$4,054,513.08	2035 TOTAL
	YRS	15	4%	\$4,932,935.11	2040 TOTAL

TRAIL CROSSINGS - UNIT COSTS	Unit	Quantity	Low	High	Notes
TRAIL CROSSING - HARRIS MILL RD.	LS	1	\$7,350.00	\$7,350.00	Туре А
		SUBTOTAL (RANGE)	\$7,350.00	\$7,350.00	
TRAIL CROSSINGS - SOFT COSTS			Low	High	
CONTINGENCY		30%	\$2,205.00	\$2,205.00	
DESIGN AND PERMITTING		15%	\$1,102.50	\$1,102.50	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)	15%	\$1,102.50	\$1,102.50	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)	10%	N/A	N/A	
		SUBTOTAL (RANGE)	\$11,760.00	\$11,760.00	2025 TOTAL
TRAIL CROSSINGS - INFLATION FACTOR			Low	High	
YRS	5	4%	\$14,307.84	\$14,307.84	2030 TOTAL
YRS	10	4%	\$17,407.67	\$17,407.67	2035 TOTAL
YRS	15	4%	\$21,179.10	\$21,179.10	2040 TOTAL

ANCILLARY IMPROVEMENTS	Unit	Quantity	Unit Cost	Total	Notes
		SUBTOTAL	\$0.00		
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING			15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$0.00	2025 TOTAL
INFLATION FACTOR					
YRS 5		4%	\$0.00	2030 TOTAL	
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL

TRAILHEADS	Unit	Quantity	Unit Cost	Total	Notes
			SUBTOTAL	\$0.00	
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING			15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	1)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$0.00	2025 TOTAL
INFLATION FACTOR					
YRS 5			4%	\$0.00	2030 TOTAL
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL

CONNECTIONS	Unit	Quantity	Unit Cost	Total	Notes
		SUBTOTAL	\$0.00		
SOFT COSTS					
CONTINGENCY			30%	\$0.00	
DESIGN AND PERMITTING			15%	\$0.00	
CONSTRUCTION ENGINEERING INSPECTION (CE	I)		15%	\$0.00	
NCDOT ADMINISTRATION FEE (N/A, SEE NOTE E	BELOW)		10%	N/A	
			SUBTOTAL	\$0.00	2025 TOTAL
INFLATION FACTOR					
	YRS	5	4%	\$0.00	2030 TOTAL
	YRS	10	4%	\$0.00	2035 TOTAL
	YRS	15	4%	\$0.00	2040 TOTAL

TOTAL ESTIMATED PROJECT COSTS	Low	High	
2025	\$2,750,843.76	\$2,750,843.76	Range due to options built into crossings.
2030	\$3,346,822.04	\$3,346,822.04	Range due to options built into crossings.
2035	\$4,071,920.75	\$4,071,920.75	Range due to options built into crossings.
2040	\$4,954,114.20	\$4,954,114.20	Range due to options built into crossings.

NOTE:

ESTIMATE IS NOT BASED ON AN ENGINEERING DESIGN, AND IS FOR PLANNING PURPOSES ONLY.

EXCLUDES COSTS ASSOCIATED WITH TEMPORARY CONSTRUCTION EASEMENTS, PERMANENT EASEMENTS, AND RIGHT-OF-WAY ACQUISITION INFLATION ASSUMES CONSTRUCTION BID YEAR (2029).

UTILITY COORDINATION/RELOCATION COSTS UNKNOWN AND NOT INCLUDED.

ASSUMES NO LAP FUNDING. IF PURSUING LAP FUNDING WITH FEDERAL GRANTS, ADD NCDOT ADMINISTRATIVE FEE (10%) TO PROJECT COST.

CONSOLIDATED COST ESTIMATE

CONSOLIDATED COST ESTIMATE					
IMPLEMENTATION SEGMENT 6 - 1.28 MILES			LOW	HIGH	Notes
TRAIL IMPROVEMENTS				\$1,711,927.35	
TRAIL CROSSINGS				\$7,350.00	
				\$1,719,277.35	SUBTOTAL
SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI				\$1,031,566.41	
				\$2,750,843.76	2025 TOTAL
INFLATION FACTOR					
YRS	5	4%		\$3,346,822.04	2030 TOTAL
YRS	10	4%		\$4,071,920.75	2035 TOAL
YRS	15	4%		\$4,954,114.20	2040 TOTAL

IMPLEMENTATION SEGMENT 6 - TRAIL ENHANCEMENTS						
ANCILLARY IMPROVEMENTS						
TRAILHEADS						
CONNECTIONS						
				\$0.00	SUBTOTAL	
SOFT COSTS	SOFT COSTS					
CONTINGENCY, DESIGN & PERMITTING, CEI				\$0.00	SUBTOTAL	
				\$0.00	2025 TOTAL	
INFLATION FACTOR						
YRS	5	4%		\$0.00	2030 TOTAL	
YRS	10	4%		\$0.00	2035 TOTAL	
YRS	15	4%		\$0.00	2040 TOTAL	

IMPLEMENTATION SEGMENT 6 - FULL BUILD OUT	LOW	HIGH	
	\$0.00	\$2,750,843.76	2025 GRAND TOTAL
	\$0.00	\$3,346,822.04	2030 GRAND TOTAL
	\$0.00	\$4,071,920.75	2035 GRAND TOTAL
	\$0.00	\$4,954,114.20	2040 GRAND TOTAL

A 6 PHASE 1 COMMUNITY SURVEY SUMMARY

During the first phase of engagement, the online community survey asked respondents to share their overall level of support for the proposed rail trail. A total of 2,713 people answered this question. For the full survey results, see Phase 1 – Community Survey Results, page 134.

To better understand the perspectives of the residents most directly impacted by the proposed rail trail, responses were analyzed for the five zip codes the corridor passes through which include 27701, 27704, 27712, 27503, and 27572.

The chart below shows the breakdown of support by zip code.

ZIP CODE	TOTAL RESPONSES	STRONGLY SUPPORT	SUPPORT	UNSURE/ NEUTRAL	OPPOSE	STRONGLY OPPOSE
27701	270	229	32	2	2	5
27704	221	174	24	10	1	12
27712	296	213	29	11	5	38
27503	194	64	3	10	8	108
27572	133	60	14	14	4	51
TOTAL	1114	740	102	37	20	214
		66.4%	9.1%	3.3%	1.8%	19.2%

PHASE 2 COMMUNITY SURVEY QUESTIONS, ANALYSIS, AND QUOTES

The Phase 2 community survey ran from August 18 to September 24 and received 453 responses. It included eight open-ended questions seeking feedback on plan recommendations and conceptual designs, along with demographic questions. Each question is listed below with a summary of responses and selected quotes. Summaries were generated using AI to synthesize all responses and identify common themes and overall sentiment.

QUESTION 1: TYPICAL TRAIL DESIGN


TYPICAL TRAIL DESIGN

Typical Trail Design includes the recommended trail layout (or cross-sections), how the trail will blend with surrounding neighborhoods, and features along the trail (waysides). A potential alternate trail section for rural areas is also shown.

*All designs are preliminary and conceptual. Final designs are subject to change based on engineering, survey data, and regulatory review.


Typical Section

The typical design of the trail is shown below as a 12 to 14 foot wide asphalt trail with 2 to 5 foot wide crushed stone shoulders on both sides.



Potential Alternative Section

For North Durham County, an alternative to the typical trail design is being considered to accommodate equestrians but partnership with equestrian groups would be needed to make this possible. The graphic below shows a 10 to 12 foot wide asphalt trail and a 6 to 8 foot wide natural surface equestrian trail running parallel to each other. They are separated by a 5 to 8 foot wide vegetated buffer. Both the asphalt path and the equestrian trail have 2 to 5 foot wide grass shoulders on the outside with fencing.



Trail design that accommodates horses is still under consideration for N. Durham County, but partnership with equestrian groups would be needed

Typical Scene

The graphic below shows how the typical trail design would look from above.



Fencing Options

Fencing will be considered for any portion of the trail with permitted equestrian use and when properties along the trail have active livestock uses, potential public health hazards, or game lands for hunting. Fencing options, as shown below, include split rail, post and rail, chain link, and fencing with integrated public art.









Trail Waysides

Trail waysides are pull off areas that can be located along the trail in between trailheads and access points. Identifying types of waysides will help develop the user experience along the trail. No specific locations for waysides have been identified yet. The graphics below show three types of waysides recommended for the Durham-to-Roxboro Rail Trail. 1) Rest includes seating and bike parking. 2) Rest + Interpret includes the same features as Rest as well as hydration, trash receptacles, and interpretive elements. 3) Rest + Interpret + Gather includes the same features as Rest + Interpret as well as a gathering space with picnic tables and natural play features.



REST

- Seating Area
- Bike Parking



REST + INTERPRET

- Interpretive Walk
- Extended Seating Area
- · Drinking Fountain
- Trash Receptacles



REST + INTERPRET + GATHER

- · Gathering Space
- Picnic Table
- Seating Area and Nature Play

Question 1: Typical Trail Design – Summary of Responses

Overall Sentiment

- Strong excitement and support for getting the trail built; many cite ATT/Swamp Rabbit as positive models.
- Significant pushback from some residents who oppose the project, citing cost, privacy, safety, and location.
- · Preference to start simple and phase amenities over time so the trail opens sooner.
- · Cross-Section & Users
- Broad support for a paved main path with adjacent soft surface (gravel/dirt) for runners and walkers.
- Requests for clear separation/markings for faster bikes vs. pedestrians in urban/busier segments
- Trail width opinions split: some say 12–14' (plus shoulders) is needed for heavy bike traffic; others argue 8–10' would reduce cost and impacts.

Equestrian and Accessibility

- Equestrian accommodation is debated: some support in the northern/rural sections; many question cost, conflicts, and low demand—if included, provide strong separation and manure management.
- Accessibility matters: support for strollers, wheelchairs, and allowing e-bikes; keep surfaces smooth and well-maintained.

Fencing Preferences

- Clear preference: avoid chain link where possible (aesthetics, wildlife movement, maintenance).
- Post & rail / split rail preferred in rural areas; public-art treatments acceptable in urban areas.
- · Use fencing only where safety or adjacent land uses require it; minimize the 'caged-in' feel.

Waysides & Amenities

- Mix of wayside types favored; prioritize 'Rest + Interpret' most often, with limited 'Gather' (focus at trailheads/centers).
- High-priority amenities: water fountains/refill (and dog access), restrooms at intervals, trash/recycling, shade trees.
- Other desired features: wayfinding maps, bike repair stations/pumps, lighting, emergency
 call buttons; occasional small-scale commercials (food truck/coffee kiosk) near crossings or
 parks.

Maintenance & Operations

• Recurring concerns: who handles mowing, trash pickup, sweeping, leaf/limb clearing, root heave repairs, resurfacing.

- Design for maintainability: access for maintenance vehicles, durable materials, minimize vine growth on fences.
- · Horse sections (if any) flagged as higher maintenance; clear roles and funding needed.

Safety & Enforcement

- · Desire for lighting in key areas, emergency call boxes, and visible design to deter crime.
- Requests to prevent/ enforce against ATVs, dirt bikes, and motorized misuse; concerns about high-speed cyclists around families.
- Some nearby homeowners worry about privacy and access; buffers/landscaping and context-sensitive fencing suggested.

Environment & Stormwater

- · Minimize habitat fragmentation; provide wildlife permeability (avoid continuous chain link).
- Use native, pollinator-friendly plantings; maximize use of existing ballast/ROW to limit new impervious area.
- Consider permeable/stone-dust options where feasible; address runoff and mitigation explicitly.

Cost, Phasing & Priorities

- Many favor lowest-cost, simpler treatments to build more miles sooner; add features later as funding allows.
- If tradeoffs are needed: prioritize safe, durable surface; hydration/restrooms at strategic intervals; shade; trash/recycling; wayfinding.
- Target equestrian segments (if included) to areas with demonstrated demand and trailhead capacity.

Question 1: Typical Trail Design – Quotes

- "Great design. Just wish we put as much money and thought into improvement on our public school buildings that are run down and full of mold. That would be a better use of tax dollars."
- "Any way to separate peds and bikes; rather than the occasional horse, I'd rather see a bikeway paved and a gravel walking trail."
- "Pleased with multi-use planning. In favor of including a natural surface section for people with or without horses."
- "In the urban part of the trail, consider separating cyclists and pedestrians further."
- "Do not destroy Bahama and Rougemont with this ... Rougemont is organizing too"
- "Please see that contractors who build the trail dig deep enough... to prevent tree roots from living the surface material after only a year or two."
- "I would love to see bike repair stations as well... a stand and a pump for cyclists to use if needed."
- "Wondering how much 'ridership' there would be for horses—doesn't seem worth it to dedicate so much space to them while squishing all other path users together."

- "To accommodate horses, definitely need major separation. Translates to higher cost that will be used by a small minority."
- "I like the typical trail design that can accommodate bicycles, strollers and wheelchairs."
- "This trail is a terrible waste of money"
- "It seems wider than it needs to be—could probably be narrowed to 7 or 8 feet to reduce the cost."
- "Please include a crushed stone surface for runners!!"
- "As a Bahama resident... I very strongly welcome this rail to trail project!"
- "Why are fences necessary in some places? Wouldn't fencing disrupt animal migration and contribute to habitat fragmentation?"

QUESTION 2: TRAIL CROSSINGS

Trail Crossings

The rail corridor has 21 road crossings (including two underpasses and two private driveways). See the map of all road crossings below and recommended trail crossing by type.

*All designs are preliminary and conceptual. Final designs are subject to change based on engineering, survey data, and regulatory review.

Factors

The analysis of road crossings and draft recommendations of treatment types took into account several factors. The most important factors were context, posted speed limit, volume of vehicles, and crashes specifically, whether or not the crossing occurred on a portion of the road designated as part of the High-Injury Network.

Trail Crossings By Type

All trail crossings have recommended baseline treatments whether unsignalized (Type A) or signalized (Type B). A toolkit of additional interventions may be appropriate for each individual crossing and is shown further down on the page after the Trail Crossings & Renderings Map.

TYPE A CROSSING: UNSIGNALIZED

Pavement markings and signs including:

- High-visibility crosswalk & trail crossing sign
- Advance warning sign of trail crossing



Pavement markings & signs

*Consider increasing from Type A to Type B for urban or suburban locations where the crossing:

- Is part of the High Injury Network (all crash types)
- Has Trail Oriented Development
- Has adjacent transit stops
- Has high observed speeds
- Has a lack of compliance in yielding
- Undergoes roadway widening (3+ lanes)

TYPE B CROSSING: SIGNALIZED

User-activated flashing sign (Rectangular Rapid Flashing Beacon) or user-activated stop light (Pedestrian Hybrid Beacon) including:

- · High-visibility crosswalk & trail crossing sign
- Advance warning signage of trail crossing



User-activated flashing sign (Rectangular Rapid Flashing Beacon)



User-activated stop light (Pedestrian Hybrid Beacon)

Crossings Map & Renderings

The map below shows the recommended treatment type for each crossing. The blue dots represent grade separated crossings, the green dots represent Type A (unsignalized) crossings, the yellow dots represent Type B (signalized) crossings, and the pink dots represent crossings that could be receive either Type A or Type B treatments and should receive further investigation at a future phase of design. The renderings show what potential treatments could look like at four locations along the trail.

TOOLKIT OF ADD-ON CROSSING TREATMENTS





Dynamic speed









strips

feedback sign

curb if roadway edge is a ditch

island


PARTICIPATION (HISTORICAL INSTITUTION)

Raised crossing

Restrictions: none

Restrictions: none

Restrictions: where space allows Restrictions: where space allows Restrictions: <35 mph roads in urban or suburban contexts Restrictions: <35 mph roads in urban or suburban contexts



B - User-activated Lights (Rectangular Rapid Flashing Beacon) with Advance Signag

Question 2: Trail Crossings – Summary of Responses

Overall Sentiment

- Strong emphasis on safety across all contexts; design should force drivers to slow/stop.
- Clear preference for Type B (signalized) at busier or faster roads; Type A only on low-volume, low-speed streets.
- Grade separation preferred where feasible, but not at the expense of delaying the project.
- Desire for physical traffic calming (raised crossings/ tables, speed cushions) over visuals-only treatments.
- Mixed experiences with flashing beacons/PHBs; many prefer standard traffic signals.

General Comments

- Match treatment to context: speed, volume, sight distance, hills/curves, land use.
- · Prioritize visibility: clear sight triangles, lighting,

high-contrast markings; consider color-blind-friendly maps/graphics.

- Favor physical calming: raised crossings/tables, curb extensions, lane narrowing, median refuges.
- Augment with tech: dynamic speed feedback signs; consider automatic activation sensors over push-buttons.
- Plan for maintenance: durable signs/lights, vegetation management, faded sign replacement.

A/B - User-activated Stoplight (Pedesti

Type B (signalized) Comments

- Common ask for Type B on high-speed and rural corridors where drivers do not expect pedestrians.
- Specific mentions: East Club Blvd, Old Oxford Rd, Stagville Rd, Orange Factory Rd, Bahama
 & Rougemont town areas, Penny's Bend.
- · User-activated full signals preferred over RRFB/PHB; consider detection/sensors for cyclists.

Comments about Grade Separation

- Over/under crossings are strongly preferred at highest-risk locations but many note the project should not be delayed waiting on structures.
- Suggested approach: build now with safest feasible at-grade treatment; upgrade to grade separation later as funding allows.

Requests for Traffic Calming

- · Raised crossings/speed tables and speed cushions ahead of crossings.
- · Median refuges and curb extensions to narrow lanes and shorten crossing distance.
- Rumble strips: split views—attention-getting but can be uncomfortable; ensure bike bypass and spacing.
- · Dynamic speed feedback signs and advance warning; avoid blind approaches.

Accessibility, Operations & Enforcement

- Accessibility aids: reachable activation, clear curb cuts, consider audible/vibration feedback, lighting.
- Consider emergency call boxes/CCTV at trailheads or key nodes (mixed views).
- Enforcement/education: pre-launch driver education; consistent signage; align with Vision Zero.
- Maintenance: responsibility clarity on state roads; vegetation management for sight distance.

Concerns & Dissenting Viewpoints

- · Safety fears on fast rural roads; skepticism about drivers yielding.
- Some opposition to trail and cost concerns; requests to prioritize other infrastructure.
- Requests to minimize the number of road conflicts; keep rural character.
- PHB skepticism: preference for standard traffic signals where control is required.


Comments about Specific Locations

- Club Blvd (incl. near Ellerbee Creek): needs strong treatment; consider grade separation or full signal.
- Bahama Rd, Old Oxford Rd, Stagville Rd: high speeds, hills/blind crests; many ask for Type B
 + calming.
- Penny's Bend, Orange Factory Rd, Rougemont & Bahama centers: requests for signals and visibility.
- · Property access note: private cart way between crossings 20-21 should be considered.

Question 2: Trail Crossings – Quotes

- "Err on the side of too much. Traffic calming on the crossing road is good. Integrate into Vision Zero."
- "Definitely a fan of the flashing lights crossing sign post. Some kind of surface change on the road as well."
- · "The grade separated crossings seem like the best option for me, where space allows."
- "Trail users should have priority at every crossing. If that requires signals at each intersection, then that should be provided."
- "Type B (signalized) should be the default Trail Crossing... a speed hump/table to serve as the Trail Crossing."
- "Some of those roads up in north Durham county are very easy to drive fast on... having lots of speed-limiting features... would make me feel safer."
- "Drivers do not respect crosswalks... Need to ensure that requiring trail users to press a button... is not particularly inconvenient, or even dangerous!"
- "Please err on the side of making crossings safer... I highly support signalized crossings with red lights as well as raised crossings."
- "Obviously, grade separated crossings are preferred, but it should not prevent or significantly delay the trail getting built... then upgrade later."
- · "High visibility is fine, but activated lights are best if possible, especially for cyclists in busy areas."
- "Please do not use pedestrian hybrid beacons... Drivers recognize traffic lights. They are standardized."
- "No speed cushions. Their edges deteriorate and become more dangerous to cyclists."
- "For crossings... there should be aid and support for disabled users... also buttons to ask for help if it is needed."

QUESTION 3: DOWNTOWN DURHAM PLANNING SECTION



CONCEPTUAL DESIGNS

For the Downtown Durham Planning Section, there is a proposed trailhead at Camden Avenue (with two proposed conceptual designs) and a proposed trail connection along Ellerbe Creek.

*All designs are preliminary and conceptual. Final designs are subject to change based on engineering, survey data, and regulatory review.

Proposed Trailhead and Trail Connection


The overview image is below. Scroll down to view detailed images.







PROGRAM ELEMENTS Proposed Parking (25-35) Informational Klosk & Seating Small Pavilion Amenity Space Ramp Connection To Rail Trail Rail Trail Entrance



Question 3: Downtown Durham Planning Section - Summary of Responses

Overall Sentiment

- · Strong support for downtown connectivity; enthusiasm to 'get it built'.
- Clear split: Concept 1 (more parking) vs. Concept 2 (amenities/pavilion).
- · High demand for restrooms/water and robust safety features (lighting, cameras, call boxes).
- · Broad desire to connect to Ellerbe Creek Trail (and ATT/ECG) to maximize network value.
- · Some cost opposition and concerns about crime and maintenance.

Trailhead Concept Preferences

- · Concept 1: prioritized by users who expect high demand and want more parking capacity.
- Concept 2: preferred for pavilion/seating/amenity space; some argue downtown needs less parking.
- · Several suggest hybridizing: modest parking + small pavilion/restroom if funding allows.
- Operational note: pavilions can increase congregating; watch parking utilization and turnover.

Most Requested Amenities

- · Restrooms and water fountains at trailheads (and potentially a mid-route location).
- Shade trees, seating/benches, small pavilion/kiosk (esp. for families with gear).
- · Lighting (including underpasses) and clear wayfinding/signage.
- Trash service/maintenance plan; wetland overlook applauded.

Safety & Security Needs

- Lighting, cameras, emergency call boxes; visibility from street; design to deter loitering.
- · Vehicle security: concerns about break-ins at trailheads; surveillance requested.
- Perception of crime near downtown/Bragtown; coordinated patrols and CPTED recommended.

Connectivity Priorities

- · Ellerbe Creek Trail connection: frequent, emphatic support (Northgate Park, Beaver Marsh).
- Links to ATT / East Coast Greenway and Downtown Rail Trail are seen as high-value.
- Local access: consider Bon Air Ave/Red Maple/Colonial Village path; additional northside access points.
- Wayfinding to on-street parking and secondary access points.

Access, Equity & Transit

- · Requests for sidewalks/bike lanes and bus access near Merrick Moore / E Geer / Midland Terrace.
- · Balance driving access with non-auto access; some prefer amenities over large parking lots.
- · Consider horse trailer accommodation if equestrian use is allowed (long spaces).

Environmental & Design Considerations

- · Minimize impervious surface (gravel options; green stormwater infrastructure for lots).
- · Native planting and wetland protections; support for wetland overlook.
- · Ramp geometry: explore wrapping ramps around lots; add stairs for direct routes where feasible.

Concerns & Opposition


- · Cost sensitivity and 'waste of money' comments; preference to fund other infrastructure.
- · Safety skepticism if security isn't resourced; worry about vandalism and misuse.
- · Some concerns about neighborhood impacts and parking demand.

Question 3: Downtown Durham Planning Section – Quotes

- "I like concept 1-more parking is better. Unless you are putting in bathrooms."
- "I like Concept 2 since it includes a small pavilion and feels appropriately sized amount of parking."
- "Love the proposed Ellerbee connection! I live in Northgate Park and that would be the route I'd use."
- "You need to design SAFETY systems... Parking lots along a trail in this context is a recipe for loitering, drug use, theft (BREAK INS), and violent crime."
- "What about using fine gravel (1/4 to 1/2 inch) instead of paved parking lots so as not to add impermeable surface area?"
- "With this proposed design it will be nearly impossible for people living near Merrick Moore elementary school to be able to safely access the trail without driving."
- "Please stop this wasteful project. This is a waste of money, a waste of space, and a waste of valuable resources that are needed on projects that the community will actually benefit from."
- "Maximize parking at trail heads"
- "A restroom facility and water fountains are incredibly helpful"
- "I am not typically going to be driving to a trailhead; I will be riding my bike from work/home to the trail. I would prefer trailheads with amenities over parking."
- "Using New Hope and Herndon Park as a guide, the trail heads with pavilions are the ones that struggle the most with parking because groups congregate there."
- "Prefer least expensive option and focus on connection to American Tobacco trail/East Coast Greenway as this brings most economic impact to downtown Durham and longest trail usage"
- "No opinions about the trailhead. There is not good connectivity here to east Durham, is there a
 way to increase bus service directly to this area?"

QUESTION 4: BRAGTOWN PLANNING SECTION

Bragtown - Context Map



CONCEPTUAL DESIGNS

For the Bragtown Planning Section, there is a proposed trailhead at E. Club Blvd, a trail design concept for the Bragtown access point, and a proposed trail connection along Dearborn Rd.

*All designs are preliminary and conceptual. Final designs are subject to change based on engineering, survey data, and regulatory review.

East Club Blvd. Proposed Trailhead and Road Crossing

The overview image is below. Scroll down to view detailed images.







Bragtown Access Point Trail Design Concept and Trail Connection

The overview image is below. Scroll down to view detailed images.



BRAGTOWN ACCESS POINT TRAIL DESIGN CONCEPT DEARBORN DR. PROGRAM ELEMENTS Road Crossing (PHB) Bike/Ped Traffic Calming Circle with Art Feature 03 Connection to Bus Stop 1 IN = 30 FT NORTH



Question 4: Bragtown Planning Section - Summary of Responses

Crossings & Traffic Calming

- · Favor signalized crossings at high-speed roads (E. Club, Dearborn).
- · Medians/islands help staged crossings; some want raised crosswalks & speed cushions.
- · Design for sightlines: trim vegetation; consider stop-arms where geometry allows.
- · Some critique planters in medians for blocking visibility—use low plantings.

Safety & Security

- · Install lighting, cameras in higher-risk segments; coordinate with enforcement.
- · Design to reduce conflicts: slow bikes before intersections (rumble/dog-legs).
- Address neighborhood safety perceptions to build confidence in use.

Connectivity & Access

- Pursue connectors (Bon Air-Red Maple; Colonial Village; MST/Lakeview; school/library).
- Complete sidewalks along Dearborn and to trailheads/bus stops.
- Wayfinding to reduce wrong turns and distribute use.

Amenities & Operations

- · Bathrooms and water near trailheads and at intervals.
- Right-size parking at Club; some suggest smaller lot and more seating/trash near art.
- · Maintenance plan: vegetation management at crossings; trash and facility upkeep.

Environmental & Context-Sensitive Design

- Protect sensitive and listed plant species north of Hebron Rd—coordinate with agencies.
- Vegetated buffers to screen industrial edges; maintain clear sightlines at crossings.
- · Consider long-term solutions (e.g., grade-separated crossing) where warranted.

Concerns & Opposition Themes


- Cost and 'waste of money' objections; preference for investing in schools/sidewalks.
- · Crime/gentrification worries; fear of proximity to homes and privacy impacts.
- Skepticism about safety at crossings and adequacy of enforcement/staffing.

`Question 4: Bragtown Planning Section – Quotes

- "RRFBs are not sufficient at high-speed roads like Dearborn and E Club. These need to be signalized and design speeds need to be educed significantly."
- "I like that there's a midway island for the club blvd crossing. People really fly down that road."
- "Dearborn needs this. Dearborn has little to no side walks along this long road and is not safe for pedestrians, especially students."
- "The crime in this area isn't safe enough to use without protection."
- "Part of this section from Hebron Rd going north has several sensitive, state and federally listed plant species... Special planning is needed to protect these resources."
- "Proposed road crossing is fitting for this location... make sure the trees and shrubs are cut back... so vehicle traffic can see oncoming bikes."
- "Right in the middle of a low income neighborhood. NOT A GOOD IDEA. No safety issues are addressed."
- · "Good connection to Bragtown library. Love the E.Club trailhead. This all looks amazing."
- "Two issues. Crossing Club Boulevard... there is no enforcement... I would install cameras in that section unless the City manages to reduce crime significantly."
- "The sidewalk on Dearborn is a must... there should also be clear sidewalks from club Dearborn intersection to the trailhead on club."
- "Need to add speed cushions to slow down traffic."
- "I love the idea of having plants in the road center at the crossing."
- "Plants in the median strip are a visibility problem to traffic... Plant the flowers elsewhere."
- "Looks like that trail crossing needs to be signalized, more safely protected!"
- "Thank you for having bathroom facilities at some of these trailheads!!"
- "The parking lot at E. Club may not be needed or at least it too big you certainly don't need 70 car spots."
- "Strongly support the connectors. It allows folks to use their feet and bikes to take care of daily tasks that so many are currently only able to safely use their cars."

QUESTION 5: TWO RIVERS PLANNING SECTION

Two Rivers - Context Map




CONCEPTUAL DESIGNS

For the Two Rivers Planning Section, there is a proposed trailhead at Penny's Bend (with two proposed conceptual designs) and a proposed trail connection to Little River Elementary School and Lucas Middle School.

*All designs are preliminary and conceptual. Final designs are subject to change based on engineering, survey data, and regulatory review.


Proposed Trailhead and Trail Connections

The overview image is below. Scroll down to view detailed images.










PLANNING SECTION 4: BAHAMA

Bahama - Context Map




CONCEPTUAL DESIGNS

For the Bahama Planning Section, there are proposed trail connections to Mangum Elementary School, Lake Michie, and Horton Grove.

^{*}All designs are preliminary and conceptual. Final designs are subject to change based on engineering, survey data, and regulatory review.


Proposed Road Crossing and Trail Connections

The overview image is below. Scroll down to view detailed images.









Question 5: Two Rivers Planning Section – Summary of Responses

Crossings & Traffic Control at Old Oxford / Snow Hill

- · Debate: roundabout slows traffic vs. concerns about hill/sight distance and driver behavior.
- Requests for signals/stoplights; refuge islands; speed cushions; curb extensions; clear vegetation for sightlines.
- Some prefer under-bridge routing for MST to avoid at-grade crossing (acknowledge occasional flooding).

Parking & Access at Penny's Bend

- · Concept 1: consolidated, larger lot; more capacity and simpler circulation.
- Concept 2: split lots on both sides of Old Oxford—reduces need to cross the road; concern about safe crossing if needed.
- · Several ask for permeable/gravel surfaces near river; avoid expanding impervious area.
- · Right-size capacity to serve hikers, anglers, and trail users during peak seasons.

Environmental Constraints & Stewardship

- State Plant Conservation Preserve prohibits public access and construction without multiagency approvals.
- Early coordination with NC Plant Conservation Program & Natural Heritage Program recommended.
- Protect sensitive/unique plant communities; consider flood risk; prefer permeable surfaces and canopy retention.

Connectivity & Destinations

- Strong support for connectors to Lucas/Little River schools, Durham Tech, MST, Merck/ International Dr., and community sites.
- Emphasis on safe school access; some suggest sidewalks may better serve school trips.
- Wayfinding and interpretive opportunities (e.g., Fairntosh/Stagville history; MST crossing signage).

Safety & Security

- Address speeds, sightlines, and conflict points; consider lighting and patrol presence at key nodes.
- Some stakeholders raise privacy and private-property concerns; request fencing at river crossings.
- Design crossings to minimize roadway exposure, especially for youth and families.

Concerns & Opposition

- · Opposition citing cost, scope beyond urban core, privacy, and perceived safety risks.
- Requests to prioritize sidewalks over trails in some segments; questions about maintenance responsibilities.


Question 5: Two Rivers Planning Section – Quotes

- "I like the design concept 1 for more parking."
- "Concept 2 far superior. Not keen on traffic circle."
- · "Traffic circle is a great idea to allow flow of traffic and pedestrian."
- "Putting a roundabout here is a terrible idea as this would be on a hill."
- · "Connecting to schools and other trails is critical."
- "I love the idea of the connectors at the schools... We have no bike lanes out here at all."
- "Try to not pave over Penny's Bend to make a parking lot... it is a unique area and a nature preserve."
- "At Penny's Bend... routing the MST under the Old Oxford Road bridge is much preferable to an at grade crossing."
- "I would rather have the parking on the east side of Old Oxford and NOT have to cross that very busy road!"
- "Again, more needs to be done to slow traffic down at that crossing, preferably by adding a speed cushion."
- "Either concept will be a BIG improvement. I slightly prefer 2 since it puts more parking on Old Oxford Rd side."
- "This looks awesome, I'm so stoked for a safe bike route from downtown Durham to the Eno!"
- "Trailhead 2 is far better. Motorists drive very quickly, so minimizing the dependency on crossings on this stretch is critical."
- "A less expensive solution would be to put a sidewalk in along Snow Hill Road so that kids can walk to Lucas and Little River schools."

QUESTION 6: BAHAMA PLANNING SECTION

PLANNING SECTION 5: ROUGEMONT

Rougemont - Context Map



CONCEPTUAL DESIGNS

For the Rougemont Planning Section, there is a proposed trailhead at Red Mountain Road.

^{*}All designs are preliminary and conceptual. Final designs are subject to change based on engineering, survey data, and regulatory review.

Proposed Trailhead Design Concept

The overview image is below. Scroll down to view detailed images.





Question 6: Bahama Planning Section – Summary of Responses

Opportunities & Enthusiasm

- Strong enthusiasm for connectors: Horton Grove, Lake Michie, Historic Stagville, schools, and parks
- · Many see the trail as a safe, non-automotive access to nature; big quality-of-life upside
- · Perceived economic upside for rural nodes if access improves

Concerns & Opposition

- Crossing safety: high speeds, hills/curves, limited sight distance → desire for signals, raised crossings, and traffic calming
- Property and privacy: fears about proximity to homes and potential encroachment/ easements
- · Security: worries about crime, lighting, fencing, ATV enforcement, school adjacency
- · Environmental impacts: wildlife, forests, waterways/impervious surface in sensitive areas

Design & Operations Suggestions

- Prefer protected sidepaths/guardrails where trail parallels roads
- · Raised crosswalks, speed cushions, and visual narrowing at key crossings
- · Consider loops, separated access to Horton Grove, and future MTB trails near Lake Michie
- Some suggest sidewalks or alternate routing to reduce crossings

Amenities & Trailhead Needs

- · Trailheads: restrooms and water fountains requested for rural middle section
- · Parking: maximize at key access points; bike racks at Horton Grove; picnic areas desired
- Wayfinding & interpretation: interest in Occaneechi/Saponi and Great Trading Path history

Road Crossings

- High-risk corridors noted: Stagville Rd, Quail Roost Rd, Orange Factory Rd, Bahama Rd (near Mangum Elementary)
- Desired treatments: user-activated signals, raised crossings, speed cushions, center islands, visual narrowing
- Sightline management: address hills/curves and emerging-from-forest visibility

Property/Privacy & Security

- Concerns about proximity to backyards; desire for buffers/fencing where near homes & schools
- Requests for lighting, cameras, and enforcement; ATV/motorcycle deterrence
- · Transparent easement process and owner engagement requested

Environmental & Maintenance Considerations

- · Protect wildlife corridors; minimize tree loss and habitat fragmentation
- Manage impervious surface near waterways; consider permeable materials and drainage
- · Plan waste management and maintenance in rural segments

Question 6: Bahama Planning Section – Quotes

- "Love the connectors, especially to Horton Grove and all the proposed trails at Lake Michie."
- "Crossing back and forth across Stagville Rd and Quail Roost is not a good idea... Traffic will not be able to slow down quickly enough..."
- "As a Bahama resident... I very strongly welcome this rail to trail project!"
- · "This will infringe on my property. Oppose."
- "Hopefully these school connections work... kids could be safe getting to school on foot."
- "Blinking lights at crosswalks to notify drivers. Would be interested in bike camping potentials."
- "These rural roads are going to be dangerous... I would strongly consider lit signals for pedestrians and a raised crossing."
- "Massive disturbance to livestock and wild animals in the area."
- "I love the connections to Horton Grove, Staggville, and the school. Can't wait to use these trails!"
- "This section is the best candidate for a large interpretation element that respects the Occoneechi Band of the Saponi Nation and the Great Trading Path."
- "None of the residents of Bahama want this trail cutting through our family properties."
- "We moved from Durham city to Bahama for the privacy, we do NOT want any of this running behind our property."
- "I live in Treyburn Forest. This connection at Orange Factory is a game changer for cyclists in my area."
- "Please include guardrails along places where the trail parallels roads, for safety."
- "Love the link up with Triangle Land Conservancy (TLC) property. This is very exciting!"
- "This seems like a huge waste of tax money."
- "This is such a valuable asset for Bahama! We don't have sidewalks or anyplace safe to walk up here."
- "The plan should stop before reaching this area... the negative impact on the environment is not worth it."

QUESTION 7: ROUGEMONT PLANNING SECTION

Do you have additional input you would like to share with the planning team?

Question 7: Rougemont Planning Section - Summary of Responses

Vision for Rougemont Trailhead

- · Destination for long rides/walks; 'great midpoint' feel with restrooms and water.
- Local pit stop (Red Leaf/nearby businesses) and community events if activated.
- · Potential equestrian staging (if horse access is included).
- · Commuter support is limited without early/late access and transit connections.

Amenities & Partnerships

Core amenities:

- · Restrooms, water fountains/refill, shade, picnic tables
- · Bike repair stand/pump; wayfinding; seating
- · Parking:
- "Maximize parking" vs. "right-size to rural context"
- EV charging request (a few)

Public-private ideas:

- · Kiosks for food/drink; partner with nearby depot/venues
- Consider events to activate the area
- · Safety at Crossings & Trail Calming

Crossings:

- · Frequent calls for user-activated beacons, signals, and medians
- · Visual narrowing, speed humps/tables, curb extensions

Roundabouts on trail:

- · Proponents: slow e-bikes, cue upcoming road crossing
- · Skeptics: unclear purpose if set back from road; prefer budget elsewhere

Security, Maintenance & Operations

Security gates:

- · Why needed? What hours? Who opens/closes?
- · Some prefer open early/late for commuters
- · Concerns about maintenance (trash, restrooms, landscaping
- · General safety requests including lighting, patrols, cameras near trailhead and along path

Equestrian Considerations (If Included)

- Parking request for for pull-through truck+trailer stalls (2+ spots)
- · Some support equestrian focus in northern 'horse country'
- · Some question need/cost and potential conflicts

Community Concerns & Opposition

- · Privacy and property rights; fears of eminent domain.
- · Perceived crime increase; 'not wanted in backyards.'
- · Cost/benefit in rural context; skepticism of usage levels.
- Preference to invest in existing parks/sidewalks instead.

Connectivity & Extent

- · Desired connection to Roxboro and Hill Forest
- · Sidewalk connectivity on Red Mountain Road
- · Requests for trailhead signage, access hours, business access

Question 7: Rougemont Planning Section - Quotes

- "Great location for a trailhead!"
- · "Public-private partnership at that trailhead to bring life to the area."
- "I like the roundabouts on the trail, they're something a little different."
- · "Let's get this built!"
- "I feel this trail is a brilliant and needed addition to our community."
- · "Maximize parking."
- "Looks nice! It'd be a good pit stop for the Red Leaf Bar which would benefit from the extra traffic coming by."
- "Please include horse trailer parking."
- "I moved to Rougemont... I am very opposed to this trail going in. It's invading a lot of privacy."
- "As a resident of Rougemont, THIS IS AWESOME. Highly support, perfect location!"
- "Trail safety & security for not only users but also property owner near the trail."
- · "Have a dedicated left turn lane into the parking lot on Red Mountain Rd."
- "Water fountains would be very welcome."
- "This is a continuation of a wasted money venture... too rural for this unnecessary expenditure and construction."

QUESTION 8: GENERAL COMMENTS & QUESTIONS

Question 8: General Comments & Questions – Summary of Responses

Overall Tone and Common Requests

- High enthusiasm for a long, connected greenway (+ access to nature, active mobility, family use)
- · Consistent safety concerns (road crossings, lighting, emergency call boxes, crime)
- · Frequent asks for amenities (bathrooms, water fountains, benches, shade)
- Strong opinions on cost, priorities, and maintenance; some opposition citing privacy & policing
- · Calls to start quickly with a basic build, then iterate ('minimal viable trail')

Top Themes — Support

- "Long overdue" investment; strong excitement from residents across Durham and Bahama/ Treyburn
- Quality-of-life benefits: safe places to bike, walk, roll; healthier/active communities
- · Regional draw & tourism potential; economic opportunities near trailheads
- · Desire for quick wins: open usable segments ASAP; keep designs simple and build in phases

Top Themes — Concerns

- Safety at road crossings (vehicle speeds, heavy trucks); preference for engineered calming
- Personal safety and property privacy near neighborhoods & schools
- · Operations: long-term maintenance, trash, vegetation control, lighting, patrols
- Cost & funding priorities (schools, EMS, homelessness vs. trail investment)

Safety & Crossing Design Requests

- · Raised crosswalks, visual narrowing, speed cushions/humps, rumble strips, refuge islands
- Lower posted/operating speeds at crossings; clear sight lines
- · Signalization where volumes/speeds are high; minimize number of at-grade crossings
- · Emergency call stations ('blue lights') and better lighting in select segments

Amenities & Comfort

- Restrooms and water fountains/bottle fillers at regular intervals
- · Benches, shade trees, pollinator habitat; avoid unnecessary clear cutting
- Wayfinding, mile markers, bike repair stations, occasional vending
- · Public art interest (balanced with nature aesthetics)

Equity, Access & Connectivity

- · Safe access without a car; connections to schools, parks, libraries, transit & shopping
- · Interest in trail-oriented small businesses (coffee, rentals, kiosks)
- · Desire to extend/link with ATT, MST; interest in Person County coordination

Maintenance & Management

- · Clear plan for trash removal, restroom upkeep, vegetation & pavement repair
- Security/patrol strategy; ATV enforcement; hours of operation & gating policy
- · Transparent communications and timelines; notify adjacent residents early/often

Routing & Design Trade-offs

- · Fewer road crossings & more grade separation where feasible
- · Balance paved vs. natural tread; consider MVP now + upgrades later
- · Privacy buffers by homes/schools; alignments that reduce conflicts

Question 8: General Comments & Questions – Quotes

- "Thanks for the planning work; this is exciting and long overdue."
- "Waste of money"
- "I'm very excited about this future trail... I strongly support this plan!"
- "My concern is safety with the trail so close to both Little River and Lucas Middle school."
- "Bigger parking lots makes the most sense to me to mitigate traffic issues"
- · "More tree coverage the better. Please don't clear cut trees."
- "Water fountains and bathrooms please!"
- "Bathrooms would be nice. I know it is expensive, but grade separated road crossings would make cycling much more enjoyable."
- "Consider more natural tread trial surfaces and lower the amount of pavement to make the trail."
- · "Please proceed!"
- "I personally believe we have enough green spaces without adding this trail."
- · "Start with low hanging fruit and get something open ASAP! Thank you."
- "I oppose this trail. It's invading privacy and stealing land"
- "Keep it simple. Start building in the more populated places and expand. Hope to see it built!"
- "The key factor is intersections with roads. They need to be safe."
- "I would travel to bike on this trail with my friends."
- · "Please keep trails as shaded as possible."
- "The minimal viable product is the trail ... don't let the gold plating blow the budget."
- "We really need recreational outdoor opportunities in Bahama!"
- "I vehemently oppose this entire trail. It's such a waste of funds."



The Trail Identity Committee created the following rulebook for evaluating potential proposed names. These rules were utilized to generate and cull down an initial list of possible names with the goal of selecting a trail identity that reflected the desires and values of the surrounding communities.

DO:

- Emphasize Connection and Community Pride: Choose names that show how the trail links communities, celebrates local culture, and makes everyone feel welcome.
- Be Inclusive and Reflect History: Highlight the diverse stories, historical significance, and cultural heritage of the region.
- Showcase Nature and Promote Wellness: Pick names that reflect the trail's natural beauty and inspire movement, relaxation, and enjoying the outdoors.
- Tell a Story and Celebrate Legacy: Select a name that connects past, present, and future and honors local history and culture.
- · Stay Welcoming and Accessible: Ensure the name feels open, inviting, and easy to understand for everyone.

DO NOT:

- Exclude or Limit Anyone: Avoid names that might make some people feel left out or suggest the trail is only for certain activities or groups.
- Choose Generic or Difficult Names: Avoid names that are hard to say, spell, or remember, and ensure the name is unique to this area.
- Ignore Community Input: Make sure the name reflects what the local community wants and avoids negative or controversial associations.
- Follow Trends or Focus Narrowly: Avoid trendy names or names that only highlight one aspect of the trail, like just history or just nature.

THE NAME SHOULD BE:

- · Memorable and easy to pronounce.
- Representative of the entire trail corridor, not just a single area.
- · Aligned with the trail's branding goals, such as promoting recreation, history, and community connection.
- · Flexible for branding and marketing, including logo design and signage.
- Unique enough to avoid confusion with other trails or regional landmarks.
- Reflective of the trail's vision and intended identity, whether that's focused on adventure, history, nature, or community.

